

Product Guide

GOLD LABEL™ Industrial Wrapped V-Belts



GOLD LABEL™


Designed for **OEMs**

GOLD LABEL Wrapped - Table of Contents



V-Belt

GOLD LABEL™



A-B-C-D-E

GOLD LABEL Classical

Wrapped classical V-Belt.


Product description 3

Size List 4



V-Belt

GOLD LABEL™



3V-5V-8V

GOLD LABEL Narrow

Designed for more compact multiple-belt drives. Imperial design.


Product description 24

Size List 25



V-Belt

GOLD LABEL™



SPZ-SPA-SPB-SPC

GOLD LABEL Wedge

Designed for more compact multiple-belt drives. Metric design.

Product description 28


Size List 29

GOLD LABEL Classical - Product Description



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052

V-Belt

Part Number Description: **A120GL**

A: Profile (13mm X 8mm)

120: Internal Length (inches)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/BR Rubber blend

- High resistance to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 to +70 °C / -31 to +160 °F

RLT: Restricted length tolerance, matching set according to ISO 4184

Designed for OEMs

Markets and Applications:

Suitable for all Industrial applications


Pulley Standards: DIN2217 – ISO 4183

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
A21GL	A	533	566	21.00	22.30	0.07	0.16
A22GL	A	559	592	22.00	23.30	0.07	0.16
A23GL	A	584	617	23.00	24.30	0.07	0.17
A24GL	A	610	643	24.00	25.30	0.07	0.18
A25GL	A	635	668	25.00	26.30	0.08	0.18
A26GL	A	660	693	26.00	27.30	0.08	0.19
A27GL	A	686	719	27.00	28.30	0.08	0.20
A28GL	A	711	744	28.00	29.30	0.09	0.21
A29GL	A	737	770	29.00	30.30	0.09	0.21
A30GL	A	762	795	30.00	31.30	0.09	0.22
A31GL	A	787	820	31.00	32.30	0.10	0.23
A32GL	A	813	846	32.00	33.30	0.10	0.23
A33GL	A	838	871	33.00	34.30	0.10	0.24
A33.5GL	A	851	884	33.50	34.80	0.10	0.24
A34GL	A	864	897	34.00	35.30	0.11	0.25
A35GL	A	889	922	35.00	36.30	0.11	0.25
A36GL	A	914	947	36.00	37.30	0.11	0.26
A37GL	A	940	973	37.00	38.30	0.11	0.27
A38GL	A	965	998	38.00	39.30	0.12	0.28
A38.5GL	A	978	1011	38.50	39.80	0.12	0.28
A39GL	A	991	1024	39.00	40.30	0.12	0.28
A40GL	A	1016	1049	40.00	41.30	0.12	0.29
A41GL	A	1041	1074	41.00	42.30	0.13	0.30
A42GL	A	1067	1100	42.00	43.30	0.13	0.30
A43GL	A	1092	1125	43.00	44.30	0.13	0.31
A44GL	A	1118	1151	44.00	45.30	0.14	0.32
A45GL	A	1143	1176	45.00	46.30	0.14	0.32
A45.5GL	A	1156	1189	45.50	46.80	0.14	0.33
A46GL	A	1168	1201	46.00	47.30	0.14	0.33
A47GL	A	1194	1227	47.00	48.30	0.15	0.34
A48GL	A	1219	1252	48.00	49.30	0.15	0.35
A49GL	A	1245	1278	49.00	50.30	0.15	0.35

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
A50GL	A	1270	1303	50.00	51.30	0.15	0.36
A51GL	A	1295	1328	51.00	52.30	0.16	0.37
A52GL	A	1321	1354	52.00	53.30	0.16	0.37
A53GL	A	1346	1379	53.00	54.30	0.16	0.38
A54GL	A	1372	1405	54.00	55.30	0.17	0.39
A55GL	A	1397	1430	55.00	56.30	0.17	0.39
A56GL	A	1422	1455	56.00	57.30	0.17	0.40
A57GL	A	1448	1481	57.00	58.30	0.18	0.41
A58GL	A	1473	1506	58.00	59.30	0.18	0.42
A59GL	A	1499	1532	59.00	60.30	0.18	0.42
A60GL	A	1524	1557	60.00	61.30	0.19	0.43
A61GL	A	1549	1582	61.00	62.30	0.19	0.44
A62GL	A	1575	1608	62.00	63.30	0.19	0.44
A63GL	A	1600	1633	63.00	64.30	0.20	0.45
A64GL	A	1626	1659	64.00	65.30	0.20	0.46
A65GL	A	1651	1684	65.00	66.30	0.20	0.46
A66GL	A	1676	1709	66.00	67.30	0.20	0.47
A67GL	A	1702	1735	67.00	68.30	0.21	0.48
A68GL	A	1727	1760	68.00	69.30	0.21	0.49
A69GL	A	1753	1786	69.00	70.30	0.21	0.49
A70GL	A	1778	1811	70.00	71.30	0.22	0.50
A71GL	A	1803	1836	71.00	72.30	0.22	0.51
A72GL	A	1829	1862	72.00	73.30	0.22	0.51
A73GL	A	1854	1887	73.00	74.30	0.23	0.52
A73.5GL	A	1867	1900	73.50	74.80	0.23	0.52
A74GL	A	1880	1913	74.00	75.30	0.23	0.53
A75GL	A	1905	1938	75.00	76.30	0.23	0.53
A76GL	A	1930	1963	76.00	77.30	0.24	0.54
A77GL	A	1956	1989	77.00	78.30	0.24	0.55
A77.5GL	A	1969	2002	77.50	78.80	0.24	0.55
A78GL	A	1981	2014	78.00	79.30	0.24	0.56
A79GL	A	2007	2040	79.00	80.30	0.24	0.56

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
A80GL	A	2032	2065	80.00	81.30	0.25	0.57
A81GL	A	2057	2090	81.00	82.30	0.25	0.58
A82GL	A	2083	2116	82.00	83.30	0.25	0.58
A83GL	A	2108	2141	83.00	84.30	0.26	0.59
A84GL	A	2134	2167	84.00	85.30	0.26	0.60
A85GL	A	2159	2192	85.00	86.30	0.26	0.60
A86GL	A	2184	2217	86.00	87.30	0.27	0.61
A86.5	A	2197	2230	86.50	87.80	0.27	0.61
A87GL	A	2210	2243	87.00	88.30	0.27	0.62
A88GL	A	2235	2268	88.00	89.30	0.27	0.63
A89GL	A	2261	2294	89.00	90.30	0.28	0.63
A90GL	A	2286	2319	90.00	91.30	0.28	0.64
A91GL	A	2311	2344	91.00	92.30	0.28	0.65
A91.5GL	A	2324	2357	91.50	92.80	0.28	0.65
A92GL	A	2337	2370	92.00	93.30	0.29	0.65
A93GL	A	2362	2395	93.00	94.30	0.29	0.66
A94GL	A	2388	2421	94.00	95.30	0.29	0.67
A95GL	A	2413	2446	95.00	96.30	0.29	0.67
A96GL	A	2438	2471	96.00	97.30	0.30	0.68
A96.5GL	A	2451	2484	96.50	97.80	0.30	0.68
A97GL	A	2464	2497	97.00	98.30	0.30	0.69
A98GL	A	2489	2522	98.00	99.30	0.30	0.70
A99GL	A	2515	2548	99.00	100.30	0.31	0.70
A100GL	A	2540	2573	100.00	101.30	0.31	0.71
A101GL	A	2565	2598	101.00	102.30	0.31	0.72
A102GL	A	2591	2624	102.00	103.30	0.32	0.72
A103GL	A	2616	2649	103.00	104.30	0.32	0.73
A104GL	A	2642	2675	104.00	105.30	0.32	0.74
A105GL	A	2667	2700	105.00	106.30	0.33	0.74
A106GL	A	2692	2725	106.00	107.30	0.33	0.75
A107GL	A	2718	2751	107.00	108.30	0.33	0.76
A108GL	A	2743	2776	108.00	109.30	0.33	0.77

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
A109GL	A	2769	2802	109.00	110.30	0.34	0.77
A110GL	A	2794	2827	110.00	111.30	0.34	0.78
A112GL	A	2845	2878	112.00	113.30	0.35	0.79
A113GL	A	2870	2903	113.00	114.30	0.35	0.80
A114GL	A	2896	2929	114.00	115.30	0.35	0.81
A115GL	A	2921	2954	115.00	116.30	0.36	0.81
A116GL	A	2946	2979	116.00	117.30	0.36	0.82
A117GL	A	2972	3005	117.00	118.30	0.36	0.83
A118GL	A	2997	3030	118.00	119.30	0.37	0.84
A120GL	A	3048	3081	120.00	121.30	0.37	0.85
A123GL	A	3124	3157	123.00	124.30	0.38	0.87
A124GL	A	3150	3183	124.00	125.30	0.38	0.88
A125GL	A	3175	3208	125.00	126.30	0.39	0.88
A126GL	A	3200	3233	126.00	127.30	0.39	0.89
A127GL	A	3226	3259	127.00	128.30	0.39	0.90
A128GL	A	3251	3284	128.00	129.30	0.40	0.91
A130GL	A	3302	3335	130.00	131.30	0.40	0.92
A132GL	A	3353	3386	132.00	133.30	0.41	0.93
A133GL	A	3378	3411	133.00	134.30	0.41	0.94
A134GL	A	3404	3437	134.00	135.30	0.42	0.95
A136GL	A	3454	3487	136.00	137.30	0.42	0.96
A137GL	A	3480	3513	137.00	138.30	0.42	0.97
A140GL	A	3556	3589	140.00	141.30	0.43	0.99
A144GL	A	3658	3691	144.00	145.30	0.45	1.02
A148GL	A	3759	3792	148.00	149.30	0.46	1.05
A150GL	A	3810	3843	150.00	151.30	0.46	1.06
A152GL	A	3861	3894	152.00	153.30	0.47	1.07
A155GL	A	3937	3970	155.00	156.30	0.48	1.09
A156GL	A	3962	3995	156.00	157.30	0.48	1.10
A158GL	A	4013	4046	158.00	159.30	0.49	1.12
A160GL	A	4064	4097	160.00	161.30	0.50	1.13
A162GL	A	4115	4148	162.00	163.30	0.50	1.14

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
A165GL	A	4191	4224	165.00	166.30	0.51	1.16
A166GL	A	4216	4249	166.00	167.30	0.51	1.17
A167GL	A	4242	4275	167.00	168.30	0.52	1.18
A173GL	A	4394	4427	173.00	174.30	0.54	1.22
A177GL	A	4496	4529	177.00	178.30	0.55	1.25
A180GL	A	4572	4605	180.00	181.30	0.56	1.27
A187GL	A	4750	4783	187.00	188.30	0.58	1.32
A197GL	A	5004	5037	197.00	198.30	0.61	1.39
A236.5GL	A	6007	6040	236.50	237.80	0.73	1.66
B22.5GL	B	572	611	22.50	24.10	0.11	0.26
B23GL	B	584	624	23.00	24.60	0.11	0.27
B24GL	B	610	650	24.00	25.60	0.12	0.28
B25GL	B	635	675	25.00	26.60	0.12	0.29
B26GL	B	660	700	26.00	27.60	0.12	0.30
B27GL	B	686	726	27.00	28.60	0.13	0.31
B28GL	B	711	751	28.00	29.60	0.13	0.33
B29GL	B	737	777	29.00	30.60	0.14	0.34
B30GL	B	762	802	30.00	31.60	0.14	0.35
B31GL	B	787	827	31.00	32.60	0.15	0.36
B32GL	B	813	853	32.00	33.60	0.15	0.37
B32.5GL	B	826	866	32,50	34,05	0.16	0.38
B33GL	B	838	878	33.00	34.60	0.16	0.38
B33.5GL	B	851	891	33,50	35,05	0.16	0.39
B34GL	B	864	904	34.00	35.60	0.16	0.39
B34.5GL	B	876	916	34,50	36,05	0.17	0.40
B35GL	B	889	929	35.00	36.60	0.17	0.40
B35.5GL	B	902	942	35,50	37,05	0.17	0.41
B36GL	B	914	954	36.00	37.60	0.17	0.41
B36.5GL	B	927	967	36,50	38,05	0.18	0.42
B37GL	B	940	980	37.00	38.60	0.18	0.42
B37.5GL	B	953	993	37,50	39,05	0.18	0.43
B38GL	B	965	1005	38.00	39.60	0.18	0.44

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
B38.5GL	B	978	1018	38,50	40,05	0.18	0.44
B39GL	B	991	1031	39.00	40.60	0.19	0.45
B39.5GL	B	1003	1043	39,50	41,05	0.19	0.45
B40GL	B	1016	1056	40.00	41.60	0.19	0.46
B40.5GL	B	1029	1068	40,50	42,05	0.19	0.46
B41GL	B	1041	1081	41.00	42.60	0.20	0.47
B42GL	B	1067	1107	42.00	43.60	0.20	0.48
B42.5GL	B	1080	1120	42,50	44,05	0.20	0.49
B43GL	B	1092	1132	43.00	44.60	0.21	0.49
B43.5GL	B	1105	1145	43,50	45,05	0.21	0.50
B44GL	B	1118	1158	44.00	45.60	0.21	0.50
B45GL	B	1143	1183	45.00	46.60	0.22	0.51
B45.5GL	B	1156	1196	45,50	47,05	0.22	0.52
B46GL	B	1168	1208	46.00	47.60	0.22	0.52
B46.5GL	B	1181	1221	46,50	48,05	0.22	0.53
B47GL	B	1194	1234	47.00	48.60	0.23	0.53
B48GL	B	1219	1259	48.00	49.60	0.23	0.55
B49GL	B	1245	1285	49.00	50.60	0.24	0.56
B50GL	B	1270	1310	50.00	51.60	0.24	0.57
B51GL	B	1295	1335	51.00	52.60	0.24	0.58
B52GL	B	1321	1361	52.00	53.60	0.25	0.59
B53GL	B	1346	1386	53.00	54.60	0.25	0.60
B54GL	B	1372	1412	54.00	55.60	0.26	0.61
B55GL	B	1397	1437	55.00	56.60	0.26	0.62
B56GL	B	1422	1462	56.00	57.60	0.27	0.63
B57GL	B	1448	1488	57.00	58.60	0.27	0.64
B58GL	B	1473	1513	58.00	59.60	0.28	0.66
B59GL	B	1499	1539	59.00	60.60	0.28	0.67
B60GL	B	1524	1564	60.00	61.60	0.29	0.68
B61GL	B	1549	1589	61.00	62.60	0.29	0.69
B62GL	B	1575	1615	62.00	63.60	0.30	0.70
B63GL	B	1600	1640	63.00	64.60	0.30	0.71

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
B64GL	B	1626	1666	64.00	65.60	0.31	0.72
B65GL	B	1651	1691	65.00	66.60	0.31	0.73
B66GL	B	1676	1716	66.00	67.60	0.32	0.74
B67GL	B	1702	1742	67.00	68.60	0.32	0.75
B68GL	B	1727	1767	68.00	69.60	0.33	0.77
B69GL	B	1753	1793	69.00	70.60	0.33	0.78
B69.5GL	B	1765	1805	69.50	71.10	0.33	0.78
B70GL	B	1778	1818	70.00	71.60	0.34	0.79
B71GL	B	1803	1843	71.00	72.60	0.34	0.80
B72GL	B	1829	1869	72.00	73.60	0.35	0.81
B73GL	B	1854	1894	73.00	74.60	0.35	0.82
B74GL	B	1880	1920	74.00	75.60	0.36	0.83
B75GL	B	1905	1945	75.00	76.60	0.36	0.84
B76GL	B	1930	1970	76.00	77.60	0.36	0.85
B77GL	B	1956	1996	77.00	78.60	0.37	0.86
B78GL	B	1981	2021	78.00	79.60	0.37	0.88
B79GL	B	2007	2047	79.00	80.60	0.38	0.89
B80GL	B	2032	2072	80.00	81.60	0.38	0.90
B81GL	B	2057	2097	81.00	82.60	0.39	0.91
B82GL	B	2083	2123	82.00	83.60	0.39	0.92
B83GL	B	2108	2148	83.00	84.60	0.40	0.93
B84GL	B	2134	2174	84.00	85.60	0.40	0.94
B85GL	B	2159	2199	85.00	86.60	0.41	0.95
B86GL	B	2184	2224	86.00	87.60	0.41	0.96
B86.5GL	B	2197	2237	86.50	88.05	0.42	0.97
B87GL	B	2210	2250	87.00	88.60	0.42	0.97
B88GL	B	2235	2275	88.00	89.60	0.42	0.99
B88.5GL	B	2248	2288	88.50	90.05	0.42	0.99
B89GL	B	2261	2301	89.00	90.60	0.43	1.00
B90GL	B	2286	2326	90.00	91.60	0.43	1.01
B91GL	B	2311	2351	91.00	92.60	0.44	1.02
B92GL	B	2337	2377	92.00	93.60	0.44	1.03

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
B93GL	B	2362	2402	93.00	94.60	0.45	1.04
B94GL	B	2388	2428	94.00	95.60	0.45	1.05
B94.5GL	B	2400	2440	94.50	96.05	0.45	1.06
B95GL	B	2413	2453	95.00	96.60	0.46	1.06
B96GL	B	2438	2478	96.00	97.60	0.46	1.07
B97GL	B	2464	2504	97.00	98.60	0.47	1.08
B98GL	B	2489	2529	98.00	99.60	0.47	1.10
B99GL	B	2515	2555	99.00	100.60	0.48	1.11
B100GL	B	2540	2580	100.00	101.60	0.48	1.12
B101GL	B	2565	2605	101.00	102.60	0.48	1.13
B102GL	B	2591	2631	102.00	103.60	0.49	1.14
B103GL	B	2616	2656	103.00	104.60	0.49	1.15
B104GL	B	2642	2682	104.00	105.60	0.50	1.16
B105GL	B	2667	2707	105.00	106.60	0.50	1.17
B106GL	B	2692	2732	106.00	107.60	0.51	1.18
B107GL	B	2718	2758	107.00	108.60	0.51	1.19
B108GL	B	2743	2783	108.00	109.60	0.52	1.21
B109GL	B	2769	2809	109.00	110.60	0.52	1.22
B110GL	B	2794	2834	110.00	111.60	0.53	1.23
B111GL	B	2819	2859	111.00	112.60	0.53	1.24
B112GL	B	2845	2885	112.00	113.60	0.54	1.25
B113GL	B	2870	2910	113.00	114.60	0.54	1.26
B114GL	B	2896	2936	114.00	115.60	0.55	1.27
B115GL	B	2921	2961	115.00	116.60	0.55	1.28
B116GL	B	2946	2986	116.00	117.60	0.56	1.29
B116.5GL	B	2959	2999	116.50	118.05	0.56	1.30
B117GL	B	2972	3012	117.00	118.60	0.56	1.30
B118GL	B	2997	3037	118.00	119.60	0.57	1.32
B119GL	B	3023	3063	119.00	120.60	0.57	1.33
B120GL	B	3048	3088	120.00	121.60	0.58	1.34
B121GL	B	3073	3113	121.00	122.60	0.58	1.35
B122GL	B	3099	3139	122.00	123.60	0.59	1.36

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
B123GL	B	3124	3164	123.00	124.60	0.59	1.37
B124GL	B	3150	3190	124.00	125.60	0.60	1.38
B125GL	B	3175	3215	125.00	126.60	0.60	1.39
B126GL	B	3200	3240	126.00	127.60	0.60	1.40
B127GL	B	3226	3266	127.00	128.60	0.61	1.41
B128GL	B	3251	3291	128.00	129.60	0.61	1.43
B130GL	B	3302	3342	130.00	131.60	0.62	1.45
B131GL	B	3327	3367	131.00	132.60	0.63	1.46
B132GL	B	3353	3393	132.00	133.60	0.63	1.47
B133GL	B	3378	3418	133.00	134.60	0.64	1.48
B134GL	B	3404	3444	134.00	135.60	0.64	1.49
B135GL	B	3429	3469	135.00	136.60	0.65	1.50
B136GL	B	3454	3494	136.00	137.60	0.65	1.51
B137GL	B	3480	3520	137.00	138.60	0.66	1.52
B138GL	B	3505	3545	138.00	139.60	0.66	1.54
B139GL	B	3531	3571	139.00	140.60	0.67	1.55
B140GL	B	3556	3596	140.00	141.60	0.67	1.56
B141GL	B	3581	3621	141.00	142.60	0.68	1.57
B142GL	B	3607	3647	142.00	143.60	0.68	1.58
B143GL	B	3632	3672	143.00	144.60	0.69	1.59
B144GL	B	3658	3698	144.00	145.60	0.69	1.60
B145GL	B	3683	3723	145.00	146.60	0.70	1.61
B146GL	B	3708	3748	146.00	147.60	0.70	1.62
B147GL	B	3734	3774	147.00	148.60	0.71	1.63
B148GL	B	3759	3799	148.00	149.60	0.71	1.65
B149GL	B	3785	3825	149.00	150.60	0.72	1.66
B150GL	B	3810	3850	150.00	151.60	0.72	1.67
B151GL	B	3835	3875	151.00	152.60	0.72	1.68
B152GL	B	3861	3901	152.00	153.60	0.73	1.69
B153GL	B	3886	3926	153.00	154.60	0.73	1.70
B154GL	B	3912	3952	154.00	155.60	0.74	1.71
B155GL	B	3937	3977	155.00	156.60	0.74	1.72

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
B156GL	B	3962	4002	156.00	157.60	0.75	1.73
B157GL	B	3988	4028	157.00	158.60	0.75	1.74
B158GL	B	4013	4053	158.00	159.60	0.76	1.76
B159GL	B	4039	4079	159.00	160.60	0.76	1.77
B160GL	B	4064	4104	160.00	161.60	0.77	1.78
B162GL	B	4115	4155	162.00	163.60	0.78	1.80
B163GL	B	4140	4180	163.00	164.60	0.78	1.81
B164GL	B	4166	4206	164.00	165.60	0.79	1.82
B165GL	B	4191	4231	165.00	166.60	0.79	1.83
B166GL	B	4216	4256	166.00	167.60	0.80	1.84
B167GL	B	4242	4282	167.00	168.60	0.80	1.85
B168GL	B	4267	4307	168.00	169.60	0.81	1.87
B170GL	B	4318	4358	170.00	171.60	0.82	1.89
B172GL	B	4369	4409	172.00	173.60	0.83	1.91
B173GL	B	4394	4434	173.00	174.60	0.83	1.92
B174GL	B	4420	4460	174.00	175.60	0.84	1.93
B175GL	B	4445	4485	175.00	176.60	0.84	1.94
B177GL	B	4496	4536	177.00	178.60	0.85	1.96
B178GL	B	4521	4561	178.00	179.60	0.85	1.98
B180GL	B	4572	4612	180.00	181.60	0.86	2.00
B182GL	B	4623	4663	182.00	183.60	0.87	2.02
B184GL	B	4674	4714	184.00	185.60	0.88	2.04
B185GL	B	4699	4739	185.00	186.60	0.89	2.05
B187GL	B	4750	4790	187.00	188.60	0.90	2.07
B188GL	B	4775	4815	188.00	189.60	0.90	2.09
B190GL	B	4826	4866	190.00	191.60	0.91	2.11
B191GL	B	4851	4891	191.00	192.60	0.92	2.12
B192GL	B	4877	4917	192.00	193.60	0.92	2.13
B195GL	B	4953	4993	195.00	196.60	0.94	2.16
B197GL	B	5004	5044	197.00	198.60	0.95	2.18
B198GL	B	5029	5069	198.00	199.55	0.95	2.20
B199GL	B	5055	5095	199.00	200.60	0.96	2.21

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
B200GL	B	5080	5120	200.00	201.60	0.96	2.22
B204GL	B	5182	5222	204.00	205.60	0.98	2.26
B205GL	B	5207	5247	205.00	206.60	0.98	2.27
B208GL	B	5283	5323	208.00	209.55	1.00	2.31
B210GL	B	5334	5374	210.00	211.60	1.01	2.33
B215GL	B	5461	5501	215.00	216.60	1.03	2.38
B220GL	B	5588	5628	220.00	221.60	1.06	2.44
B223GL	B	5664	5704	223.00	224.60	1.07	2.47
B225GL	B	5715	5755	225.00	226.60	1.08	2.49
B228GL	B	5791	5831	228.00	229.60	1.09	2.53
B229GL	B	5817	5857	229.00	230.60	1.10	2.54
B235GL	B	5969	6009	235.00	236.55	1.13	2.60
B236GL	B	5994	6034	236.00	237.60	1.13	2.61
B238GL	B	6045	6085	238.00	239.60	1.14	2.64
B240GL	B	6096	6136	240.00	241.60	1.15	2.66
B248GL	B	6299	6339	248.00	249.60	1.19	2.75
B249GL	B	6325	6365	249.00	250.60	1.20	2.76
B253GL	B	6426	6466	253.00	254.60	1.21	2.80
B255GL	B	6477	6517	255.00	256.60	1.22	2.82
B256GL	B	6502	6542	256.00	257.55	1.23	2.83
B270GL	B	6858	6898	270.00	271.60	1.30	2.99
B275GL	B	6985	7025	275.00	276.60	1.32	3.04
B276GL	B	7010	7050	276.00	277.60	1.32	3.05
B280GL	B	7112	7152	280.00	281.60	1.34	3.10
B285GL	B	7239	7279	285.00	286.60	1.37	3.15
B292GL	B	7417	7457	292.00	293.60	1.40	3.23
B300GL	B	7620	7660	300.00	301.60	1.44	3.32
B315GL	B	8001	8041	315.00	316.60	1.51	3.48
B330GL	B	8382	8422	330.00	331.60	1.58	3.65
B345GL	B	8763	8803	345.00	346.60	1.66	3.81
B355GL	B	9017	9057	355.00	356.60	1.70	3.92
B360GL	B	9144	9184	360.00	361.60	1.73	3.98

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
C43GL	C	1092	1151	43.00	45.35	0.36	0.82
C46GL	C	1168	1227	46.00	48.35	0.38	0.87
C47GL	C	1194	1253	47.00	49.35	0.39	0.89
C48GL	C	1219	1278	48.00	50.35	0.40	0.91
C49GL	C	1245	1304	49.00	51.35	0.41	0.92
C50GL	C	1270	1329	50.00	52.35	0.42	0.94
C51GL	C	1295	1354	51.00	53.35	0.42	0.96
C52GL	C	1321	1380	52.00	54.35	0.43	0.98
C53GL	C	1346	1405	53.00	55.35	0.44	1.00
C54GL	C	1372	1431	54.00	56.35	0.45	1.01
C55GL	C	1397	1456	55.00	57.35	0.46	1.03
C56GL	C	1422	1481	56.00	58.35	0.46	1.05
C57GL	C	1448	1507	57.00	59.35	0.47	1.07
C58GL	C	1473	1532	58.00	60.35	0.48	1.09
C59GL	C	1499	1558	59.00	61.35	0.49	1.10
C60GL	C	1524	1583	60.00	62.35	0.50	1.12
C61GL	C	1549	1608	61.00	63.35	0.51	1.14
C62GL	C	1575	1634	62.00	64.35	0.52	1.16
C62.25GL	C	1581	1640	62.25	64.60	0.52	1.16
C63GL	C	1600	1659	63.00	65.35	0.52	1.18
C64GL	C	1626	1685	64.00	66.35	0.53	1.19
C65GL	C	1651	1710	65.00	67.35	0.54	1.21
C66GL	C	1676	1735	66.00	68.35	0.55	1.23
C67GL	C	1702	1761	67.00	69.35	0.56	1.25
C68GL	C	1727	1786	68.00	70.35	0.56	1.27
C69GL	C	1753	1812	69.00	71.35	0.57	1.28
C70GL	C	1778	1837	70.00	72.35	0.58	1.30
C71GL	C	1803	1862	71.00	73.35	0.59	1.32
C72GL	C	1829	1888	72.00	74.35	0.60	1.34
C72.5GL	C	1842	1901	72.50	74.85	0.60	1.35
C73GL	C	1854	1913	73.00	75.35	0.61	1.36
C74GL	C	1880	1939	74.00	76.35	0.61	1.37

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
C75GL	C	1905	1964	75.00	77.35	0.62	1.39
C76GL	C	1930	1989	76.00	78.35	0.63	1.41
C77GL	C	1956	2015	77.00	79.35	0.64	1.43
C78GL	C	1981	2040	78.00	80.35	0.65	1.45
C79GL	C	2007	2066	79.00	81.35	0.66	1.46
C80GL	C	2032	2091	80.00	82.35	0.66	1.48
C81GL	C	2057	2116	81.00	83.35	0.67	1.50
C82GL	C	2083	2142	82.00	84.35	0.68	1.52
C83GL	C	2108	2167	83.00	85.35	0.69	1.54
C84GL	C	2134	2193	84.00	86.35	0.70	1.55
C85GL	C	2159	2218	85.00	87.35	0.71	1.57
C86GL	C	2184	2243	86.00	88.35	0.71	1.59
C87GL	C	2210	2269	87.00	89.35	0.72	1.61
C88GL	C	2235	2294	88.00	90.35	0.73	1.63
C89GL	C	2261	2320	89.00	91.35	0.74	1.64
C90GL	C	2286	2345	90.00	92.35	0.75	1.66
C91GL	C	2311	2370	91.00	93.35	0.76	1.68
C92GL	C	2337	2396	92.00	94.35	0.76	1.70
C93GL	C	2362	2421	93.00	95.35	0.77	1.72
C94GL	C	2388	2447	94.00	96.35	0.78	1.73
C95GL	C	2413	2472	95.00	97.35	0.79	1.75
C96GL	C	2438	2497	96.00	98.35	0.80	1.77
C96.5GL	C	2451	2510	96.50	98.85	0.80	1.78
C97GL	C	2464	2523	97.00	99.35	0.81	1.79
C98GL	C	2489	2548	98.00	100.35	0.81	1.81
C99GL	C	2515	2574	99.00	101.35	0.82	1.82
C100GL	C	2540	2599	100.00	102.35	0.83	1.84
C101GL	C	2565	2624	101.00	103.35	0.84	1.86
C102GL	C	2591	2650	102.00	104.35	0.85	1.88
C103GL	C	2616	2675	103.00	105.35	0.86	1.90
C104GL	C	2642	2701	104.00	106.35	0.86	1.91
C105GL	C	2667	2726	105.00	107.35	0.87	1.93

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
C106GL	C	2692	2751	106.00	108.35	0.88	1.95
C107GL	C	2718	2777	107.00	109.35	0.89	1.97
C108GL	C	2743	2802	108.00	110.35	0.90	1.99
C109GL	C	2769	2828	109.00	111.35	0.91	2.00
C110GL	C	2794	2853	110.00	112.35	0.91	2.02
C111GL	C	2819	2878	111.00	113.35	0.92	2.04
C112GL	C	2845	2904	112.00	114.35	0.93	2.06
C113GL	C	2870	2929	113.00	115.35	0.94	2.08
C114GL	C	2896	2955	114.00	116.35	0.95	2.09
C115GL	C	2921	2980	115.00	117.35	0.96	2.11
C116GL	C	2946	3005	116.00	118.35	0.96	2.13
C117GL	C	2972	3031	117.00	119.35	0.97	2.15
C118GL	C	2997	3056	118.00	120.35	0.98	2.17
C119GL	C	3023	3082	119.00	121.35	0.99	2.18
C120GL	C	3048	3107	120.00	122.35	1.00	2.20
C121GL	C	3073	3132	121.00	123.35	1.00	2.22
C122GL	C	3099	3158	122.00	124.35	1.01	2.24
C123GL	C	3124	3183	123.00	125.35	1.02	2.26
C124GL	C	3150	3209	124.00	126.35	1.03	2.27
C125GL	C	3175	3234	125.00	127.35	1.04	2.29
C126GL	C	3200	3259	126.00	128.35	1.05	2.31
C127GL	C	3226	3285	127.00	129.35	1.05	2.33
C128GL	C	3251	3310	128.00	130.35	1.06	2.35
C129GL	C	3277	3336	129.00	131.35	1.07	2.36
C130GL	C	3302	3361	130.00	132.35	1.08	2.38
C131GL	C	3327	3386	131.00	133.35	1.09	2.40
C132GL	C	3353	3412	132.00	134.35	1.10	2.42
C133GL	C	3378	3437	133.00	135.35	1.10	2.44
C134GL	C	3404	3463	134.00	136.35	1.11	2.45
C135GL	C	3429	3488	135.00	137.35	1.12	2.47
C136GL	C	3454	3513	136.00	138.35	1.13	2.49
C137GL	C	3480	3539	137.00	139.35	1.14	2.51
C138GL	C	3505	3564	138.00	140.35	1.15	2.53

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
C140GL	C	3556	3615	140.00	142.35	1.16	2.56
C141GL	C	3581	3640	141.00	143.35	1.17	2.58
C142GL	C	3607	3666	142.00	144.35	1.18	2.60
C143GL	C	3632	3691	143.00	145.35	1.19	2.62
C144GL	C	3658	3717	144.00	146.35	1.20	2.63
C145GL	C	3683	3742	145.00	147.35	1.20	2.65
C146GL	C	3708	3767	146.00	148.35	1.21	2.67
C147GL	C	3734	3793	147.00	149.35	1.22	2.69
C148GL	C	3759	3818	148.00	150.35	1.23	2.71
C149GL	C	3785	3844	149.00	151.35	1.24	2.72
C150GL	C	3810	3869	150.00	152.35	1.25	2.74
C151GL	C	3835	3894	151.00	153.35	1.25	2.76
C152GL	C	3861	3920	152.00	154.35	1.26	2.78
C153GL	C	3886	3945	153.00	155.35	1.27	2.80
C154GL	C	3912	3971	154.00	156.35	1.28	2.81
C155GL	C	3937	3996	155.00	157.35	1.29	2.83
C156GL	C	3962	4021	156.00	158.35	1.30	2.85
C158GL	C	4013	4072	158.00	160.35	1.31	2.89
C159GL	C	4039	4098	159.00	161.35	1.32	2.90
C160GL	C	4064	4123	160.00	162.35	1.33	2.92
C161GL	C	4089	4148	161.00	163.35	1.34	2.94
C162GL	C	4115	4174	162.00	164.35	1.35	2.96
C163GL	C	4140	4199	163.00	165.35	1.35	2.98
C164GL	C	4166	4225	164.00	166.35	1.36	2.99
C165GL	C	4191	4250	165.00	167.35	1.37	3.01
C166GL	C	4216	4275	166.00	168.35	1.38	3.03
C167GL	C	4242	4301	167.00	169.35	1.39	3.05
C168GL	C	4267	4326	168.00	170.35	1.40	3.07
C169GL	C	4293	4352	169.00	171.35	1.40	3.08
C170GL	C	4318	4377	170.00	172.35	1.41	3.10
C172GL	C	4369	4428	172.00	174.35	1.43	3.14
C173GL	C	4394	4453	173.00	175.35	1.44	3.16

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
C175GL	C	4445	4504	175.00	177.35	1.45	3.19
C177GL	C	4496	4555	177.00	179.35	1.47	3.23
C178GL	C	4521	4580	178.00	180.35	1.48	3.25
C180GL	C	4572	4631	180.00	182.35	1.50	3.28
C181GL	C	4597	4656	181.00	183.35	1.50	3.30
C182GL	C	4623	4682	182.00	184.35	1.51	3.32
C183GL	C	4648	4707	183.00	185.35	1.52	3.34
C184GL	C	4674	4733	184.00	186.35	1.53	3.35
C185GL	C	4699	4758	185.00	187.35	1.54	3.37
C187GL	C	4750	4809	187.00	189.35	1.55	3.41
C188GL	C	4775	4834	188.00	190.35	1.56	3.43
C189GL	C	4801	4860	189.00	191.35	1.57	3.44
C190GL	C	4826	4885	190.00	192.35	1.58	3.46
C192GL	C	4877	4936	192.00	194.35	1.59	3.50
C193GL	C	4902	4961	193.00	195.35	1.60	3.52
C194GL	C	4928	4987	194.00	196.35	1.61	3.53
C195GL	C	4953	5012	195.00	197.35	1.62	3.55
C196GL	C	4978	5037	196.00	198.35	1.63	3.57
C197GL	C	5004	5063	197.00	199.35	1.64	3.59
C198GL	C	5029	5088	198.00	200.35	1.64	3.61
C200GL	C	5080	5139	200.00	202.35	1.66	3.64
C202GL	C	5131	5190	202.00	204.35	1.68	3.68
C204GL	C	5182	5241	204.00	206.35	1.69	3.71
C205GL	C	5207	5266	205.00	207.35	1.70	3.73
C206GL	C	5232	5291	206.00	208.35	1.71	3.75
C207GL	C	5258	5317	207.00	209.35	1.72	3.77
C208GL	C	5283	5342	208.00	210.35	1.73	3.79
C210GL	C	5334	5393	210.00	212.35	1.74	3.82
C212GL	C	5385	5444	212.00	214.35	1.76	3.86
C215GL	C	5461	5520	215.00	217.35	1.79	3.91
C216GL	C	5486	5545	216.00	218.35	1.79	3.93
C218GL	C	5537	5596	218.00	220.35	1.81	3.97
C220GL	C	5588	5647	220.00	222.35	1.83	4.00

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
C221GL	C	5613	5672	221.00	223.35	1.84	4.02
C222GL	C	5639	5698	222.00	224.35	1.84	4.04
C225GL	C	5715	5774	225.00	227.35	1.87	4.09
C228GL	C	5791	5850	228.00	230.35	1.89	4.15
C230GL	C	5842	5901	230.00	232.35	1.91	4.18
C232GL	C	5893	5952	232.00	234.35	1.93	4.22
C235GL	C	5969	6028	235.00	237.35	1.95	4.27
C236GL	C	5994	6053	236.00	238.35	1.96	4.29
C238GL	C	6045	6104	238.00	240.35	1.98	4.33
C240GL	C	6096	6155	240.00	242.35	1.99	4.36
C242GL	C	6147	6206	242.00	244.35	2.01	4.40
C245GL	C	6223	6282	245.00	247.35	2.03	4.45
C246GL	C	6248	6307	246.00	248.35	2.04	4.47
C248GL	C	6299	6358	248.00	250.35	2.06	4.51
C250GL	C	6350	6409	250.00	252.35	2.08	4.54
C255GL	C	6477	6536	255.00	257.35	2.12	4.63
C262GL	C	6655	6714	262.00	264.35	2.18	4.76
C264GL	C	6706	6765	264.00	266.35	2.19	4.79
C265GL	C	6731	6790	265.00	267.35	2.20	4.81
C270GL	C	6858	6917	270.00	272.35	2.24	4.90
C276GL	C	7010	7069	276.00	278.35	2.29	5.01
C280GL	C	7112	7171	280.00	282.35	2.33	5.08
C285GL	C	7239	7298	285.00	287.35	2.37	5.17
C295GL	C	7493	7552	295.00	297.35	2.45	5.35
C297GL	C	7544	7603	297.00	299.35	2.47	5.39
C300GL	C	7620	7679	300.00	302.35	2.49	5.44
C303GL	C	7696	7755	303.00	305.35	2.52	5.50
C314GL	C	7976	8035	314.00	316.35	2.61	5.69
C315GL	C	8001	8060	315.00	317.35	2.62	5.71
C316GL	C	8026	8085	316.00	318.35	2.62	5.73
C330GL	C	8382	8441	330.00	332.35	2.74	5.98
C336GL	C	8534	8593	336.00	338.35	2.79	6.09
C345GL	C	8763	8822	345.00	347.35	2.87	6.25

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
C360GL	C	9144	9203	360.00	362.35	2.99	6.52
C390GL	C	9906	9965	390.00	392.35	3.24	7.06
C420GL	C	10668	10727	420.00	422.35	3.49	7.60
D79GL	D	2007	2083	79.00	82.00	1.34	3.03
D90GL	D	2286	2362	90.00	166.00	1.53	3.44
D98GL	D	2489	2565	98.00	174.00	1.67	3.74
D104GL	D	2642	2718	104.00	180.00	1.77	3.96
D105GL	D	2667	2743	105.00	181.00	1.78	4.00
D110GL	D	2794	2870	110.00	186.00	1.87	4.18
D115GL	D	2921	2997	115.00	191.00	1.95	4.37
D118GL	D	2997	3073	118.00	121.00	2.00	4.48
D120GL	D	3048	3124	120.00	196.00	2.04	4.55
D124GL	D	3150	3226	124.00	200.00	2.11	4.70
D126GL	D	3200	3276	126.00	129.00	2.14	4.77
D128GL	D	3251	3327	128.00	204.00	2.17	4.85
D132GL	D	3353	3429	132.00	208.00	2.24	5.00
D135GL	D	3429	3505	135.00	211.00	2.29	5.11
D136GL	D	3454	3530	136.00	212.00	2.31	5.14
D140GL	D	3556	3632	140.00	216.00	2.38	5.29
D144GL	D	3658	3734	144.00	220.00	2.45	5.44
D148GL	D	3759	3835	148.00	224.00	2.51	5.59
D152GL	D	3861	3937	152.00	228.00	2.58	5.74
D154GL	D	3912	3988	154.00	230.00	2.62	5.81
D155GL	D	3937	4013	155.00	158.00	2.63	5.85
D156GL	D	3962	4038	156.00	232.00	2.65	5.88
D158GL	D	4013	4089	158.00	234.00	2.68	5.96
D160GL	D	4064	4140	160.00	236.00	2.72	6.03
D162GL	D	4115	4191	162.00	238.00	2.75	6.11
D164GL	D	4166	4242	164.00	240.00	2.79	6.18
D165GL	D	4191	4267	165.00	241.00	2.80	6.22
D167GL	D	4242	4318	167.00	243.00	2.84	6.29
D170GL	D	4318	4394	170.00	246.00	2.89	6.40
D171GL	D	4343	4419	171.00	247.00	2.91	6.44

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
D173GL	D	4394	4470	173.00	249.00	2.94	6.51
D177GL	D	4496	4572	177.00	180.00	3.01	6.66
D180GL	D	4572	4648	180.00	256.00	3.06	6.77
D187GL	D	4750	4826	187.00	190.00	3.18	7.03
D195GL	D	4953	5029	195.00	271.00	3.31	7.33
D197GL	D	5004	5080	197.00	200.00	3.35	7.40
D208GL	D	5283	5359	208.00	211.00	3.53	7.81
D210GL	D	5334	5410	210.00	286.00	3.57	7.88
D220GL	D	5588	5664	220.00	296.00	3.74	8.25
D224GL	D	5690	5766	224.00	300.00	3.81	8.40
D225GL	D	5715	5791	225.00	301.00	3.82	8.44
D230GL	D	5842	5918	230.00	306.00	3.91	8.62
D233GL	D	5918	5994	233.00	236.00	3.96	8.73
D236GL	D	5994	6070	236.00	239.00	4.01	8.84
D240GL	D	6096	6172	240.00	316.00	4.08	8.99
D248GL	D	6299	6375	248.00	324.00	4.21	9.29
D250GL	D	6350	6426	250.00	326.00	4.25	9.36
D255GL	D	6477	6553	255.00	331.00	4.33	9.55
D260GL	D	6604	6680	260.00	336.00	4.42	9.73
D264GL	D	6706	6782	264.00	267.00	4.49	9.88
D270GL	D	6858	6934	270.00	346.00	4.59	10.10
D275GL	D	6985	7061	275.00	351.00	4.67	10.29
D280GL	D	7112	7188	280.00	356.00	4.76	10.47
D285GL	D	7239	7315	285.00	361.00	4.84	10.66
D295GL	D	7493	7569	295.00	298.00	5.01	11.03
D300GL	D	7620	7696	300.00	376.00	5.10	11.21
D315GL	D	8001	8077	315.00	391.00	5.35	11.77
D330GL	D	8382	8458	330.00	406.00	5.61	12.32
D335GL	D	8509	8585	335.00	411.00	5.69	12.51
D345GL	D	8763	8839	345.00	421.00	5.86	12.88
D354GL	D	8992	9068	354.00	430.00	6.02	13.21
D355GL	D	9017	9093	355.00	431.00	6.03	13.25
D360GL	D	9144	9220	360.00	436.00	6.12	13.43

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
A	13	8	0.122
B	17	11	0.189
C	22	14	0.327
D	32	19	0.669
E	38	25	0.937

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
A	1/2	5/16	0.007
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.052


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Li Inside length (in)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
D374GL	D	9500	9576	374.00	377.00	6.36	13.95
D380GL	D	9652	9728	380.00	456.00	6.46	14.17
D390GL	D	9906	9982	390.00	466.00	6.63	14.54
D394GL	D	10008	10084	394.00	470.00	6.70	14.69
D418GL	D	10617	10693	418.00	421.00	7.10	15.58
D420GL	D	10668	10744	420.00	496.00	7.14	15.65
D436GL	D	11074	11150	436.00	512.00	7.41	16.24
D441GL	D	11201	11277	441.00	517.00	7.49	16.43
D450GL	D	11430	11506	450.00	526.00	7.65	16.76
D480GL	D	12192	12268	480.00	556.00	8.16	17.87
D492GL	D	12497	12573	492.00	495.00	8.36	18.32
D540GL	D	13716	13792	540.00	616.00	9.18	20.09
D600GL	D	15240	15316	600.00	676.00	10.20	22.31
D660GL	D	16764	16840	660.00	663.00	11.22	24.53
E144GL	E	3658	3739	144.00	147.00	3.43	7.65
E158GL	E	4013	4094	158.00	161.00	3.76	8.38
E180GL	E	4572	4653	180.00	183.00	4.28	9.53
E195GL	E	4953	5034	195.00	198.00	4.64	10.31
E202GL	E	5131	5212	202.00	205.00	4.81	10.67
E210GL	E	5334	5415	210.00	213.00	5.00	11.09
E225GL	E	5715	5796	225.00	228.00	5.35	11.87
E240GL	E	6096	6177	240.00	243.00	5.71	12.65
E270GL	E	6858	6939	270.00	273.00	6.43	14.21
E300GL	E	7620	7701	300.00	303.00	7.14	15.77
E310GL	E	7874	7955	310.00	313.00	7.38	16.29
E325GL	E	8255	8336	325.00	328.00	7.73	17.07
E330GL	E	8382	8463	330.00	333.00	7.85	17.33
E360GL	E	9144	9225	360.00	363.00	8.57	18.89
E390GL	E	9906	9987	390.00	393.00	9.28	20.45
E420GL	E	10668	10749	420.00	423.00	10.00	22.01
E441GL	E	11201	11282	441.00	444.00	10.50	23.10
E480GL	E	12192	12273	480.00	483.00	11.42	25.13
E540GL	E	13716	13797	540.00	543.00	12.85	28.25
E600GL	E	15240	15321	600.00	603.20	14.28	31.37
E660GL	E	16764	16845	660.00	663.20	15.71	34.49

GOLD LABEL Narrow - Product Description



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
3V	9	8	0.075
5V	15	13	0.217
8V	25	23	0.551

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.031

V-Belt Wrapped

Part Number Description: **3V300GL**

3V: Profile (9mm X 8mm)

300: Outside Length (tenths of an inch)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/BR Rubber blend

- High resistance to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 to +70 °C / -31 to +160 °F

RLT: Restricted length tolerance, matching set according to ISO 4184

Wedge Profile (RMA): Up to 3 times the Power transmission capacity compared to Classical V Profiles (Z, A, B, C, D, E)

Designed for OEMs

Markets and Applications:

Recommended for industrial applications where space, weight and power capacity are critical


Pulley Standards: ARPM/MPTA IP-22

GOLD LABEL Narrow - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
3V	9	8	0.075
5V	15	13	0.217
8V	25	23	0.551

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.031


DAYCO Part Nr	Section	Li Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3V560GL	3V	1422	56.00	0.11	0.22
3V600GL	3V	1524	60.00	0.11	0.24
3V630GL	3V	1600	63.00	0.12	0.25
3V650GL	3V	1651	65.00	0.12	0.26
3V670GL	3V	1702	67.00	0.13	0.27
3V710GL	3V	1803	71.00	0.14	0.28
3V730GL	3V	1854	73.00	0.14	0.29
3V750GL	3V	1905	75.00	0.14	0.30
3V780GL	3V	1981	78.00	0.15	0.31
3V800GL	3V	2032	80.00	0.15	0.32
3V830GL	3V	2108	83.00	0.16	0.33
3V850GL	3V	2159	85.00	0.16	0.34
3V900GL	3V	2286	90.00	0.17	0.36
3V950GL	3V	2413	95.00	0.18	0.38
3V1000GL	3V	2540	100.00	0.19	0.40
3V1060GL	3V	2692	106.00	0.20	0.42
3V1120GL	3V	2845	112.00	0.21	0.45
3V1180GL	3V	2997	118.00	0.22	0.47
3V1250GL	3V	3175	125.00	0.24	0.50
3V1320GL	3V	3353	132.00	0.25	0.53
3V1400GL	3V	3556	140.00	0.27	0.56
3V1450GL	3V	3683	145.00	0.28	0.58
3V1500GL	3V	3810	150.00	0.29	0.60
5V560GL	5V	1422	56.00	0.31	0.67
5V600GL	5V	1524	60.00	0.33	0.72
5V630GL	5V	1600	63.00	0.35	0.76
5V670GL	5V	1702	67.00	0.37	0.80
5V710GL	5V	1803	71.00	0.39	0.85
5V750GL	5V	1905	75.00	0.41	0.90
5V800GL	5V	2032	80.00	0.44	0.96
5V850GL	5V	2159	85.00	0.47	1.02
5V900GL	5V	2286	90.00	0.50	1.08
5V950GL	5V	2413	95.00	0.52	1.14
5V1000GL	5V	2540	100.00	0.55	1.20
5V1020GL	5V	2591	102.00	0.56	1.22
5V1060GL	5V	2692	106.00	0.58	1.27
5V1080GL	5V	2743	108.00	0.60	1.30
5V1120GL	5V	2845	112.00	0.62	1.34
5V1150GL	5V	2921	115.00	0.63	1.38

GOLD LABEL Narrow - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
3V	9	8	0.075
5V	15	13	0.217
8V	25	23	0.551

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.031

DAYCO Part Nr	Section	Li Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5V1180GL	5V	2997	118.00	0.65	1.42
5V1190GL	5V	3023	119.00	0.66	1.43
5V1250GL	5V	3175	125.00	0.69	1.50
5V1320GL	5V	3353	132.00	0.73	1.58
5V1400GL	5V	3556	140.00	0.77	1.68
5V1500GL	5V	3810	150.00	0.83	1.80
5V1600GL	5V	4064	160.00	0.88	1.92
5V1630GL	5V	4140	163.00	0.90	1.96
5V1700GL	5V	4318	170.00	0.94	2.04
5V1800GL	5V	4572	180.00	0.99	2.16
5V1850GL	5V	4699	185.00	1.02	2.22
5V1900GL	5V	4826	190.00	1.05	2.28
5V2000GL	5V	5080	200.00	1.10	2.40
5V2120GL	5V	5385	212.00	1.17	2.54
5V2240GL	5V	5690	224.00	1.23	2.69
5V2360GL	5V	5994	236.00	1.30	2.83
5V2500GL	5V	6350	250.00	1.38	3.00
5V2650GL	5V	6731	265.00	1.46	3.18
5V2800GL	5V	7112	280.00	1.54	3.36
5V3000GL	5V	7620	300.00	1.65	3.60
5V3150GL	5V	8001	315.00	1.74	3.78
5V3350GL	5V	8509	335.00	1.85	4.02
5V3550GL	5V	9017	355.00	1.96	4.26
8V1000GL	8V	2540	100.00	1.40	3.10
8V1060GL	8V	2692	106.00	1.48	3.29
8V1120GL	8V	2845	112.00	1.57	3.47
8V1180GL	8V	2997	118.00	1.65	3.66
8V1250GL	8V	3175	125.00	1.75	3.88
8V1320GL	8V	3353	132.00	1.85	4.09
8V1400GL	8V	3556	140.00	1.96	4.34
8V1500GL	8V	3810	150.00	2.10	4.65
8V1600GL	8V	4064	160.00	2.24	4.96
8V1700GL	8V	4318	170.00	2.38	5.27
8V1800GL	8V	4572	180.00	2.52	5.58
8V1900GL	8V	4826	190.00	2.66	5.89
8V2000GL	8V	5080	200.00	2.80	6.20
8V2120GL	8V	5385	212.00	2.97	6.57
8V2240GL	8V	5690	224.00	3.14	6.94
8V2300GL	8V	5842	230.00	3.22	7.13




MOVE FORWARD. ALWAYS.™

GOLD LABEL Narrow - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
3V	9	8	0.075
5V	15	13	0.217
8V	25	23	0.551

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.031


DAYCO Part Nr	Section	Li Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
8V2360GL	8V	5994	236.00	3.30	7.32
8V2500GL	8V	6350	250.00	3.50	7.75
8V2550GL	8V	6477	255.00	3.57	7.91
8V2650GL	8V	6731	265.00	3.71	8.22
8V2800GL	8V	7112	280.00	3.92	8.68
8V3000GL	8V	7620	300.00	4.20	9.30
8V3150GL	8V	8001	315.00	4.41	9.77
8V3300GL	8V	8382	330.00	4.62	10.23
8V3350GL	8V	8509	335.00	4.69	10.39
8V3550GL	8V	9017	355.00	4.97	11.01
8V3600GL	8V	9144	360.00	5.04	11.16
8V3750GL	8V	9525	375.00	5.25	11.63
8V4000GL	8V	10160	400.00	5.60	12.40
8V4250GL	8V	10795	425.00	5.95	13.18
8V4500GL	8V	11430	450.00	6.30	13.95
8V4750GL	8V	12065	475.00	6.65	14.73
8V5000GL	8V	12700	500.00	7.00	15.50
8V5600GL	8V	14224	560.00	7.84	17.36

GOLD LABEL Wedge - Product Description



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022

V-Belt Wrapped

Part Number Description: **SPA1200GL**

SPA: Profile (13mm X 10mm)

1200: Datum Length (mm)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, rubber Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/BR Rubber blend

- High resistance to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 to +70 °C / -31 to +160 °F

RLT: Restricted length tolerance, matching set according to ISO 4184

Wedge Profile (Metric): Up to 3 times the Power transmission capacity of Classical V Profiles (Z, A, B, C, D, E)

Designed for OEMs

Markets and Applications:

Recommended for industrial applications, designed with Metric cross-sections belts, where space, weight and power capacity are critical


Pulley Standards: DIN2211 – ISO 4183

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPZ637GL	SPZ	637	25.10	0.05	0.10
SPZ662GL	SPZ	662	26.10	0.05	0.10
SPZ687GL	SPZ	687	27.05	0.05	0.11
SPZ710GL	SPZ	710	27.95	0.06	0.11
SPZ737GL	SPZ	737	29.05	0.06	0.12
SPZ750GL	SPZ	750	29.55	0.06	0.12
SPZ762GL	SPZ	762	30.00	0.06	0.12
SPZ772GL	SPZ	772	30.40	0.06	0.12
SPZ787GL	SPZ	787	31.00	0.06	0.12
SPZ800GL	SPZ	800	31.50	0.06	0.13
SPZ812GL	SPZ	812	32.00	0.06	0.13
SPZ825GL	SPZ	825	32.50	0.07	0.13
SPZ837GL	SPZ	837	32.95	0.07	0.13
SPZ850GL	SPZ	850	33.50	0.07	0.13
SPZ862GL	SPZ	862	33.95	0.07	0.14
SPZ875GL	SPZ	875	34.45	0.07	0.14
SPZ887GL	SPZ	887	34.95	0.07	0.14
SPZ900GL	SPZ	900	35.45	0.07	0.14
SPZ912GL	SPZ	912	35.95	0.07	0.14
SPZ925GL	SPZ	925	36.45	0.07	0.15
SPZ937GL	SPZ	937	36.90	0.07	0.15
SPZ950GL	SPZ	950	37.40	0.08	0.15
SPZ962GL	SPZ	962	37.90	0.08	0.15
SPZ987GL	SPZ	987	38.90	0.08	0.16
SPZ1000GL	SPZ	1000	39.40	0.08	0.16
SPZ1012GL	SPZ	1012	39.85	0.08	0.16
SPZ1024GL	SPZ	1024	40.35	0.08	0.16
SPZ1037GL	SPZ	1037	40.85	0.08	0.16
SPZ1087GL	SPZ	1087	42.80	0.09	0.17
SPZ1120GL	SPZ	1120	44.10	0.09	0.18
SPZ1147GL	SPZ	1147	45.15	0.09	0.18
SPZ1270GL	SPZ	1270	50.00	0.10	0.20
SPZ1287GL	SPZ	1287	50.70	0.10	0.20
SPZ1312GL	SPZ	1312	51.65	0.10	0.21
SPZ1337GL	SPZ	1337	52.65	0.11	0.21
SPZ1362GL	SPZ	1362	53.65	0.11	0.21
SPZ1387GL	SPZ	1387	54.65	0.11	0.22

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPZ1412GL	SPZ	1412	55.60	0.11	0.22
SPZ1437GL	SPZ	1437	56.60	0.11	0.23
SPZ1462GL	SPZ	1462	57.60	0.12	0.23
SPZ1470GL	SPZ	1470	57.90	0.12	0.23
SPZ1487GL	SPZ	1487	58.60	0.12	0.23
SPZ1500GL	SPZ	1500	59.10	0.12	0.24
SPZ1512GL	SPZ	1512	59.55	0.12	0.24
SPZ1520GL	SPZ	1520	59.90	0.12	0.24
SPZ1537GL	SPZ	1537	60.55	0.12	0.24
SPZ1562GL	SPZ	1562	61.50	0.12	0.25
SPZ1575GL	SPZ	1575	62.05	0.12	0.25
SPZ1587GL	SPZ	1587	62.50	0.13	0.25
SPZ1600GL	SPZ	1600	63.00	0.13	0.25
SPZ1612GL	SPZ	1612	63.50	0.13	0.25
SPZ1637GL	SPZ	1637	64.45	0.13	0.26
SPZ1650GL	SPZ	1650	65.00	0.13	0.26
SPZ1662GL	SPZ	1662	65.45	0.13	0.26
SPZ1687GL	SPZ	1687	66.45	0.13	0.27
SPZ1700GL	SPZ	1700	66.95	0.13	0.27
SPZ1737GL	SPZ	1737	68.40	0.14	0.27
SPZ1750GL	SPZ	1750	68.90	0.14	0.28
SPZ1762GL	SPZ	1762	69.40	0.14	0.28
SPZ1787GL	SPZ	1787	70.35	0.14	0.28
SPZ1800GL	SPZ	1800	70.90	0.14	0.28
SPZ1812GL	SPZ	1812	71.40	0.14	0.29
SPZ1837GL	SPZ	1837	72.35	0.15	0.29
SPZ1850GL	SPZ	1850	72.85	0.15	0.29
SPZ1862GL	SPZ	1862	73.35	0.15	0.29
SPZ1887GL	SPZ	1887	74.30	0.15	0.30
SPZ1900GL	SPZ	1900	74.80	0.15	0.30
SPZ1937GL	SPZ	1937	76.30	0.15	0.31
SPZ1950GL	SPZ	1950	76.80	0.15	0.31
SPZ1962GL	SPZ	1962	77.30	0.15	0.31
SPZ1987GL	SPZ	1987	78.25	0.16	0.31
SPZ2000GL	SPZ	2000	78.80	0.16	0.31
SPZ2030GL	SPZ	2030	79.95	0.16	0.32
SPZ2037GL	SPZ	2037	80.20	0.16	0.32

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPZ2060GL	SPZ	2060	81.10	0.16	0.32
SPZ2062GL	SPZ	2062	81.20	0.16	0.32
SPZ2087GL	SPZ	2087	82.20	0.16	0.33
SPZ2100GL	SPZ	2100	82.70	0.17	0.33
SPZ2120GL	SPZ	2120	83.50	0.17	0.33
SPZ2130GL	SPZ	2130	83.85	0.17	0.34
SPZ2137GL	SPZ	2137	84.15	0.17	0.34
SPZ2150GL	SPZ	2150	84.65	0.17	0.34
SPZ2160GL	SPZ	2160	85.10	0.17	0.34
SPZ2180GL	SPZ	2180	85.85	0.17	0.34
SPZ2187GL	SPZ	2187	86.10	0.17	0.34
SPZ2240GL	SPZ	2240	88.20	0.18	0.35
SPZ2287GL	SPZ	2287	90.10	0.18	0.36
SPZ2300GL	SPZ	2300	90.55	0.18	0.36
SPZ2360GL	SPZ	2360	92.95	0.19	0.37
SPZ2387GL	SPZ	2387	94.00	0.19	0.38
SPZ2410GL	SPZ	2410	94.90	0.19	0.38
SPZ2437GL	SPZ	2437	96.00	0.19	0.38
SPZ2487GL	SPZ	2487	97.95	0.20	0.39
SPZ2500GL	SPZ	2500	98.45	0.20	0.39
SPZ2540GL	SPZ	2540	100.00	0.20	0.40
SPZ2650GL	SPZ	2650	104.35	0.21	0.42
SPZ2800GL	SPZ	2800	110.30	0.22	0.44
SPZ2840GL	SPZ	2840	111.85	0.22	0.45
SPZ3000GL	SPZ	3000	118.15	0.24	0.47
SPZ3150GL	SPZ	3150	124.05	0.25	0.50
SPZ3350GL	SPZ	3350	131.90	0.26	0.53
SPZ3550GL	SPZ	3550	139.80	0.28	0.56
SPA1482GL	SPA	1482	58.35	0.19	0.41
SPA1500GL	SPA	1500	59.10	0.19	0.41
SPA1507GL	SPA	1507	59.35	0.19	0.42
SPA1525GL	SPA	1525	60.05	0.19	0.42
SPA1532GL	SPA	1532	60.35	0.19	0.42
SPA1550GL	SPA	1550	61.05	0.20	0.43
SPA1557GL	SPA	1557	61.30	0.20	0.43
SPA1582GL	SPA	1582	62.30	0.20	0.44
SPA1600GL	SPA	1600	63.00	0.20	0.44

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPA1607GL	SPA	1607	63.30	0.20	0.44
SPA1632GL	SPA	1632	64.25	0.21	0.45
SPA1637GL	SPA	1637	64.45	0.21	0.45
SPA1650GL	SPA	1650	65.00	0.21	0.45
SPA1657GL	SPA	1657	65.25	0.21	0.46
SPA1675GL	SPA	1675	65.95	0.21	0.46
SPA1682GL	SPA	1682	66.25	0.21	0.46
SPA1700GL	SPA	1700	66.95	0.21	0.47
SPA1707GL	SPA	1707	67.20	0.22	0.47
SPA1732GL	SPA	1732	68.20	0.22	0.48
SPA1750GL	SPA	1750	68.90	0.22	0.48
SPA1757GL	SPA	1757	69.20	0.22	0.48
SPA1782GL	SPA	1782	70.20	0.22	0.49
SPA1800GL	SPA	1800	70.90	0.23	0.50
SPA1807GL	SPA	1807	71.15	0.23	0.50
SPA1832GL	SPA	1832	72.15	0.23	0.50
SPA1850GL	SPA	1850	72.85	0.23	0.51
SPA1857GL	SPA	1857	73.15	0.23	0.51
SPA1882GL	SPA	1882	74.10	0.24	0.52
SPA1900GL	SPA	1900	74.80	0.24	0.52
SPA1907GL	SPA	1907	75.10	0.24	0.53
SPA1925GL	SPA	1925	75.80	0.24	0.53
SPA1932GL	SPA	1932	76.10	0.24	0.53
SPA1950GL	SPA	1950	76.80	0.25	0.54
SPA1957GL	SPA	1957	77.05	0.25	0.54
SPA1982GL	SPA	1982	78.05	0.25	0.55
SPA2000GL	SPA	2000	78.75	0.25	0.55
SPA2032GL	SPA	2032	80.00	0.26	0.56
SPA2057GL	SPA	2057	81.00	0.26	0.57
SPA2082GL	SPA	2082	82.00	0.26	0.57
SPA2100GL	SPA	2100	82.70	0.26	0.58
SPA2120GL	SPA	2120	83.50	0.27	0.58
SPA2132GL	SPA	2132	83.95	0.27	0.59
SPA2150GL	SPA	2150	84.65	0.27	0.59
SPA2180GL	SPA	2180	85.85	0.27	0.60
SPA2182GL	SPA	2182	85.95	0.27	0.60
SPA2207GL	SPA	2207	86.90	0.28	0.61

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPA2232GL	SPA	2232	87.90	0.28	0.62
SPA2240GL	SPA	2240	88.20	0.28	0.62
SPA2282GL	SPA	2282	89.85	0.29	0.63
SPA2300GL	SPA	2300	90.55	0.29	0.63
SPA2307GL	SPA	2307	90.85	0.29	0.64
SPA2332GL	SPA	2332	91.85	0.29	0.64
SPA2360GL	SPA	2360	92.95	0.30	0.65
SPA2382GL	SPA	2382	93.80	0.30	0.66
SPA2400GL	SPA	2400	94.50	0.30	0.66
SPA2425GL	SPA	2425	95.45	0.31	0.67
SPA2432GL	SPA	2432	95.75	0.31	0.67
SPA2450GL	SPA	2450	96.50	0.31	0.68
SPA2482GL	SPA	2482	97.75	0.31	0.68
SPA2500GL	SPA	2500	98.45	0.32	0.69
SPA2532GL	SPA	2532	99.70	0.32	0.70
SPA2550GL	SPA	2550	100.40	0.32	0.70
SPA2582GL	SPA	2582	101.65	0.33	0.71
SPA2600GL	SPA	2600	102.40	0.33	0.72
SPA2607GL	SPA	2607	102.65	0.33	0.72
SPA2632GL	SPA	2632	103.65	0.33	0.73
SPA2650GL	SPA	2650	104.35	0.33	0.73
SPA2682GL	SPA	2682	105.60	0.34	0.74
SPA2700GL	SPA	2700	106.30	0.34	0.74
SPA2720GL	SPA	2720	107.10	0.34	0.75
SPA2732GL	SPA	2732	107.60	0.34	0.75
SPA2750GL	SPA	2750	108.30	0.35	0.76
SPA2782GL	SPA	2782	109.55	0.35	0.77
SPA2800GL	SPA	2800	110.25	0.35	0.77
SPA2832GL	SPA	2832	111.50	0.36	0.78
SPA2847GL	SPA	2847	112.10	0.36	0.78
SPA2882GL	SPA	2882	113.50	0.36	0.79
SPA2900GL	SPA	2900	114.20	0.37	0.80
SPA2932GL	SPA	2932	115.45	0.37	0.81
SPA2950GL	SPA	2950	116.15	0.37	0.81
SPA2982GL	SPA	2982	117.40	0.38	0.82
SPA3000GL	SPA	3000	118.15	0.38	0.83
SPA3032GL	SPA	3032	119.40	0.38	0.84

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPA3082GL	SPA	3082	121.35	0.39	0.85
SPA3150GL	SPA	3150	124.05	0.40	0.87
SPA3182GL	SPA	3182	125.30	0.40	0.88
SPA3200GL	SPA	3200	126.00	0.40	0.88
SPA3250GL	SPA	3250	127.95	0.41	0.90
SPA3282GL	SPA	3282	129.25	0.41	0.90
SPA3350GL	SPA	3350	131.90	0.42	0.92
SPA3382GL	SPA	3382	133.15	0.43	0.93
SPA3450GL	SPA	3450	135.85	0.43	0.95
SPA3500GL	SPA	3500	137.80	0.44	0.96
SPA3550GL	SPA	3550	139.80	0.45	0.98
SPA3650GL	SPA	3650	143.70	0.46	1.01
SPA3750GL	SPA	3750	147.65	0.47	1.03
SPA4000GL	SPA	4000	157.50	0.50	1.10
SPA4250GL	SPA	4250	167.35	0.54	1.17
SPA4500GL	SPA	4500	177.20	0.57	1.24
SPB1500GL	SPB	1500	59.10	0.29	0.65
SPB1520GL	SPB	1520	59.85	0.29	0.66
SPB1525GL	SPB	1525	60.05	0.29	0.66
SPB1550GL	SPB	1550	61.05	0.30	0.67
SPB1600GL	SPB	1600	63.00	0.31	0.69
SPB1650GL	SPB	1650	65.00	0.32	0.71
SPB1675GL	SPB	1675	65.95	0.32	0.73
SPB1700GL	SPB	1700	66.95	0.33	0.74
SPB1725GL	SPB	1725	67.90	0.33	0.75
SPB1750GL	SPB	1750	68.90	0.34	0.76
SPB1800GL	SPB	1800	70.90	0.35	0.78
SPB1850GL	SPB	1850	72.85	0.36	0.80
SPB1860GL	SPB	1860	73.20	0.36	0.81
SPB1900GL	SPB	1900	74.80	0.37	0.82
SPB1930GL	SPB	1930	76.00	0.37	0.84
SPB1950GL	SPB	1950	76.80	0.38	0.84
SPB2000GL	SPB	2000	78.75	0.39	0.87
SPB2020GL	SPB	2020	79.55	0.39	0.87
SPB2030GL	SPB	2030	79.90	0.39	0.88
SPB2050GL	SPB	2050	80.70	0.40	0.89
SPB2060GL	SPB	2060	81.10	0.40	0.89

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPB2080GL	SPB	2080	81.90	0.40	0.90
SPB2100GL	SPB	2100	82.70	0.41	0.91
SPB2120GL	SPB	2120	83.50	0.41	0.92
SPB2150GL	SPB	2150	84.65	0.41	0.93
SPB2180GL	SPB	2180	85.85	0.42	0.94
SPB2210GL	SPB	2210	87.00	0.43	0.96
SPB2240GL	SPB	2240	88.20	0.43	0.97
SPB2280GL	SPB	2280	89.80	0.44	0.99
SPB2300GL	SPB	2300	90.55	0.44	1.00
SPB2320GL	SPB	2320	91.35	0.45	1.00
SPB2360GL	SPB	2360	92.95	0.46	1.02
SPB2391GL	SPB	2391	94.15	0.46	1.04
SPB2400GL	SPB	2400	94.50	0.46	1.04
SPB2410GL	SPB	2410	94.90	0.47	1.04
SPB2430GL	SPB	2430	95.70	0.47	1.05
SPB2450GL	SPB	2450	96.45	0.47	1.06
SPB2475GL	SPB	2475	97.45	0.48	1.07
SPB2500GL	SPB	2500	98.45	0.48	1.08
SPB2530GL	SPB	2530	99.65	0.49	1.10
SPB2550GL	SPB	2550	100.40	0.49	1.10
SPB2580GL	SPB	2580	101.60	0.50	1.12
SPB2600GL	SPB	2600	102.35	0.50	1.13
SPB2650GL	SPB	2650	104.35	0.51	1.15
SPB2680GL	SPB	2680	105.55	0.52	1.16
SPB2700GL	SPB	2700	106.30	0.52	1.17
SPB2720GL	SPB	2720	107.10	0.52	1.18
SPB2732GL	SPB	2732	107.55	0.53	1.18
SPB2750GL	SPB	2750	108.25	0.53	1.19
SPB2800GL	SPB	2800	110.25	0.54	1.21
SPB2840GL	SPB	2840	111.85	0.55	1.23
SPB2850GL	SPB	2850	112.20	0.55	1.23
SPB2900GL	SPB	2900	114.20	0.56	1.26
SPB2920GL	SPB	2920	114.95	0.56	1.26
SPB2950GL	SPB	2950	116.15	0.57	1.28
SPB3000GL	SPB	3000	118.15	0.58	1.30
SPB3050GL	SPB	3050	120.10	0.59	1.32
SPB3070GL	SPB	3070	120.90	0.59	1.33

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPB3100GL	SPB	3100	122.05	0.60	1.34
SPB3150GL	SPB	3150	124.05	0.61	1.36
SPB3170GL	SPB	3170	124.80	0.61	1.37
SPB3200GL	SPB	3200	126.00	0.62	1.39
SPB3250GL	SPB	3250	127.95	0.63	1.41
SPB3300GL	SPB	3300	129.90	0.64	1.43
SPB3340GL	SPB	3340	131.50	0.64	1.45
SPB3350GL	SPB	3350	131.90	0.65	1.45
SPB3450GL	SPB	3450	135.85	0.67	1.49
SPB3500GL	SPB	3500	137.80	0.68	1.52
SPB3550GL	SPB	3550	139.80	0.69	1.54
SPB3650GL	SPB	3650	143.70	0.70	1.58
SPB3750GL	SPB	3750	147.65	0.72	1.62
SPB3800GL	SPB	3800	149.65	0.73	1.65
SPB3870GL	SPB	3870	152.40	0.75	1.68
SPB4000GL	SPB	4000	157.50	0.77	1.73
SPB4060GL	SPB	4060	159.85	0.78	1.76
SPB4120GL	SPB	4120	162.20	0.80	1.78
SPB4250GL	SPB	4250	167.35	0.82	1.84
SPB4310GL	SPB	4310	169.70	0.83	1.87
SPB4370GL	SPB	4370	172.05	0.84	1.89
SPB4500GL	SPB	4500	177.20	0.87	1.95
SPB4560GL	SPB	4560	179.55	0.88	1.97
SPB4750GL	SPB	4750	187.05	0.92	2.06
SPB4820GL	SPB	4820	189.80	0.93	2.09
SPB5000GL	SPB	5000	196.85	0.97	2.17
SPB5300GL	SPB	5300	208.70	1.02	2.30
SPB5600GL	SPB	5600	220.50	1.08	2.43
SPB6000GL	SPB	6000	236.25	1.16	2.60
SPB6300GL	SPB	6300	248.05	1.22	2.73
SPB6700GL	SPB	6700	263.80	1.29	2.90
SPB7100GL	SPB	7100	279.55	1.37	3.07
SPB7500GL	SPB	7500	295.30	1.45	3.25
SPB8000GL	SPB	8000	315.00	1.54	3.46
SPB9500GL	SPB	9500	374.00	1.83	4.11
SPC2000GL	SPC	2000	78.75	0.77	1.73
SPC2120GL	SPC	2120	83.50	0.82	1.84

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPC2240GL	SPC	2240	88.20	0.86	1.94
SPC2340GL	SPC	2340	92.15	0.90	2.03
SPC2360GL	SPC	2360	92.95	0.91	2.04
SPC2400GL	SPC	2400	94.50	0.93	2.08
SPC2500GL	SPC	2500	98.45	0.97	2.17
SPC2600GL	SPC	2600	102.40	1.00	2.25
SPC2650GL	SPC	2650	104.35	1.02	2.30
SPC2700GL	SPC	2700	106.30	1.04	2.34
SPC2750GL	SPC	2750	108.25	1.06	2.38
SPC2800GL	SPC	2800	110.25	1.08	2.43
SPC2850GL	SPC	2850	112.20	1.10	2.47
SPC2890GL	SPC	2890	113.80	1.12	2.50
SPC2900GL	SPC	2900	114.15	1.12	2.51
SPC2950GL	SPC	2950	116.15	1.14	2.56
SPC3000GL	SPC	3000	118.15	1.16	2.60
SPC3150GL	SPC	3150	124.05	1.22	2.73
SPC3200GL	SPC	3200	126.00	1.24	2.77
SPC3250GL	SPC	3250	127.95	1.25	2.81
SPC3300GL	SPC	3300	129.90	1.27	2.86
SPC3350GL	SPC	3350	131.90	1.29	2.90
SPC3400GL	SPC	3400	133.85	1.31	2.94
SPC3450GL	SPC	3450	135.85	1.33	2.99
SPC3500GL	SPC	3500	137.80	1.35	3.03
SPC3550GL	SPC	3550	139.80	1.37	3.07
SPC3750GL	SPC	3750	147.65	1.45	3.25
SPC4000GL	SPC	4000	157.50	1.54	3.46
SPC4250GL	SPC	4250	167.35	1.64	3.68
SPC4400GL	SPC	4400	173.25	1.70	3.81
SPC4500GL	SPC	4500	177.20	1.74	3.90
SPC4710GL	SPC	4710	185.45	1.82	4.08
SPC4750GL	SPC	4750	187.05	1.83	4.11
SPC5000GL	SPC	5000	196.85	1.93	4.33
SPC5300GL	SPC	5300	208.70	2.05	4.59
SPC5600GL	SPC	5600	220.50	2.16	4.85
SPC5800GL	SPC	5800	228.35	2.24	5.02
SPC6000GL	SPC	6000	236.25	2.32	5.20
SPC6250GL	SPC	6250	246.05	2.41	5.41

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL™



Metric			
Section	W-Width (mm)	H-Height (mm)	Weight (Kg/m)
SPZ	10	8	0.079
SPA	13	10	0.126
SPB	17	14	0.193
SPC	22	18	0.386

Imperial			
Section	W-Width (in)	H-Height (in)	Weight (lb/in)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.011
SPC	7/8	45/64	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Datum length (in)	Weight (Kg)	Weight (lbs)
SPC6300GL	SPC	6300	248.05	2.43	5.46
SPC6700GL	SPC	6700	263.80	2.59	5.80
SPC6800GL	SPC	6800	267.70	2.62	5.89
SPC7000GL	SPC	7000	275.60	2.70	6.06
SPC7100GL	SPC	7100	279.55	2.74	6.15
SPC7500GL	SPC	7500	295.30	2.90	6.50
SPC7800GL	SPC	7800	307.10	3.01	6.76
SPC8000GL	SPC	8000	315.00	3.09	6.93
SPC8500GL	SPC	8500	334.65	3.28	7.36
SPC8750GL	SPC	8750	344.50	3.38	7.58
SPC9000GL	SPC	9000	354.35	3.47	7.80
SPC9500GL	SPC	9500	374.05	3.67	8.23
SPC10000GL	SPC	10000	393.70	3.86	8.66
SPC10600GL	SPC	10600	417.35	4.09	9.18
SPC11200GL	SPC	11200	440.95	4.32	9.70



MOVE FORWARD. ALWAYS.™

PRODUCTS STORAGE-HANDLING CONDITIONS

- Possibly dry and cool environment
- Better no direct sunlight
- Prevent moisture contamination
- Avoid contamination with solvents or chemicals
- Ideal temperature for storage conditions is < 30 °C / 86 °F
- Continues high temperature (50 °C / 122 °F) might significantly reduce belt life
- Humidity is not significantly causing issues
- If properly storage belt shelf life is at least 5 years
- Short belt up to 1,5 m / 59 in can be stored on pegs
- Long belts better to be coiled on shelves for distortion – free



MOVE FORWARD. ALWAYS.™

GOLD LABEL - Notes



MOVE FORWARD. ALWAYS.™

GOLD LABEL - Notes



MOVE FORWARD. ALWAYS.™

GOLD LABEL - Notes
