


GOLD LABEL Wedge - Product Description



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02

V-Belt

Part Number Description: **SPA1200GL**

SPA: Profile (13mm X 10mm)

1200: Datum Length (mm)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

MM: Made for Match

Wedge Profile (Metric): Up to 3 times the Power transmission capacity of Classical V Profile
Designed for OEMs

Markets and Applications:

Recommended for industrial applications, designed with Metric cross-sections belts, where space, weight and power capacity are critical


Pulley Standards: DIN2211 – ISO 4183

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ562GL	SPZ	562	575	22.15	22.65	0.10	0.04
SPZ580GL	SPZ	580	593	22.85	23.35	0.10	0.05
SPZ587GL	SPZ	587	600	23.15	23.60	0.10	0.05
SPZ600GL	SPZ	600	613	23.65	24.15	0.10	0.05
SPZ604GL	SPZ	604	617	23.80	24.30	0.10	0.05
SPZ612GL	SPZ	612	625	24.10	24.60	0.11	0.05
SPZ615GL	SPZ	615	628	24.25	24.70	0.11	0.05
SPZ630GL	SPZ	630	643	24.80	25.30	0.11	0.05
SPZ637GL	SPZ	637	650	25.10	25.60	0.11	0.05
SPZ640GL	SPZ	640	653	25.20	25.70	0.11	0.05
SPZ643GL	SPZ	643	656	25.35	25.85	0.11	0.05
SPZ646GL	SPZ	646	659	25.45	25.95	0.11	0.05
SPZ650GL	SPZ	650	663	25.60	26.10	0.11	0.05
SPZ660GL	SPZ	660	673	26.00	26.50	0.11	0.05
SPZ662GL	SPZ	662	675	26.10	26.55	0.11	0.05
SPZ670GL	SPZ	670	683	26.40	26.90	0.11	0.05
SPZ675GL	SPZ	675	688	26.60	27.10	0.12	0.05
SPZ683GL	SPZ	683	696	26.90	27.40	0.12	0.05
SPZ690GL	SPZ	690	703	27.20	27.70	0.12	0.05
SPZ700GL	SPZ	700	713	27.60	28.05	0.12	0.05
SPZ710GL	SPZ	710	723	27.95	28.45	0.12	0.06
SPZ722GL	SPZ	722	735	28.45	28.95	0.12	0.06
SPZ725GL	SPZ	725	738	28.60	29.05	0.12	0.06
SPZ730GL	SPZ	730	743	28.80	29.25	0.12	0.06
SPZ735GL	SPZ	735	748	29.00	29.45	0.13	0.06
SPZ737GL	SPZ	737	750	29.05	29.55	0.13	0.06
SPZ750GL	SPZ	750	763	29.55	30.05	0.13	0.06
SPZ758GL	SPZ	758	771	29.90	30.35	0.13	0.06
SPZ760GL	SPZ	760	773	29.95	30.45	0.13	0.06
SPZ762GL	SPZ	762	775	30.00	30.50	0.13	0.06
SPZ763GL	SPZ	763	776	30.10	30.55	0.13	0.06
SPZ775GL	SPZ	775	788	30.55	31.00	0.13	0.06
SPZ785GL	SPZ	785	798	30.95	31.40	0.13	0.06
SPZ787GL	SPZ	787	800	31.00	31.50	0.13	0.06
SPZ800GL	SPZ	800	813	31.50	32.00	0.14	0.06
SPZ812GL	SPZ	812	825	32.00	32.50	0.14	0.06
SPZ813GL	SPZ	813	826	32.05	32.50	0.14	0.06
SPZ825GL	SPZ	825	838	32.50	33.00	0.14	0.06
SPZ837GL	SPZ	837	850	32.95	33.45	0.14	0.06
SPZ838GL	SPZ	838	851	33.00	33.50	0.14	0.06
SPZ845GL	SPZ	845	858	33.30	33.80	0.14	0.07
SPZ850GL	SPZ	850	863	33.50	34.00	0.15	0.07
SPZ862GL	SPZ	862	875	34.00	34.45	0.15	0.07
SPZ863GL	SPZ	863	876	34.00	34.50	0.15	0.07
SPZ875GL	SPZ	875	888	34.45	34.95	0.15	0.07

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ887GL	SPZ	887	900	34.95	35.45	0.15	0.07
SPZ888GL	SPZ	888	901	35.00	35.45	0.15	0.07
SPZ900GL	SPZ	900	913	35.45	35.95	0.15	0.07
SPZ912GL	SPZ	912	925	35.95	36.40	0.16	0.07
SPZ913GL	SPZ	913	926	36.00	36.45	0.16	0.07
SPZ925GL	SPZ	925	938	36.45	36.95	0.16	0.07
SPZ937GL	SPZ	937	950	36.90	37.40	0.16	0.07
SPZ940GL	SPZ	940	953	37.05	37.50	0.16	0.07
SPZ950GL	SPZ	950	963	37.40	37.90	0.16	0.07
SPZ962GL	SPZ	962	975	37.90	38.40	0.16	0.07
SPZ963GL	SPZ	963	976	37.95	38.45	0.16	0.07
SPZ975GL	SPZ	975	988	38.40	38.90	0.17	0.08
SPZ980GL	SPZ	980	993	38.60	39.10	0.17	0.08
SPZ985GL	SPZ	985	998	38.80	39.30	0.17	0.08
SPZ987GL	SPZ	987	1000	38.90	39.35	0.17	0.08
SPZ1000GL	SPZ	1000	1013	39.40	39.90	0.17	0.08
SPZ1010GL	SPZ	1010	1023	39.80	40.30	0.17	0.08
SPZ1012GL	SPZ	1012	1025	39.90	40.35	0.17	0.08
SPZ1013GL	SPZ	1013	1026	39.90	40.40	0.17	0.08
SPZ1024GL	SPZ	1024	1037	40.35	40.85	0.17	0.08
SPZ1025GL	SPZ	1025	1038	40.35	40.85	0.17	0.08
SPZ1030GL	SPZ	1030	1043	40.55	41.05	0.18	0.08
SPZ1037GL	SPZ	1037	1050	40.85	41.35	0.18	0.08
SPZ1047GL	SPZ	1047	1060	41.25	41.75	0.18	0.08
SPZ1050GL	SPZ	1050	1063	41.40	41.85	0.18	0.08
SPZ1060GL	SPZ	1060	1073	41.75	42.25	0.18	0.08
SPZ1073GL	SPZ	1073	1086	42.30	42.75	0.18	0.08
SPZ1077GL	SPZ	1077	1090	42.40	42.90	0.18	0.08
SPZ1080GL	SPZ	1080	1093	42.55	43.05	0.18	0.08
SPZ1087GL	SPZ	1087	1100	42.80	43.30	0.19	0.08
SPZ1090GL	SPZ	1090	1103	42.95	43.45	0.19	0.08
SPZ1100GL	SPZ	1100	1113	43.35	43.80	0.19	0.09
SPZ1112GL	SPZ	1112	1125	43.80	44.30	0.19	0.09
SPZ1120GL	SPZ	1120	1133	44.10	44.60	0.19	0.09
SPZ1125GL	SPZ	1125	1138	44.30	44.80	0.19	0.09
SPZ1137GL	SPZ	1137	1150	44.80	45.30	0.19	0.09
SPZ1140GL	SPZ	1140	1153	44.90	45.40	0.19	0.09
SPZ1150GL	SPZ	1150	1163	45.30	45.80	0.20	0.09
SPZ1162GL	SPZ	1162	1175	45.75	46.25	0.20	0.09
SPZ1170GL	SPZ	1170	1183	46.10	46.55	0.20	0.09
SPZ1180GL	SPZ	1180	1193	46.50	46.95	0.20	0.09
SPZ1185GL	SPZ	1185	1198	46.65	47.15	0.20	0.09
SPZ1187GL	SPZ	1187	1200	46.75	47.25	0.20	0.09
SPZ1195GL	SPZ	1195	1208	47.05	47.55	0.20	0.09
SPZ1200GL	SPZ	1200	1213	47.30	47.75	0.20	0.09

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ1202GL	SPZ	1202	1215	47.35	47.85	0.20	0.09
SPZ1210GL	SPZ	1210	1223	47.70	48.15	0.21	0.09
SPZ1212GL	SPZ	1212	1225	47.75	48.25	0.21	0.09
SPZ1215GL	SPZ	1215	1228	47.85	48.35	0.21	0.09
SPZ1220GL	SPZ	1220	1233	48.05	48.55	0.21	0.09
SPZ1225GL	SPZ	1225	1238	48.25	48.75	0.21	0.09
SPZ1237GL	SPZ	1237	1250	48.70	49.20	0.21	0.10
SPZ1240GL	SPZ	1240	1253	48.85	49.35	0.21	0.10
SPZ1250GL	SPZ	1250	1263	49.25	49.70	0.21	0.10
SPZ1262GL	SPZ	1262	1275	49.70	50.20	0.21	0.10
SPZ1263GL	SPZ	1263	1276	49.75	50.25	0.21	0.10
SPZ1270GL	SPZ	1270	1283	50.00	50.50	0.22	0.10
SPZ1275GL	SPZ	1275	1288	50.20	50.70	0.22	0.10
SPZ1280GL	SPZ	1280	1293	50.40	50.90	0.22	0.10
SPZ1282GL	SPZ	1282	1295	50.50	51.00	0.22	0.10
SPZ1285GL	SPZ	1285	1298	50.60	51.10	0.22	0.10
SPZ1287GL	SPZ	1287	1300	50.70	51.20	0.22	0.10
SPZ1300GL	SPZ	1300	1313	51.20	51.70	0.22	0.10
SPZ1312GL	SPZ	1312	1325	51.65	52.15	0.22	0.10
SPZ1320GL	SPZ	1320	1333	52.00	52.50	0.22	0.10
SPZ1325GL	SPZ	1325	1338	52.20	52.70	0.23	0.10
SPZ1337GL	SPZ	1337	1350	52.70	53.15	0.23	0.10
SPZ1340GL	SPZ	1340	1353	52.80	53.25	0.23	0.10
SPZ1350GL	SPZ	1350	1363	53.15	53.65	0.23	0.10
SPZ1360GL	SPZ	1360	1373	53.60	54.05	0.23	0.10
SPZ1362GL	SPZ	1362	1375	53.65	54.15	0.23	0.11
SPZ1370GL	SPZ	1370	1383	54.00	54.45	0.23	0.11
SPZ1375GL	SPZ	1375	1388	54.15	54.65	0.23	0.11
SPZ1380GL	SPZ	1380	1393	54.35	54.85	0.23	0.11
SPZ1387GL	SPZ	1387	1400	54.65	55.10	0.24	0.11
SPZ1400GL	SPZ	1400	1413	55.15	55.65	0.24	0.11
SPZ1412GL	SPZ	1412	1425	55.60	56.10	0.24	0.11
SPZ1413GL	SPZ	1413	1426	55.65	56.15	0.24	0.11
SPZ1415GL	SPZ	1415	1428	55.75	56.20	0.24	0.11
SPZ1420GL	SPZ	1420	1433	55.95	56.40	0.24	0.11
SPZ1425GL	SPZ	1425	1438	56.14	56.60	0.24	0.11
SPZ1430GL	SPZ	1430	1443	56.30	56.80	0.24	0.11
SPZ1437GL	SPZ	1437	1450	56.60	57.10	0.24	0.11
SPZ1450GL	SPZ	1450	1463	57.10	57.60	0.25	0.11
SPZ1462GL	SPZ	1462	1475	57.60	58.05	0.25	0.11
SPZ1470GL	SPZ	1470	1483	57.90	58.40	0.25	0.11
SPZ1475GL	SPZ	1475	1488	58.10	58.60	0.25	0.11
SPZ1487GL	SPZ	1487	1500	58.60	59.05	0.25	0.11
SPZ1490GL	SPZ	1490	1503	58.70	59.15	0.25	0.11
SPZ1500GL	SPZ	1500	1513	59.10	59.55	0.25	0.12

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ1512GL	SPZ	1512	1525	59.55	60.05	0.26	0.12
SPZ1513GL	SPZ	1513	1526	59.60	60.10	0.26	0.12
SPZ1520GL	SPZ	1520	1533	59.90	60.35	0.26	0.12
SPZ1525GL	SPZ	1525	1538	60.10	60.55	0.26	0.12
SPZ1537GL	SPZ	1537	1550	60.55	61.00	0.26	0.12
SPZ1545GL	SPZ	1545	1558	60.85	61.35	0.26	0.12
SPZ1550GL	SPZ	1550	1563	61.05	61.55	0.26	0.12
SPZ1560GL	SPZ	1560	1573	61.45	61.95	0.26	0.12
SPZ1562GL	SPZ	1562	1575	61.50	62.00	0.26	0.12
SPZ1575GL	SPZ	1575	1588	62.05	62.50	0.27	0.12
SPZ1587GL	SPZ	1587	1600	62.50	63.00	0.27	0.12
SPZ1600GL	SPZ	1600	1613	63.00	63.50	0.27	0.12
SPZ1612GL	SPZ	1612	1625	63.50	64.00	0.27	0.12
SPZ1613GL	SPZ	1613	1626	63.50	64.00	0.27	0.12
SPZ1625GL	SPZ	1625	1638	64.00	64.50	0.28	0.13
SPZ1630GL	SPZ	1630	1643	64.20	64.70	0.28	0.13
SPZ1637GL	SPZ	1637	1650	64.45	64.95	0.28	0.13
SPZ1640GL	SPZ	1640	1653	64.60	65.10	0.28	0.13
SPZ1650GL	SPZ	1650	1663	65.00	65.45	0.28	0.13
SPZ1662GL	SPZ	1662	1675	65.45	65.95	0.28	0.13
SPZ1675GL	SPZ	1675	1688	66.00	66.45	0.28	0.13
SPZ1687GL	SPZ	1687	1700	66.45	66.95	0.29	0.13
SPZ1700GL	SPZ	1700	1713	66.95	67.45	0.29	0.13
SPZ1710GL	SPZ	1710	1723	67.35	67.85	0.29	0.13
SPZ1712GL	SPZ	1712	1725	67.40	67.90	0.29	0.13
SPZ1713GL	SPZ	1713	1726	67.50	67.95	0.29	0.13
SPZ1737GL	SPZ	1737	1750	68.40	68.90	0.29	0.13
SPZ1750GL	SPZ	1750	1763	68.90	69.40	0.30	0.13
SPZ1760GL	SPZ	1760	1773	69.30	69.80	0.30	0.14
SPZ1762GL	SPZ	1762	1775	69.40	69.90	0.30	0.14
SPZ1775GL	SPZ	1775	1788	69.90	70.40	0.30	0.14
SPZ1787GL	SPZ	1787	1800	70.35	70.80	0.30	0.14
SPZ1800GL	SPZ	1800	1813	70.90	71.40	0.31	0.14
SPZ1812GL	SPZ	1812	1825	71.40	71.85	0.31	0.14
SPZ1813GL	SPZ	1813	1826	71.40	71.90	0.31	0.14
SPZ1837GL	SPZ	1837	1850	72.35	72.85	0.31	0.14
SPZ1845GL	SPZ	1845	1858	72.70	73.15	0.31	0.14
SPZ1850GL	SPZ	1850	1863	72.85	73.35	0.31	0.14
SPZ1862GL	SPZ	1862	1875	73.35	73.80	0.32	0.14
SPZ1875GL	SPZ	1875	1888	73.85	74.35	0.32	0.14
SPZ1887GL	SPZ	1887	1900	74.30	74.80	0.32	0.15
SPZ1900GL	SPZ	1900	1913	74.80	75.30	0.32	0.15
SPZ1913GL	SPZ	1913	1926	75.35	75.85	0.32	0.15
SPZ1937GL	SPZ	1937	1950	76.30	76.75	0.33	0.15
SPZ1950GL	SPZ	1950	1963	76.80	77.30	0.33	0.15

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ1962GL	SPZ	1962	1975	77.30	77.75	0.33	0.15
SPZ1987GL	SPZ	1987	2000	78.25	78.75	0.34	0.15
SPZ2000GL	SPZ	2000	2013	78.80	79.25	0.34	0.15
SPZ2013GL	SPZ	2013	2026	79.25	79.75	0.34	0.15
SPZ2030GL	SPZ	2030	2043	79.95	80.45	0.34	0.16
SPZ2037GL	SPZ	2037	2050	80.20	80.70	0.34	0.16
SPZ2060GL	SPZ	2060	2073	81.10	81.60	0.35	0.16
SPZ2062GL	SPZ	2062	2075	81.20	81.70	0.35	0.16
SPZ2087GL	SPZ	2087	2100	82.20	82.70	0.35	0.16
SPZ2120GL	SPZ	2120	2133	83.50	84.00	0.36	0.16
SPZ2133GL	SPZ	2133	2146	84.00	84.50	0.36	0.16
SPZ2137GL	SPZ	2137	2150	84.15	84.65	0.36	0.16
SPZ2160GL	SPZ	2160	2173	85.10	85.55	0.37	0.17
SPZ2187GL	SPZ	2187	2200	86.10	86.60	0.37	0.17
SPZ2220GL	SPZ	2220	2233	87.40	87.90	0.38	0.17
SPZ2240GL	SPZ	2240	2253	88.20	88.70	0.38	0.17
SPZ2253GL	SPZ	2253	2266	88.70	89.20	0.38	0.17
SPZ2280GL	SPZ	2280	2293	89.80	90.30	0.39	0.18
SPZ2287GL	SPZ	2287	2300	90.10	90.55	0.39	0.18
SPZ2300GL	SPZ	2300	2313	90.55	91.05	0.39	0.18
SPZ2360GL	SPZ	2360	2373	92.95	93.45	0.40	0.18
SPZ2375GL	SPZ	2375	2388	93.50	94.00	0.40	0.18
SPZ2410GL	SPZ	2410	2423	94.90	95.40	0.41	0.19
SPZ2430GL	SPZ	2430	2443	95.70	96.18	0.41	0.19
SPZ2437GL	SPZ	2437	2450	96.00	96.45	0.41	0.19
SPZ2487GL	SPZ	2487	2500	97.95	98.45	0.42	0.19
SPZ2500GL	SPZ	2500	2513	98.45	98.95	0.42	0.19
SPZ2513GL	SPZ	2513	2526	99.00	99.45	0.42	0.19
SPZ2530GL	SPZ	2530	2543	99.65	100.10	0.43	0.19
SPZ2540GL	SPZ	2540	2553	100.00	100.50	0.43	0.19
SPZ2580GL	SPZ	2580	2593	101.60	102.10	0.44	0.20
SPZ2650GL	SPZ	2650	2663	104.35	104.85	0.45	0.20
SPZ2663GL	SPZ	2663	2676	104.90	105.35	0.45	0.20
SPZ2690GL	SPZ	2690	2703	105.95	106.40	0.45	0.21
SPZ2750GL	SPZ	2750	2763	108.30	108.80	0.46	0.21
SPZ2800GL	SPZ	2800	2813	110.30	110.75	0.47	0.21
SPZ2813GL	SPZ	2813	2826	110.75	111.25	0.48	0.22
SPZ2840GL	SPZ	2840	2853	111.85	112.30	0.48	0.22
SPZ2900GL	SPZ	2900	2913	114.20	114.70	0.49	0.22
SPZ2915GL	SPZ	2915	2928	114.80	115.30	0.49	0.22
SPZ2990GL	SPZ	2990	3003	117.75	118.25	0.51	0.23
SPZ3000GL	SPZ	3000	3013	118.15	118.60	0.51	0.23
SPZ3013GL	SPZ	3013	3026	118.65	119.15	0.51	0.23
SPZ3070GL	SPZ	3070	3083	120.90	121.40	0.52	0.24
SPZ3100GL	SPZ	3100	3113	122.05	122.55	0.52	0.24

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ3150GL	SPZ	3150	3163	124.05	124.55	0.53	0.24
SPZ3163GL	SPZ	3163	3176	124.55	125.05	0.53	0.24
SPZ3170GL	SPZ	3170	3183	124.80	125.30	0.54	0.24
SPZ3250GL	SPZ	3250	3263	127.95	128.45	0.55	0.25
SPZ3350GL	SPZ	3350	3363	131.90	132.40	0.57	0.26
SPZ3363GL	SPZ	3363	3376	132.40	132.90	0.57	0.26
SPZ3450GL	SPZ	3450	3463	135.85	136.35	0.58	0.26
SPZ3550GL	SPZ	3550	3563	139.80	140.30	0.60	0.27
SPZ3563GL	SPZ	3563	3576	140.30	140.80	0.60	0.27
SPA600GL	SPA	600	618	23.65	24.35	0.08	0.18
SPA650GL	SPA	650	668	25.60	26.30	0.09	0.20
SPA700GL	SPA	700	718	27.60	28.30	0.10	0.21
SPA732GL	SPA	732	750	28.85	29.55	0.10	0.22
SPA750GL	SPA	750	768	29.55	30.25	0.10	0.23
SPA757GL	SPA	757	775	29.82	30.55	0.10	0.23
SPA775GL	SPA	775	793	30.55	31.25	0.11	0.23
SPA782GL	SPA	782	800	30.80	31.50	0.11	0.24
SPA800GL	SPA	800	818	31.50	32.20	0.11	0.24
SPA807GL	SPA	807	825	31.80	32.50	0.11	0.24
SPA810GL	SPA	810	828	31.90	32.60	0.11	0.24
SPA818GL	SPA	818	836	32.20	32.95	0.11	0.25
SPA825GL	SPA	825	843	32.48	33.20	0.11	0.25
SPA832GL	SPA	832	850	32.80	33.50	0.11	0.25
SPA850GL	SPA	850	868	33.50	34.20	0.12	0.26
SPA868GL	SPA	868	886	34.20	34.90	0.12	0.26
SPA875GL	SPA	875	893	34.45	35.20	0.12	0.26
SPA900GL	SPA	900	918	35.45	36.15	0.12	0.27
SPA918GL	SPA	918	936	36.15	36.85	0.13	0.28
SPA925GL	SPA	925	943	36.45	37.15	0.13	0.28
SPA930GL	SPA	930	948	36.65	37.35	0.13	0.28
SPA932GL	SPA	932	950	36.70	37.40	0.13	0.28
SPA950GL	SPA	950	968	37.40	38.15	0.13	0.29
SPA967GL	SPA	967	985	38.10	38.80	0.13	0.29
SPA968GL	SPA	968	986	38.15	38.85	0.13	0.29
SPA975GL	SPA	975	993	38.40	39.10	0.13	0.29
SPA982GL	SPA	982	1000	38.70	39.40	0.13	0.29
SPA1000GL	SPA	1000	1018	39.40	40.10	0.14	0.30
SPA1018GL	SPA	1018	1036	40.10	40.80	0.14	0.31
SPA1025GL	SPA	1025	1043	40.35	41.10	0.14	0.31
SPA1032GL	SPA	1032	1050	40.65	41.35	0.14	0.31
SPA1050GL	SPA	1050	1068	41.35	42.05	0.14	0.31
SPA1057GL	SPA	1057	1075	41.65	42.35	0.14	0.32
SPA1060GL	SPA	1060	1078	41.75	42.45	0.14	0.32
SPA1078GL	SPA	1078	1096	42.45	43.15	0.15	0.32
SPA1082GL	SPA	1082	1100	42.60	43.35	0.15	0.32

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA1100GL	SPA	1100	1118	43.35	44.05	0.15	0.33
SPA1107GL	SPA	1107	1125	43.60	44.30	0.15	0.33
SPA1120GL	SPA	1120	1138	44.10	44.80	0.15	0.34
SPA1125GL	SPA	1125	1143	44.30	45.00	0.15	0.34
SPA1132GL	SPA	1132	1150	44.60	45.30	0.15	0.34
SPA1138GL	SPA	1138	1156	44.80	45.55	0.15	0.34
SPA1150GL	SPA	1150	1168	45.30	46.00	0.16	0.34
SPA1157GL	SPA	1157	1175	45.55	46.30	0.16	0.35
SPA1175GL	SPA	1175	1193	46.30	47.00	0.16	0.35
SPA1180GL	SPA	1180	1198	46.50	47.20	0.16	0.35
SPA1198GL	SPA	1198	1216	47.20	47.90	0.16	0.36
SPA1200GL	SPA	1200	1218	47.25	47.95	0.16	0.36
SPA1207GL	SPA	1207	1225	47.55	48.25	0.16	0.36
SPA1225GL	SPA	1225	1243	48.25	48.95	0.17	0.37
SPA1232GL	SPA	1232	1250	48.50	49.25	0.17	0.37
SPA1250GL	SPA	1250	1268	49.25	49.95	0.17	0.37
SPA1257GL	SPA	1257	1275	49.50	50.20	0.17	0.38
SPA1268GL	SPA	1268	1286	49.95	50.65	0.17	0.38
SPA1272GL	SPA	1272	1290	50.10	50.80	0.17	0.38
SPA1275GL	SPA	1275	1293	50.20	50.95	0.17	0.38
SPA1280GL	SPA	1280	1298	50.40	51.10	0.17	0.38
SPA1282GL	SPA	1282	1300	50.50	51.20	0.17	0.38
SPA1300GL	SPA	1300	1318	51.20	51.90	0.18	0.39
SPA1307GL	SPA	1307	1325	51.50	52.20	0.18	0.39
SPA1320GL	SPA	1320	1338	52.00	52.70	0.18	0.39
SPA1325GL	SPA	1325	1343	52.20	52.90	0.18	0.40
SPA1332GL	SPA	1332	1350	52.45	53.15	0.18	0.40
SPA1338GL	SPA	1338	1356	52.70	53.40	0.18	0.40
SPA1350GL	SPA	1350	1368	53.15	53.90	0.18	0.40
SPA1357GL	SPA	1357	1375	53.45	54.15	0.18	0.41
SPA1360GL	SPA	1360	1378	53.55	54.25	0.18	0.41
SPA1375GL	SPA	1375	1393	54.15	54.85	0.19	0.41
SPA1382GL	SPA	1382	1400	54.45	55.15	0.19	0.41
SPA1400GL	SPA	1400	1418	55.15	55.85	0.19	0.42
SPA1407GL	SPA	1407	1425	55.40	56.10	0.19	0.42
SPA1418GL	SPA	1418	1436	55.85	56.55	0.19	0.42
SPA1425GL	SPA	1425	1443	56.10	56.85	0.19	0.43
SPA1428GL	SPA	1428	1446	56.25	56.95	0.19	0.43
SPA1432GL	SPA	1432	1450	56.40	57.10	0.19	0.43
SPA1450GL	SPA	1450	1468	57.10	57.80	0.20	0.43
SPA1457GL	SPA	1457	1475	57.40	58.10	0.20	0.43
SPA1475GL	SPA	1475	1493	58.10	58.80	0.20	0.44
SPA1482GL	SPA	1482	1500	58.35	59.10	0.20	0.44
SPA1500GL	SPA	1500	1518	59.10	59.80	0.20	0.45
SPA1507GL	SPA	1507	1525	59.35	60.05	0.20	0.45

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA1518GL	SPA	1518	1536	59.80	60.50	0.21	0.45
SPA1525GL	SPA	1525	1543	60.05	60.75	0.21	0.45
SPA1532GL	SPA	1532	1550	60.35	61.05	0.21	0.46
SPA1550GL	SPA	1550	1568	61.05	61.75	0.21	0.46
SPA1557GL	SPA	1557	1575	61.30	62.05	0.21	0.46
SPA1575GL	SPA	1575	1593	62.05	62.75	0.21	0.47
SPA1582GL	SPA	1582	1600	62.30	63.00	0.21	0.47
SPA1600GL	SPA	1600	1618	63.00	63.70	0.22	0.48
SPA1607GL	SPA	1607	1625	63.30	64.00	0.22	0.48
SPA1618GL	SPA	1618	1636	63.70	64.45	0.22	0.48
SPA1625GL	SPA	1625	1643	64.00	64.70	0.22	0.48
SPA1632GL	SPA	1632	1650	64.25	65.00	0.22	0.49
SPA1650GL	SPA	1650	1668	65.00	65.70	0.22	0.49
SPA1657GL	SPA	1657	1675	65.25	65.95	0.22	0.49
SPA1675GL	SPA	1675	1693	65.95	66.65	0.23	0.50
SPA1682GL	SPA	1682	1700	66.25	66.95	0.23	0.50
SPA1700GL	SPA	1700	1718	66.95	67.65	0.23	0.51
SPA1707GL	SPA	1707	1725	67.20	67.95	0.23	0.51
SPA1718GL	SPA	1718	1736	67.65	68.35	0.23	0.51
SPA1725GL	SPA	1725	1743	67.95	68.65	0.23	0.51
SPA1732GL	SPA	1732	1750	68.20	68.90	0.23	0.52
SPA1750GL	SPA	1750	1768	68.90	69.65	0.24	0.52
SPA1757GL	SPA	1757	1775	69.20	69.90	0.24	0.52
SPA1782GL	SPA	1782	1800	70.20	70.90	0.24	0.53
SPA1800GL	SPA	1800	1818	70.90	71.60	0.24	0.54
SPA1807GL	SPA	1807	1825	71.15	71.85	0.24	0.54
SPA1818GL	SPA	1818	1836	71.60	72.30	0.25	0.54
SPA1825GL	SPA	1825	1843	71.85	72.60	0.25	0.54
SPA1832GL	SPA	1832	1850	72.15	72.85	0.25	0.55
SPA1850GL	SPA	1850	1868	72.85	73.55	0.25	0.55
SPA1857GL	SPA	1857	1875	73.15	73.85	0.25	0.55
SPA1875GL	SPA	1875	1893	73.85	74.55	0.25	0.56
SPA1882GL	SPA	1882	1900	74.10	74.80	0.25	0.56
SPA1900GL	SPA	1900	1918	74.80	75.55	0.26	0.57
SPA1907GL	SPA	1907	1925	75.10	75.80	0.26	0.57
SPA1918GL	SPA	1918	1936	75.55	76.25	0.26	0.57
SPA1925GL	SPA	1925	1943	75.80	76.50	0.26	0.57
SPA1932GL	SPA	1932	1950	76.10	76.80	0.26	0.57
SPA1950GL	SPA	1950	1968	76.80	77.50	0.26	0.58
SPA1982GL	SPA	1982	2000	78.05	78.75	0.27	0.59
SPA2000GL	SPA	2000	2018	78.75	79.45	0.27	0.59
SPA2018GL	SPA	2018	2036	79.45	80.20	0.27	0.60
SPA2032GL	SPA	2032	2050	80.00	80.75	0.27	0.60
SPA2057GL	SPA	2057	2075	81.00	81.70	0.28	0.61
SPA2082GL	SPA	2082	2100	82.00	82.70	0.28	0.62

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA2100GL	SPA	2100	2118	82.70	83.40	0.28	0.62
SPA2120GL	SPA	2120	2138	83.50	84.20	0.29	0.63
SPA2132GL	SPA	2132	2150	83.95	84.65	0.29	0.63
SPA2138GL	SPA	2138	2156	84.20	84.90	0.29	0.64
SPA2150GL	SPA	2150	2168	84.65	85.35	0.29	0.64
SPA2182GL	SPA	2182	2200	85.95	86.65	0.29	0.65
SPA2200GL	SPA	2200	2218	86.65	87.35	0.30	0.65
SPA2207GL	SPA	2207	2225	86.90	87.60	0.30	0.66
SPA2227GL	SPA	2227	2245	87.70	88.40	0.30	0.66
SPA2232GL	SPA	2232	2250	87.90	88.60	0.30	0.66
SPA2240GL	SPA	2240	2258	88.20	88.90	0.30	0.67
SPA2250GL	SPA	2250	2268	88.60	89.30	0.30	0.67
SPA2258GL	SPA	2258	2276	88.90	89.65	0.30	0.67
SPA2282GL	SPA	2282	2300	89.85	90.55	0.31	0.68
SPA2300GL	SPA	2300	2318	90.55	91.30	0.31	0.68
SPA2307GL	SPA	2307	2325	90.85	91.55	0.31	0.69
SPA2325GL	SPA	2325	2343	91.55	92.25	0.31	0.69
SPA2332GL	SPA	2332	2350	91.85	92.55	0.31	0.69
SPA2360GL	SPA	2360	2378	92.95	93.65	0.32	0.70
SPA2378GL	SPA	2378	2396	93.65	94.35	0.32	0.71
SPA2382GL	SPA	2382	2400	93.80	94.49	0.32	0.71
SPA2400GL	SPA	2400	2418	94.50	95.20	0.32	0.71
SPA2432GL	SPA	2432	2450	95.75	96.50	0.33	0.72
SPA2450GL	SPA	2450	2468	96.50	97.20	0.33	0.73
SPA2482GL	SPA	2482	2500	97.75	98.45	0.33	0.74
SPA2500GL	SPA	2500	2518	98.45	99.15	0.34	0.74
SPA2518GL	SPA	2518	2536	99.15	99.85	0.34	0.75
SPA2532GL	SPA	2532	2550	99.70	100.40	0.34	0.75
SPA2582GL	SPA	2582	2600	101.65	102.40	0.35	0.77
SPA2600GL	SPA	2600	2618	102.40	103.10	0.35	0.77
SPA2607GL	SPA	2607	2625	102.65	103.35	0.35	0.77
SPA2625GL	SPA	2625	2643	103.35	104.10	0.35	0.78
SPA2650GL	SPA	2650	2668	104.35	105.05	0.36	0.79
SPA2668GL	SPA	2668	2686	105.05	105.75	0.36	0.79
SPA2682GL	SPA	2682	2700	105.60	106.30	0.36	0.80
SPA2700GL	SPA	2700	2718	106.30	107.05	0.36	0.80
SPA2732GL	SPA	2732	2750	107.60	108.30	0.37	0.81
SPA2750GL	SPA	2750	2768	108.30	109.00	0.37	0.82
SPA2782GL	SPA	2782	2800	109.55	110.25	0.37	0.83
SPA2800GL	SPA	2800	2818	110.25	110.95	0.38	0.83
SPA2818GL	SPA	2818	2836	110.95	111.65	0.38	0.84
SPA2832GL	SPA	2832	2850	111.50	112.20	0.38	0.84
SPA2850GL	SPA	2850	2868	112.20	112.95	0.38	0.85
SPA2882GL	SPA	2882	2900	113.50	114.20	0.39	0.86
SPA2900GL	SPA	2900	2918	114.20	114.90	0.39	0.86

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA2950GL	SPA	2950	2968	116.15	116.85	0.40	0.88
SPA2982GL	SPA	2982	3000	117.40	118.15	0.40	0.88
SPA3000GL	SPA	3000	3018	118.15	118.85	0.40	0.89
SPA3020GL	SPA	3020	3038	118.90	119.65	0.41	0.90
SPA3030GL	SPA	3030	3048	119.30	120.00	0.41	0.90
SPA3032GL	SPA	3032	3050	119.40	120.10	0.41	0.90
SPA3070GL	SPA	3070	3088	120.90	121.60	0.41	0.91
SPA3082GL	SPA	3082	3100	121.35	122.05	0.41	0.91
SPA3150GL	SPA	3150	3168	124.05	124.75	0.42	0.93
SPA3160GL	SPA	3160	3178	124.45	125.15	0.43	0.94
SPA3182GL	SPA	3182	3200	125.30	126.00	0.43	0.94
SPA3282GL	SPA	3282	3300	129.25	129.95	0.44	0.97
SPA3290GL	SPA	3290	3308	129.55	130.25	0.44	0.98
SPA3350GL	SPA	3350	3368	131.90	132.60	0.45	0.99
SPA3382GL	SPA	3382	3400	133.15	133.90	0.46	1.00
SPA3390GL	SPA	3390	3408	133.50	134.20	0.46	1.00
SPA3450GL	SPA	3450	3468	135.85	136.55	0.46	1.02
SPA3482GL	SPA	3482	3500	137.10	137.80	0.47	1.03
SPA3550GL	SPA	3550	3568	139.80	140.50	0.48	1.05
SPA3650GL	SPA	3650	3668	143.70	144.45	0.49	1.08
SPA3660GL	SPA	3660	3678	144.10	144.80	0.49	1.08
SPA3750GL	SPA	3750	3768	147.65	148.35	0.50	1.11
SPA3870GL	SPA	3870	3888	152.40	153.10	0.52	1.15
SPA3880GL	SPA	3880	3898	152.80	153.50	0.52	1.15
SPA4000GL	SPA	4000	4018	157.50	158.20	0.54	1.18
SPA4010GL	SPA	4010	4028	157.90	158.60	0.54	1.19
SPA4125GL	SPA	4125	4143	162.40	163.15	0.55	1.22
SPA4230GL	SPA	4230	4248	166.55	167.25	0.57	1.25
SPA4250GL	SPA	4250	4268	167.35	168.05	0.57	1.26
SPA4260GL	SPA	4260	4278	167.75	168.45	0.57	1.26
SPA4375GL	SPA	4375	4393	172.24	172.95	0.59	1.30
SPA4500GL	SPA	4500	4518	177.20	177.90	0.60	1.33
SPA5100GL	SPA	5100	5118	200.80	201.50	0.69	1.51
SPB1250GL	SPB	1250	1272	49.25	50.10	0.28	0.62
SPB1320GL	SPB	1320	1342	52.00	52.85	0.30	0.66
SPB1340GL	SPB	1340	1362	52.80	53.65	0.30	0.67
SPB1400GL	SPB	1400	1422	55.15	56.00	0.32	0.70
SPB1410GL	SPB	1410	1432	55.55	56.40	0.32	0.70
SPB1450GL	SPB	1450	1472	57.10	57.95	0.33	0.72
SPB1500GL	SPB	1500	1522	59.10	59.95	0.34	0.75
SPB1600GL	SPB	1600	1622	63.00	63.90	0.36	0.80
SPB1700GL	SPB	1700	1722	66.95	67.80	0.38	0.85
SPB1800GL	SPB	1800	1822	70.90	71.75	0.41	0.89
SPB1900GL	SPB	1900	1922	74.80	75.70	0.43	0.94
SPB2000GL	SPB	2000	2022	78.75	79.65	0.45	0.99

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPB2020GL	SPB	2020	2042	79.55	80.40	0.46	1.00
SPB2098GL	SPB	2098	2120	82.60	83.50	0.47	1.04
SPB2120GL	SPB	2120	2142	83.50	84.35	0.48	1.05
SPB2150GL	SPB	2150	2172	84.65	85.55	0.48	1.07
SPB2180GL	SPB	2180	2202	85.85	86.70	0.49	1.08
SPB2240GL	SPB	2240	2262	88.20	89.10	0.50	1.11
SPB2280GL	SPB	2280	2302	89.80	90.65	0.51	1.13
SPB2300GL	SPB	2300	2322	90.55	91.45	0.52	1.14
SPB2360GL	SPB	2360	2382	92.95	93.80	0.53	1.17
SPB2391GL	SPB	2391	2413	94.15	95.00	0.54	1.18
SPB2410GL	SPB	2410	2432	94.90	95.75	0.54	1.19
SPB2500GL	SPB	2500	2522	98.45	99.30	0.56	1.24
SPB2650GL	SPB	2650	2672	104.35	105.20	0.60	1.31
SPB2680GL	SPB	2680	2702	105.55	106.40	0.60	1.33
SPB2800GL	SPB	2800	2822	110.25	111.10	0.63	1.39
SPB2990GL	SPB	2990	3012	117.75	118.60	0.67	1.48
SPB3000GL	SPB	3000	3022	118.15	119.00	0.67	1.48
SPB3070GL	SPB	3070	3092	120.90	121.75	0.69	1.52
SPB3100GL	SPB	3100	3122	122.05	122.95	0.70	1.53
SPB3150GL	SPB	3150	3172	124.05	124.90	0.71	1.56
SPB3170GL	SPB	3170	3192	124.80	125.70	0.71	1.57
SPB3200GL	SPB	3200	3222	126.00	126.85	0.72	1.58
SPB3250GL	SPB	3250	3272	127.95	128.85	0.73	1.61
SPB3350GL	SPB	3350	3372	131.90	132.80	0.75	1.66
SPB3450GL	SPB	3450	3472	135.85	136.70	0.77	1.70
SPB3550GL	SPB	3550	3572	139.80	140.65	0.80	1.75
SPB3600GL	SPB	3600	3622	141.75	142.60	0.81	1.78
SPB3650GL	SPB	3650	3672	143.70	144.60	0.82	1.80
SPB3675GL	SPB	3675	3697	144.70	145.55	0.82	1.81
SPB3750GL	SPB	3750	3772	147.65	148.50	0.84	1.85
SPB3800GL	SPB	3800	3822	149.65	150.50	0.85	1.88
SPB3870GL	SPB	3870	3892	152.40	153.25	0.87	1.91
SPB4000GL	SPB	4000	4022	157.50	158.35	0.90	1.97
SPB4060GL	SPB	4060	4082	159.85	160.75	0.91	2.00
SPB4120GL	SPB	4120	4142	162.20	163.10	0.92	2.03
SPB4200GL	SPB	4200	4222	165.35	166.25	0.94	2.07
SPB4250GL	SPB	4250	4272	167.35	168.20	0.95	2.10
SPB4310GL	SPB	4310	4332	169.70	170.55	0.97	2.13
SPB4370GL	SPB	4370	4392	172.05	172.95	0.98	2.16
SPB4500GL	SPB	4500	4522	177.20	178.05	1.01	2.22
SPB4560GL	SPB	4560	4582	179.55	180.40	1.02	2.25
SPB4620GL	SPB	4620	4642	181.90	182.80	1.03	2.28
SPB4680GL	SPB	4680	4702	184.25	185.15	1.05	2.31
SPB4750GL	SPB	4750	4772	187.05	187.90	1.06	2.34
SPB4820GL	SPB	4820	4842	189.80	190.65	1.08	2.38

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPB4870GL	SPB	4870	4892	191.75	192.60	1.09	2.40
SPB5000GL	SPB	5000	5022	196.85	197.75	1.12	2.46
SPB5070GL	SPB	5070	5092	199.65	200.50	1.13	2.50
SPB5150GL	SPB	5150	5172	202.80	203.65	1.15	2.54
SPB5300GL	SPB	5300	5322	208.70	209.55	1.19	2.61
SPB5322GL	SPB	5322	5344	209.55	210.40	1.19	2.62
SPB5380GL	SPB	5380	5402	211.85	212.70	1.20	2.65
SPB5450GL	SPB	5450	5472	214.60	215.45	1.22	2.69
SPB5500GL	SPB	5500	5522	216.55	217.40	1.23	2.71
SPB5600GL	SPB	5600	5622	220.50	221.35	1.25	2.76
SPB5680GL	SPB	5680	5702	223.65	224.50	1.27	2.80
SPB5800GL	SPB	5800	5822	228.35	229.25	1.30	2.86
SPB5900GL	SPB	5900	5922	232.30	233.15	1.32	2.91
SPB6000GL	SPB	6000	6022	236.25	237.10	1.34	2.96
SPB6150GL	SPB	6150	6172	242.15	243.00	1.38	3.03
SPB6300GL	SPB	6300	6322	248.05	248.90	1.41	3.10
SPB6340GL	SPB	6340	6362	249.65	250.50	1.42	3.12
SPB6500GL	SPB	6500	6522	255.95	256.80	1.45	3.20
SPB6700GL	SPB	6700	6722	263.80	264.65	1.50	3.30
SPB6740GL	SPB	6740	6762	265.35	266.25	1.51	3.32
SPB6850GL	SPB	6850	6872	269.70	270.55	1.53	3.37
SPB7100GL	SPB	7100	7122	279.55	280.40	1.59	3.50
SPB7500GL	SPB	7500	7522	295.30	296.15	1.68	3.69
SPB7600GL	SPB	7600	7622	299.25	300.10	1.70	3.74
SPB7800GL	SPB	7800	7822	307.10	307.95	1.74	3.84
SPB8000GL	SPB	8000	8022	315.00	315.85	1.79	3.94
SPB8500GL	SPB	8500	8522	334.65	335.55	1.90	4.18
SPB9000GL	SPB	9000	9022	354.35	355.20	2.01	4.43
SPC2000GL	SPC	2000	2030	78.75	79.95	0.72	1.58
SPC2120GL	SPC	2120	2150	83.50	84.65	0.76	1.68
SPC2240GL	SPC	2240	2270	88.20	89.40	0.80	1.77
SPC2360GL	SPC	2360	2390	92.95	94.10	0.85	1.87
SPC2500GL	SPC	2500	2530	98.45	99.65	0.90	1.97
SPC2650GL	SPC	2650	2680	104.35	105.55	0.95	2.09
SPC2800GL	SPC	2800	2830	110.25	111.45	1.00	2.21
SPC3000GL	SPC	3000	3030	118.15	119.30	1.07	2.36
SPC3150GL	SPC	3150	3180	124.05	125.20	1.13	2.48
SPC3175GL	SPC	3175	3205	125.00	126.20	1.14	2.50
SPC3350GL	SPC	3350	3380	131.90	133.10	1.20	2.64
SPC3550GL	SPC	3550	3580	139.80	140.95	1.27	2.79
SPC3580GL	SPC	3580	3610	140.95	142.15	1.28	2.82
SPC3750GL	SPC	3750	3780	147.65	148.85	1.34	2.95
SPC4000GL	SPC	4000	4030	157.50	158.70	1.43	3.15
SPC4135GL	SPC	4135	4165	162.80	164.00	1.48	3.25
SPC4250GL	SPC	4250	4280	167.35	168.50	1.52	3.34

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPC4280GL	SPC	4280	4310	168.50	169.70	1.53	3.36
SPC4300GL	SPC	4300	4330	169.30	170.50	1.53	3.38
SPC4500GL	SPC	4500	4530	177.20	178.35	1.61	3.54
SPC4750GL	SPC	4750	4780	187.05	188.20	1.69	3.73
SPC5000GL	SPC	5000	5030	196.85	198.05	1.78	3.93
SPC5100GL	SPC	5100	5130	200.80	202.00	1.82	4.00
SPC5300GL	SPC	5300	5330	208.70	209.85	1.89	4.16
SPC5400GL	SPC	5400	5430	212.60	213.80	1.92	4.24
SPC5500GL	SPC	5500	5530	216.55	217.75	1.96	4.32
SPC5600GL	SPC	5600	5630	220.50	221.65	1.99	4.39
SPC6000GL	SPC	6000	6030	236.25	237.40	2.14	4.71
SPC6300GL	SPC	6300	6330	248.05	249.25	2.24	4.94
SPC6700GL	SPC	6700	6730	263.80	265.00	2.38	5.25
SPC7100GL	SPC	7100	7130	279.55	280.75	2.53	5.56
SPC7500GL	SPC	7500	7530	295.30	296.50	2.67	5.88
SPC7530GL	SPC	7530	7560	296.50	297.65	2.68	5.90
SPC7600GL	SPC	7600	7630	299.25	300.40	2.70	5.95
SPC8000GL	SPC	8000	8030	315.00	316.15	2.85	6.27
SPC8500GL	SPC	8500	8530	334.65	335.85	3.02	6.66
SPC9000GL	SPC	9000	9030	354.35	355.55	3.20	7.05
SPC9500GL	SPC	9500	9530	374.05	375.20	3.38	7.44
SPC10000GL	SPC	10000	10030	393.70	394.90	3.55	7.83
SPC10500GL	SPC	10500	10530	413.40	414.60	3.73	8.22
SPC10600GL	SPC	10600	10630	417.35	418.50	3.77	8.30
SPC11200GL	SPC	11200	11230	440.95	442.15	3.98	8.76
SPC11800GL	SPC	11800	11830	464.60	465.75	4.19	9.23
SPC12500GL	SPC	12500	12530	492.15	493.35	4.44	9.78