

# Product Guide

## GOLD LABEL™ Industrial Banded Wrapped V-Belts



# GOLD LABEL™

Designed for **OEMs**

**DAYCO®**  
MOVE FORWARD. ALWAYS.™

## GOLD LABEL Banded Wrapped - Table of Contents



V-Belt Banded **GOLD LABEL™**

### A-B-C-D

#### GOLD LABEL Banded Classical

Product description .....3

Size List .....4



V-Belt Banded **GOLD LABEL™**

### 3V-5V-8V

#### GOLD LABEL Banded Narrow

Product description .....38

Size List .....39



V-Belt Banded **GOLD LABEL™**

### SPZ-SPA-SPB-SPC

#### GOLD LABEL Banded Wedge

Product description .....51

Size List .....52

## GOLD LABEL Banded Wrapped Classical - Product Description



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

### V-Belt

Part Number Description: **2/B120GL**

**2/**: Number of ribs

**B**: Profile

**120**: Internal Length (inches)

**GL**: Gold Label

### Features and Benefits:

Tie Band Fabric: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Prevents Vibrations and belt Turn-over

Fabric Cover: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/BR Rubber blend

- High resistance to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 °C / -31 To 160 °F

Designed for OEMs

### Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty drives

Recommended solution for multiple belts drives where single belts vibrate or turn over

Pulley Standards: ISO 5291

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/A58GL       | 2           | A       | 1473                  | 58.00                 | 0.54        | 1.19         |
| 2/A59GL       | 2           | A       | 1499                  | 59.00                 | 0.55        | 1.21         |
| 2/A60GL       | 2           | A       | 1524                  | 60.00                 | 0.56        | 1.23         |
| 2/A62GL       | 2           | A       | 1575                  | 62.00                 | 0.57        | 1.27         |
| 2/A64GL       | 2           | A       | 1626                  | 64.00                 | 0.59        | 1.31         |
| 2/A65GL       | 2           | A       | 1651                  | 65.00                 | 0.60        | 1.33         |
| 2/A66GL       | 2           | A       | 1676                  | 66.00                 | 0.61        | 1.35         |
| 2/A67GL       | 2           | A       | 1702                  | 67.00                 | 0.62        | 1.37         |
| 2/A68GL       | 2           | A       | 1727                  | 68.00                 | 0.63        | 1.39         |
| 2/A70GL       | 2           | A       | 1778                  | 70.00                 | 0.65        | 1.43         |
| 2/A71GL       | 2           | A       | 1803                  | 71.00                 | 0.66        | 1.45         |
| 2/A74GL       | 2           | A       | 1880                  | 74.00                 | 0.69        | 1.51         |
| 2/A75GL       | 2           | A       | 1905                  | 75.00                 | 0.70        | 1.53         |
| 2/A77GL       | 2           | A       | 1956                  | 77.00                 | 0.71        | 1.57         |
| 2/A78GL       | 2           | A       | 1981                  | 78.00                 | 0.72        | 1.59         |
| 2/A79GL       | 2           | A       | 2007                  | 79.00                 | 0.73        | 1.61         |
| 2/A80GL       | 2           | A       | 2032                  | 80.00                 | 0.74        | 1.64         |
| 2/A81GL       | 2           | A       | 2057                  | 81.00                 | 0.75        | 1.66         |
| 2/A83GL       | 2           | A       | 2108                  | 83.00                 | 0.77        | 1.70         |
| 2/A85GL       | 2           | A       | 2159                  | 85.00                 | 0.79        | 1.74         |
| 2/A88GL       | 2           | A       | 2235                  | 88.00                 | 0.82        | 1.80         |
| 2/A90GL       | 2           | A       | 2286                  | 90.00                 | 0.83        | 1.84         |
| 2/A92GL       | 2           | A       | 2337                  | 92.00                 | 0.85        | 1.88         |
| 2/A96GL       | 2           | A       | 2438                  | 96.00                 | 0.89        | 1.96         |
| 2/A98GL       | 2           | A       | 2489                  | 98.00                 | 0.91        | 2.00         |
| 2/A100GL      | 2           | A       | 2540                  | 100.00                | 0.93        | 2.04         |
| 2/A104GL      | 2           | A       | 2642                  | 104.00                | 0.96        | 2.13         |
| 2/A105GL      | 2           | A       | 2667                  | 105.00                | 0.97        | 2.15         |
| 2/A110GL      | 2           | A       | 2794                  | 110.00                | 1.02        | 2.25         |
| 2/A112GL      | 2           | A       | 2845                  | 112.00                | 1.04        | 2.29         |
| 2/A120GL      | 2           | A       | 3048                  | 120.00                | 1.11        | 2.45         |
| 2/A128GL      | 2           | A       | 3251                  | 128.00                | 1.19        | 2.62         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/A136GL      | 2           | A       | 3454                  | 136.00                | 1.26        | 2.78         |
| 2/A144GL      | 2           | A       | 3658                  | 144.00                | 1.34        | 2.94         |
| 2/A158GL      | 2           | A       | 4013                  | 158.00                | 1.46        | 3.23         |
| 2/A167GL      | 2           | A       | 4242                  | 167.00                | 1.55        | 3.41         |
| 2/A173GL      | 2           | A       | 4394                  | 173.00                | 1.60        | 3.54         |
| 2/A180GL      | 2           | A       | 4572                  | 180.00                | 1.67        | 3.68         |
| 2/A187GL      | 2           | A       | 4750                  | 187.00                | 1.73        | 3.82         |
| 3/A58GL       | 3           | A       | 1473                  | 58.00                 | 0.81        | 1.78         |
| 3/A59GL       | 3           | A       | 1499                  | 59.00                 | 0.82        | 1.81         |
| 3/A60GL       | 3           | A       | 1524                  | 60.00                 | 0.83        | 1.84         |
| 3/A62GL       | 3           | A       | 1575                  | 62.00                 | 0.86        | 1.90         |
| 3/A64GL       | 3           | A       | 1626                  | 64.00                 | 0.89        | 1.96         |
| 3/A65GL       | 3           | A       | 1651                  | 65.00                 | 0.90        | 1.99         |
| 3/A66GL       | 3           | A       | 1676                  | 66.00                 | 0.92        | 2.02         |
| 3/A67GL       | 3           | A       | 1702                  | 67.00                 | 0.93        | 2.05         |
| 3/A68GL       | 3           | A       | 1727                  | 68.00                 | 0.95        | 2.08         |
| 3/A70GL       | 3           | A       | 1778                  | 70.00                 | 0.97        | 2.15         |
| 3/A71GL       | 3           | A       | 1803                  | 71.00                 | 0.99        | 2.18         |
| 3/A74GL       | 3           | A       | 1880                  | 74.00                 | 1.03        | 2.27         |
| 3/A75GL       | 3           | A       | 1905                  | 75.00                 | 1.04        | 2.30         |
| 3/A77GL       | 3           | A       | 1956                  | 77.00                 | 1.07        | 2.36         |
| 3/A78GL       | 3           | A       | 1981                  | 78.00                 | 1.08        | 2.39         |
| 3/A79GL       | 3           | A       | 2007                  | 79.00                 | 1.10        | 2.42         |
| 3/A80GL       | 3           | A       | 2032                  | 80.00                 | 1.11        | 2.45         |
| 3/A81GL       | 3           | A       | 2057                  | 81.00                 | 1.13        | 2.48         |
| 3/A83GL       | 3           | A       | 2108                  | 83.00                 | 1.15        | 2.54         |
| 3/A85GL       | 3           | A       | 2159                  | 85.00                 | 1.18        | 2.61         |
| 3/A88GL       | 3           | A       | 2235                  | 88.00                 | 1.22        | 2.70         |
| 3/A90GL       | 3           | A       | 2286                  | 90.00                 | 1.25        | 2.76         |
| 3/A92GL       | 3           | A       | 2337                  | 92.00                 | 1.28        | 2.82         |
| 3/A96GL       | 3           | A       | 2438                  | 96.00                 | 1.34        | 2.94         |
| 3/A98GL       | 3           | A       | 2489                  | 98.00                 | 1.36        | 3.00         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 3/A100GL      | 3           | A       | 2540                  | 100.00                | 1.39        | 3.07         |
| 3/A104GL      | 3           | A       | 2642                  | 104.00                | 1.45        | 3.19         |
| 3/A105GL      | 3           | A       | 2667                  | 105.00                | 1.46        | 3.22         |
| 3/A110GL      | 3           | A       | 2794                  | 110.00                | 1.53        | 3.37         |
| 3/A112GL      | 3           | A       | 2845                  | 112.00                | 1.56        | 3.43         |
| 3/A120GL      | 3           | A       | 3048                  | 120.00                | 1.67        | 3.68         |
| 3/A128GL      | 3           | A       | 3251                  | 128.00                | 1.78        | 3.92         |
| 3/A136GL      | 3           | A       | 3454                  | 136.00                | 1.89        | 4.17         |
| 3/A144GL      | 3           | A       | 3658                  | 144.00                | 2.00        | 4.42         |
| 3/A158GL      | 3           | A       | 4013                  | 158.00                | 2.20        | 4.84         |
| 3/A167GL      | 3           | A       | 4242                  | 167.00                | 2.32        | 5.12         |
| 3/A173GL      | 3           | A       | 4394                  | 173.00                | 2.41        | 5.30         |
| 3/A180GL      | 3           | A       | 4572                  | 180.00                | 2.50        | 5.52         |
| 3/A187GL      | 3           | A       | 4750                  | 187.00                | 2.60        | 5.73         |
| 4/A58GL       | 4           | A       | 1473                  | 58.00                 | 1.08        | 2.37         |
| 4/A59GL       | 4           | A       | 1499                  | 59.00                 | 1.09        | 2.41         |
| 4/A60GL       | 4           | A       | 1524                  | 60.00                 | 1.11        | 2.45         |
| 4/A62GL       | 4           | A       | 1575                  | 62.00                 | 1.15        | 2.53         |
| 4/A64GL       | 4           | A       | 1626                  | 64.00                 | 1.19        | 2.62         |
| 4/A65GL       | 4           | A       | 1651                  | 65.00                 | 1.21        | 2.66         |
| 4/A66GL       | 4           | A       | 1676                  | 66.00                 | 1.22        | 2.70         |
| 4/A67GL       | 4           | A       | 1702                  | 67.00                 | 1.24        | 2.74         |
| 4/A68GL       | 4           | A       | 1727                  | 68.00                 | 1.26        | 2.78         |
| 4/A70GL       | 4           | A       | 1778                  | 70.00                 | 1.30        | 2.86         |
| 4/A71GL       | 4           | A       | 1803                  | 71.00                 | 1.32        | 2.90         |
| 4/A74GL       | 4           | A       | 1880                  | 74.00                 | 1.37        | 3.03         |
| 4/A75GL       | 4           | A       | 1905                  | 75.00                 | 1.39        | 3.07         |
| 4/A77GL       | 4           | A       | 1956                  | 77.00                 | 1.43        | 3.15         |
| 4/A78GL       | 4           | A       | 1981                  | 78.00                 | 1.45        | 3.19         |
| 4/A79GL       | 4           | A       | 2007                  | 79.00                 | 1.46        | 3.23         |
| 4/A80GL       | 4           | A       | 2032                  | 80.00                 | 1.48        | 3.27         |
| 4/A81GL       | 4           | A       | 2057                  | 81.00                 | 1.50        | 3.31         |



## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 4/A83GL       | 4           | A       | 2108                  | 83.00                 | 1.54        | 3.39         |
| 4/A85GL       | 4           | A       | 2159                  | 85.00                 | 1.58        | 3.47         |
| 4/A88GL       | 4           | A       | 2235                  | 88.00                 | 1.63        | 3.60         |
| 4/A90GL       | 4           | A       | 2286                  | 90.00                 | 1.67        | 3.68         |
| 4/A92GL       | 4           | A       | 2337                  | 92.00                 | 1.71        | 3.76         |
| 4/A96GL       | 4           | A       | 2438                  | 96.00                 | 1.78        | 3.92         |
| 4/A98GL       | 4           | A       | 2489                  | 98.00                 | 1.82        | 4.01         |
| 4/A100GL      | 4           | A       | 2540                  | 100.00                | 1.85        | 4.09         |
| 4/A104GL      | 4           | A       | 2642                  | 104.00                | 1.93        | 4.25         |
| 4/A105GL      | 4           | A       | 2667                  | 105.00                | 1.95        | 4.29         |
| 4/A110GL      | 4           | A       | 2794                  | 110.00                | 2.04        | 4.50         |
| 4/A112GL      | 4           | A       | 2845                  | 112.00                | 2.08        | 4.58         |
| 4/A120GL      | 4           | A       | 3048                  | 120.00                | 2.23        | 4.91         |
| 4/A128GL      | 4           | A       | 3251                  | 128.00                | 2.37        | 5.23         |
| 4/A136GL      | 4           | A       | 3454                  | 136.00                | 2.52        | 5.56         |
| 4/A144GL      | 4           | A       | 3658                  | 144.00                | 2.67        | 5.89         |
| 4/A158GL      | 4           | A       | 4013                  | 158.00                | 2.93        | 6.46         |
| 4/A167GL      | 4           | A       | 4242                  | 167.00                | 3.10        | 6.83         |
| 4/A173GL      | 4           | A       | 4394                  | 173.00                | 3.21        | 7.07         |
| 4/A180GL      | 4           | A       | 4572                  | 180.00                | 3.34        | 7.36         |
| 4/A187GL      | 4           | A       | 4750                  | 187.00                | 3.47        | 7.64         |
| 5/A58GL       | 5           | A       | 1473                  | 58.00                 | 1.34        | 2.96         |
| 5/A59GL       | 5           | A       | 1499                  | 59.00                 | 1.37        | 3.01         |
| 5/A60GL       | 5           | A       | 1524                  | 60.00                 | 1.39        | 3.07         |
| 5/A62GL       | 5           | A       | 1575                  | 62.00                 | 1.44        | 3.17         |
| 5/A64GL       | 5           | A       | 1626                  | 64.00                 | 1.48        | 3.27         |
| 5/A65GL       | 5           | A       | 1651                  | 65.00                 | 1.51        | 3.32         |
| 5/A66GL       | 5           | A       | 1676                  | 66.00                 | 1.53        | 3.37         |
| 5/A67GL       | 5           | A       | 1702                  | 67.00                 | 1.55        | 3.42         |
| 5/A68GL       | 5           | A       | 1727                  | 68.00                 | 1.58        | 3.47         |
| 5/A70GL       | 5           | A       | 1778                  | 70.00                 | 1.62        | 3.58         |
| 5/A71GL       | 5           | A       | 1803                  | 71.00                 | 1.65        | 3.63         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 5/A74GL       | 5           | A       | 1880                  | 74.00                 | 1.72        | 3.78         |
| 5/A75GL       | 5           | A       | 1905                  | 75.00                 | 1.74        | 3.83         |
| 5/A77GL       | 5           | A       | 1956                  | 77.00                 | 1.78        | 3.93         |
| 5/A78GL       | 5           | A       | 1981                  | 78.00                 | 1.81        | 3.99         |
| 5/A79GL       | 5           | A       | 2007                  | 79.00                 | 1.83        | 4.04         |
| 5/A80GL       | 5           | A       | 2032                  | 80.00                 | 1.85        | 4.09         |
| 5/A81GL       | 5           | A       | 2057                  | 81.00                 | 1.88        | 4.14         |
| 5/A83GL       | 5           | A       | 2108                  | 83.00                 | 1.92        | 4.24         |
| 5/A85GL       | 5           | A       | 2159                  | 85.00                 | 1.97        | 4.34         |
| 5/A88GL       | 5           | A       | 2235                  | 88.00                 | 2.04        | 4.50         |
| 5/A90GL       | 5           | A       | 2286                  | 90.00                 | 2.09        | 4.60         |
| 5/A92GL       | 5           | A       | 2337                  | 92.00                 | 2.13        | 4.70         |
| 5/A96GL       | 5           | A       | 2438                  | 96.00                 | 2.23        | 4.91         |
| 5/A98GL       | 5           | A       | 2489                  | 98.00                 | 2.27        | 5.01         |
| 5/A100GL      | 5           | A       | 2540                  | 100.00                | 2.32        | 5.11         |
| 5/A104GL      | 5           | A       | 2642                  | 104.00                | 2.41        | 5.31         |
| 5/A105GL      | 5           | A       | 2667                  | 105.00                | 2.43        | 5.37         |
| 5/A110GL      | 5           | A       | 2794                  | 110.00                | 2.55        | 5.62         |
| 5/A112GL      | 5           | A       | 2845                  | 112.00                | 2.60        | 5.72         |
| 5/A120GL      | 5           | A       | 3048                  | 120.00                | 2.78        | 6.13         |
| 5/A128GL      | 5           | A       | 3251                  | 128.00                | 2.97        | 6.54         |
| 5/A136GL      | 5           | A       | 3454                  | 136.00                | 3.15        | 6.95         |
| 5/A144GL      | 5           | A       | 3658                  | 144.00                | 3.34        | 7.36         |
| 5/A158GL      | 5           | A       | 4013                  | 158.00                | 3.66        | 8.07         |
| 5/A167GL      | 5           | A       | 4242                  | 167.00                | 3.87        | 8.53         |
| 5/A173GL      | 5           | A       | 4394                  | 173.00                | 4.01        | 8.84         |
| 5/A180GL      | 5           | A       | 4572                  | 180.00                | 4.17        | 9.20         |
| 5/A187GL      | 5           | A       | 4750                  | 187.00                | 4.33        | 9.56         |
| 19/A58GL      | 19          | A       | 1473                  | 58.00                 | 5.11        | 11.26        |
| 19/A59GL      | 19          | A       | 1499                  | 59.00                 | 5.20        | 11.46        |
| 19/A60GL      | 19          | A       | 1524                  | 60.00                 | 5.28        | 11.65        |
| 19/A62GL      | 19          | A       | 1575                  | 62.00                 | 5.46        | 12.04        |



## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 19/A64GL      | 19          | A       | 1626                  | 64.00                 | 5.64        | 12.43        |
| 19/A65GL      | 19          | A       | 1651                  | 65.00                 | 5.73        | 12.62        |
| 19/A66GL      | 19          | A       | 1676                  | 66.00                 | 5.81        | 12.82        |
| 19/A67GL      | 19          | A       | 1702                  | 67.00                 | 5.90        | 13.01        |
| 19/A68GL      | 19          | A       | 1727                  | 68.00                 | 5.99        | 13.20        |
| 19/A70GL      | 19          | A       | 1778                  | 70.00                 | 6.17        | 13.59        |
| 19/A71GL      | 19          | A       | 1803                  | 71.00                 | 6.25        | 13.79        |
| 19/A74GL      | 19          | A       | 1880                  | 74.00                 | 6.52        | 14.37        |
| 19/A75GL      | 19          | A       | 1905                  | 75.00                 | 6.61        | 14.56        |
| 19/A77GL      | 19          | A       | 1956                  | 77.00                 | 6.78        | 14.95        |
| 19/A78GL      | 19          | A       | 1981                  | 78.00                 | 6.87        | 15.15        |
| 19/A79GL      | 19          | A       | 2007                  | 79.00                 | 6.96        | 15.34        |
| 19/A80GL      | 19          | A       | 2032                  | 80.00                 | 7.05        | 15.53        |
| 19/A81GL      | 19          | A       | 2057                  | 81.00                 | 7.13        | 15.73        |
| 19/A83GL      | 19          | A       | 2108                  | 83.00                 | 7.31        | 16.12        |
| 19/A85GL      | 19          | A       | 2159                  | 85.00                 | 7.49        | 16.51        |
| 19/A88GL      | 19          | A       | 2235                  | 88.00                 | 7.75        | 17.09        |
| 19/A90GL      | 19          | A       | 2286                  | 90.00                 | 7.93        | 17.48        |
| 19/A92GL      | 19          | A       | 2337                  | 92.00                 | 8.10        | 17.86        |
| 19/A96GL      | 19          | A       | 2438                  | 96.00                 | 8.46        | 18.64        |
| 19/A98GL      | 19          | A       | 2489                  | 98.00                 | 8.63        | 19.03        |
| 19/A100GL     | 19          | A       | 2540                  | 100.00                | 8.81        | 19.42        |
| 19/A104GL     | 19          | A       | 2642                  | 104.00                | 9.16        | 20.20        |
| 19/A105GL     | 19          | A       | 2667                  | 105.00                | 9.25        | 20.39        |
| 19/A110GL     | 19          | A       | 2794                  | 110.00                | 9.69        | 21.36        |
| 19/A112GL     | 19          | A       | 2845                  | 112.00                | 9.86        | 21.75        |
| 19/A120GL     | 19          | A       | 3048                  | 120.00                | 10.57       | 23.30        |
| 19/A128GL     | 19          | A       | 3251                  | 128.00                | 11.27       | 24.86        |
| 19/A136GL     | 19          | A       | 3454                  | 136.00                | 11.98       | 26.41        |
| 19/A144GL     | 19          | A       | 3658                  | 144.00                | 12.68       | 27.96        |
| 19/A158GL     | 19          | A       | 4013                  | 158.00                | 13.92       | 30.68        |
| 19/A167GL     | 19          | A       | 4242                  | 167.00                | 14.71       | 32.43        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 19/A173GL     | 19          | A       | 4394                  | 173.00                | 15.24       | 33.59        |
| 19/A180GL     | 19          | A       | 4572                  | 180.00                | 15.85       | 34.95        |
| 19/A187GL     | 19          | A       | 4750                  | 187.00                | 16.47       | 36.31        |
| 2/B56GL       | 2           | B       | 1422                  | 56.00                 | 0.73        | 1.61         |
| 2/B57GL       | 2           | B       | 1448                  | 57.00                 | 0.74        | 1.64         |
| 2/B58GL       | 2           | B       | 1473                  | 58.00                 | 0.76        | 1.67         |
| 2/B59GL       | 2           | B       | 1499                  | 59.00                 | 0.77        | 1.69         |
| 2/B60GL       | 2           | B       | 1524                  | 60.00                 | 0.78        | 1.72         |
| 2/B61GL       | 2           | B       | 1549                  | 61.00                 | 0.79        | 1.75         |
| 2/B62GL       | 2           | B       | 1575                  | 62.00                 | 0.81        | 1.78         |
| 2/B63GL       | 2           | B       | 1600                  | 63.00                 | 0.82        | 1.81         |
| 2/B64GL       | 2           | B       | 1626                  | 64.00                 | 0.83        | 1.84         |
| 2/B65GL       | 2           | B       | 1651                  | 65.00                 | 0.85        | 1.87         |
| 2/B66GL       | 2           | B       | 1676                  | 66.00                 | 0.86        | 1.90         |
| 2/B67GL       | 2           | B       | 1702                  | 67.00                 | 0.87        | 1.92         |
| 2/B68GL       | 2           | B       | 1727                  | 68.00                 | 0.89        | 1.95         |
| 2/B70GL       | 2           | B       | 1778                  | 70.00                 | 0.91        | 2.01         |
| 2/B71GL       | 2           | B       | 1803                  | 71.00                 | 0.93        | 2.04         |
| 2/B72GL       | 2           | B       | 1829                  | 72.00                 | 0.94        | 2.07         |
| 2/B73GL       | 2           | B       | 1854                  | 73.00                 | 0.95        | 2.10         |
| 2/B74GL       | 2           | B       | 1880                  | 74.00                 | 0.96        | 2.13         |
| 2/B75GL       | 2           | B       | 1905                  | 75.00                 | 0.98        | 2.15         |
| 2/B77GL       | 2           | B       | 1956                  | 77.00                 | 1.00        | 2.21         |
| 2/B78GL       | 2           | B       | 1981                  | 78.00                 | 1.02        | 2.24         |
| 2/B79GL       | 2           | B       | 2007                  | 79.00                 | 1.03        | 2.27         |
| 2/B80GL       | 2           | B       | 2032                  | 80.00                 | 1.04        | 2.30         |
| 2/B81GL       | 2           | B       | 2057                  | 81.00                 | 1.06        | 2.33         |
| 2/B82GL       | 2           | B       | 2083                  | 82.00                 | 1.07        | 2.36         |
| 2/B83GL       | 2           | B       | 2108                  | 83.00                 | 1.08        | 2.38         |
| 2/B84GL       | 2           | B       | 2134                  | 84.00                 | 1.09        | 2.41         |
| 2/B85GL       | 2           | B       | 2159                  | 85.00                 | 1.11        | 2.44         |
| 2/B86GL       | 2           | B       | 2184                  | 86.00                 | 1.12        | 2.47         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/B87GL       | 2           | B       | 2210                  | 87.00                 | 1.13        | 2.50         |
| 2/B88GL       | 2           | B       | 2235                  | 88.00                 | 1.15        | 2.53         |
| 2/B90GL       | 2           | B       | 2286                  | 90.00                 | 1.17        | 2.59         |
| 2/B91GL       | 2           | B       | 2311                  | 91.00                 | 1.19        | 2.61         |
| 2/B92GL       | 2           | B       | 2337                  | 92.00                 | 1.20        | 2.64         |
| 2/B93GL       | 2           | B       | 2362                  | 93.00                 | 1.21        | 2.67         |
| 2/B94.5GL     | 2           | B       | 2400                  | 94.50                 | 1.23        | 2.71         |
| 2/B95GL       | 2           | B       | 2413                  | 95.00                 | 1.24        | 2.73         |
| 2/B96GL       | 2           | B       | 2438                  | 96.00                 | 1.25        | 2.76         |
| 2/B97GL       | 2           | B       | 2464                  | 97.00                 | 1.26        | 2.79         |
| 2/B98GL       | 2           | B       | 2489                  | 98.00                 | 1.28        | 2.81         |
| 2/B99GL       | 2           | B       | 2515                  | 99.00                 | 1.29        | 2.84         |
| 2/B100GL      | 2           | B       | 2540                  | 100.00                | 1.30        | 2.87         |
| 2/B102GL      | 2           | B       | 2591                  | 102.00                | 1.33        | 2.93         |
| 2/B103GL      | 2           | B       | 2616                  | 103.00                | 1.34        | 2.96         |
| 2/B104GL      | 2           | B       | 2642                  | 104.00                | 1.35        | 2.99         |
| 2/B105GL      | 2           | B       | 2667                  | 105.00                | 1.37        | 3.02         |
| 2/B106GL      | 2           | B       | 2692                  | 106.00                | 1.38        | 3.04         |
| 2/B108GL      | 2           | B       | 2743                  | 108.00                | 1.41        | 3.10         |
| 2/B109GL      | 2           | B       | 2769                  | 109.00                | 1.42        | 3.13         |
| 2/B110GL      | 2           | B       | 2794                  | 110.00                | 1.43        | 3.16         |
| 2/B112GL      | 2           | B       | 2845                  | 112.00                | 1.46        | 3.22         |
| 2/B113GL      | 2           | B       | 2870                  | 113.00                | 1.47        | 3.25         |
| 2/B114GL      | 2           | B       | 2896                  | 114.00                | 1.49        | 3.27         |
| 2/B115GL      | 2           | B       | 2921                  | 115.00                | 1.50        | 3.30         |
| 2/B116GL      | 2           | B       | 2946                  | 116.00                | 1.51        | 3.33         |
| 2/B118GL      | 2           | B       | 2997                  | 118.00                | 1.54        | 3.39         |
| 2/B120GL      | 2           | B       | 3048                  | 120.00                | 1.56        | 3.45         |
| 2/B124GL      | 2           | B       | 3150                  | 124.00                | 1.62        | 3.56         |
| 2/B128GL      | 2           | B       | 3251                  | 128.00                | 1.67        | 3.68         |
| 2/B130GL      | 2           | B       | 3302                  | 130.00                | 1.69        | 3.73         |
| 2/B132GL      | 2           | B       | 3353                  | 132.00                | 1.72        | 3.79         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/B133GL      | 2           | B       | 3378                  | 133.00                | 1.73        | 3.82         |
| 2/B136GL      | 2           | B       | 3454                  | 136.00                | 1.77        | 3.91         |
| 2/B138GL      | 2           | B       | 3505                  | 138.00                | 1.80        | 3.96         |
| 2/B139GL      | 2           | B       | 3531                  | 139.00                | 1.81        | 3.99         |
| 2/B140GL      | 2           | B       | 3556                  | 140.00                | 1.82        | 4.02         |
| 2/B141GL      | 2           | B       | 3581                  | 141.00                | 1.84        | 4.05         |
| 2/B144GL      | 2           | B       | 3658                  | 144.00                | 1.88        | 4.14         |
| 2/B146GL      | 2           | B       | 3708                  | 146.00                | 1.90        | 4.19         |
| 2/B148GL      | 2           | B       | 3759                  | 148.00                | 1.93        | 4.25         |
| 2/B150GL      | 2           | B       | 3810                  | 150.00                | 1.95        | 4.31         |
| 2/B154GL      | 2           | B       | 3912                  | 154.00                | 2.01        | 4.42         |
| 2/B158GL      | 2           | B       | 4013                  | 158.00                | 2.06        | 4.54         |
| 2/B160GL      | 2           | B       | 4064                  | 160.00                | 2.08        | 4.60         |
| 2/B162GL      | 2           | B       | 4115                  | 162.00                | 2.11        | 4.65         |
| 2/B167GL      | 2           | B       | 4242                  | 167.00                | 2.18        | 4.80         |
| 2/B168GL      | 2           | B       | 4267                  | 168.00                | 2.19        | 4.83         |
| 2/B173GL      | 2           | B       | 4394                  | 173.00                | 2.25        | 4.97         |
| 2/B177GL      | 2           | B       | 4496                  | 177.00                | 2.31        | 5.08         |
| 2/B180GL      | 2           | B       | 4572                  | 180.00                | 2.35        | 5.17         |
| 2/B185GL      | 2           | B       | 4699                  | 185.00                | 2.41        | 5.31         |
| 2/B187GL      | 2           | B       | 4750                  | 187.00                | 2.44        | 5.37         |
| 2/B190GL      | 2           | B       | 4826                  | 190.00                | 2.48        | 5.46         |
| 2/B195GL      | 2           | B       | 4953                  | 195.00                | 2.54        | 5.60         |
| 2/B197GL      | 2           | B       | 5004                  | 197.00                | 2.57        | 5.66         |
| 2/B208GL      | 2           | B       | 5283                  | 208.00                | 2.71        | 5.97         |
| 2/B210GL      | 2           | B       | 5334                  | 210.00                | 2.74        | 6.03         |
| 2/B218GL      | 2           | B       | 5537                  | 218.00                | 2.84        | 6.26         |
| 2/B220GL      | 2           | B       | 5588                  | 220.00                | 2.87        | 6.32         |
| 2/B225GL      | 2           | B       | 5715                  | 225.00                | 2.93        | 6.46         |
| 2/B240GL      | 2           | B       | 6096                  | 240.00                | 3.13        | 6.89         |
| 2/B255GL      | 2           | B       | 6477                  | 255.00                | 3.32        | 7.32         |
| 2/B270GL      | 2           | B       | 6858                  | 270.00                | 3.52        | 7.76         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/B300GL      | 2           | B       | 7620                  | 300.00                | 3.91        | 8.62         |
| 2/B315GL      | 2           | B       | 8001                  | 315.00                | 4.10        | 9.05         |
| 3/B56GL       | 3           | B       | 1422                  | 56.00                 | 1.09        | 2.41         |
| 3/B57GL       | 3           | B       | 1448                  | 57.00                 | 1.11        | 2.46         |
| 3/B58GL       | 3           | B       | 1473                  | 58.00                 | 1.13        | 2.50         |
| 3/B59GL       | 3           | B       | 1499                  | 59.00                 | 1.15        | 2.54         |
| 3/B60GL       | 3           | B       | 1524                  | 60.00                 | 1.17        | 2.59         |
| 3/B61GL       | 3           | B       | 1549                  | 61.00                 | 1.19        | 2.63         |
| 3/B62GL       | 3           | B       | 1575                  | 62.00                 | 1.21        | 2.67         |
| 3/B63GL       | 3           | B       | 1600                  | 63.00                 | 1.23        | 2.71         |
| 3/B64GL       | 3           | B       | 1626                  | 64.00                 | 1.25        | 2.76         |
| 3/B65GL       | 3           | B       | 1651                  | 65.00                 | 1.27        | 2.80         |
| 3/B66GL       | 3           | B       | 1676                  | 66.00                 | 1.29        | 2.84         |
| 3/B67GL       | 3           | B       | 1702                  | 67.00                 | 1.31        | 2.89         |
| 3/B68GL       | 3           | B       | 1727                  | 68.00                 | 1.33        | 2.93         |
| 3/B70GL       | 3           | B       | 1778                  | 70.00                 | 1.37        | 3.02         |
| 3/B71GL       | 3           | B       | 1803                  | 71.00                 | 1.39        | 3.06         |
| 3/B72GL       | 3           | B       | 1829                  | 72.00                 | 1.41        | 3.10         |
| 3/B73GL       | 3           | B       | 1854                  | 73.00                 | 1.43        | 3.15         |
| 3/B74GL       | 3           | B       | 1880                  | 74.00                 | 1.45        | 3.19         |
| 3/B75GL       | 3           | B       | 1905                  | 75.00                 | 1.47        | 3.23         |
| 3/B77GL       | 3           | B       | 1956                  | 77.00                 | 1.50        | 3.32         |
| 3/B78GL       | 3           | B       | 1981                  | 78.00                 | 1.52        | 3.36         |
| 3/B79GL       | 3           | B       | 2007                  | 79.00                 | 1.54        | 3.40         |
| 3/B80GL       | 3           | B       | 2032                  | 80.00                 | 1.56        | 3.45         |
| 3/B81GL       | 3           | B       | 2057                  | 81.00                 | 1.58        | 3.49         |
| 3/B82GL       | 3           | B       | 2083                  | 82.00                 | 1.60        | 3.53         |
| 3/B83GL       | 3           | B       | 2108                  | 83.00                 | 1.62        | 3.58         |
| 3/B84GL       | 3           | B       | 2134                  | 84.00                 | 1.64        | 3.62         |
| 3/B85GL       | 3           | B       | 2159                  | 85.00                 | 1.66        | 3.66         |
| 3/B86GL       | 3           | B       | 2184                  | 86.00                 | 1.68        | 3.71         |
| 3/B87GL       | 3           | B       | 2210                  | 87.00                 | 1.70        | 3.75         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 3/B88GL       | 3           | B       | 2235                  | 88.00                 | 1.72        | 3.79         |
| 3/B90GL       | 3           | B       | 2286                  | 90.00                 | 1.76        | 3.88         |
| 3/B91GL       | 3           | B       | 2311                  | 91.00                 | 1.78        | 3.92         |
| 3/B92GL       | 3           | B       | 2337                  | 92.00                 | 1.80        | 3.96         |
| 3/B93GL       | 3           | B       | 2362                  | 93.00                 | 1.82        | 4.01         |
| 3/B94.5GL     | 3           | B       | 2400                  | 94.50                 | 1.85        | 4.07         |
| 3/B95GL       | 3           | B       | 2413                  | 95.00                 | 1.86        | 4.09         |
| 3/B96GL       | 3           | B       | 2438                  | 96.00                 | 1.88        | 4.14         |
| 3/B97GL       | 3           | B       | 2464                  | 97.00                 | 1.90        | 4.18         |
| 3/B98GL       | 3           | B       | 2489                  | 98.00                 | 1.92        | 4.22         |
| 3/B99GL       | 3           | B       | 2515                  | 99.00                 | 1.93        | 4.27         |
| 3/B100GL      | 3           | B       | 2540                  | 100.00                | 1.95        | 4.31         |
| 3/B102GL      | 3           | B       | 2591                  | 102.00                | 1.99        | 4.39         |
| 3/B103GL      | 3           | B       | 2616                  | 103.00                | 2.01        | 4.44         |
| 3/B104GL      | 3           | B       | 2642                  | 104.00                | 2.03        | 4.48         |
| 3/B105GL      | 3           | B       | 2667                  | 105.00                | 2.05        | 4.52         |
| 3/B106GL      | 3           | B       | 2692                  | 106.00                | 2.07        | 4.57         |
| 3/B108GL      | 3           | B       | 2743                  | 108.00                | 2.11        | 4.65         |
| 3/B109GL      | 3           | B       | 2769                  | 109.00                | 2.13        | 4.70         |
| 3/B110GL      | 3           | B       | 2794                  | 110.00                | 2.15        | 4.74         |
| 3/B112GL      | 3           | B       | 2845                  | 112.00                | 2.19        | 4.83         |
| 3/B113GL      | 3           | B       | 2870                  | 113.00                | 2.21        | 4.87         |
| 3/B114GL      | 3           | B       | 2896                  | 114.00                | 2.23        | 4.91         |
| 3/B115GL      | 3           | B       | 2921                  | 115.00                | 2.25        | 4.95         |
| 3/B116GL      | 3           | B       | 2946                  | 116.00                | 2.27        | 5.00         |
| 3/B118GL      | 3           | B       | 2997                  | 118.00                | 2.31        | 5.08         |
| 3/B120GL      | 3           | B       | 3048                  | 120.00                | 2.35        | 5.17         |
| 3/B124GL      | 3           | B       | 3150                  | 124.00                | 2.42        | 5.34         |
| 3/B128GL      | 3           | B       | 3251                  | 128.00                | 2.50        | 5.51         |
| 3/B130GL      | 3           | B       | 3302                  | 130.00                | 2.54        | 5.60         |
| 3/B132GL      | 3           | B       | 3353                  | 132.00                | 2.58        | 5.69         |
| 3/B133GL      | 3           | B       | 3378                  | 133.00                | 2.60        | 5.73         |




## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 3/B136GL      | 3           | B       | 3454                  | 136.00                | 2.66        | 5.86         |
| 3/B138GL      | 3           | B       | 3505                  | 138.00                | 2.70        | 5.95         |
| 3/B139GL      | 3           | B       | 3531                  | 139.00                | 2.72        | 5.99         |
| 3/B140GL      | 3           | B       | 3556                  | 140.00                | 2.74        | 6.03         |
| 3/B141GL      | 3           | B       | 3581                  | 141.00                | 2.76        | 6.07         |
| 3/B144GL      | 3           | B       | 3658                  | 144.00                | 2.81        | 6.20         |
| 3/B146GL      | 3           | B       | 3708                  | 146.00                | 2.85        | 6.29         |
| 3/B148GL      | 3           | B       | 3759                  | 148.00                | 2.89        | 6.38         |
| 3/B150GL      | 3           | B       | 3810                  | 150.00                | 2.93        | 6.46         |
| 3/B154GL      | 3           | B       | 3912                  | 154.00                | 3.01        | 6.64         |
| 3/B158GL      | 3           | B       | 4013                  | 158.00                | 3.09        | 6.81         |
| 3/B160GL      | 3           | B       | 4064                  | 160.00                | 3.13        | 6.89         |
| 3/B162GL      | 3           | B       | 4115                  | 162.00                | 3.17        | 6.98         |
| 3/B167GL      | 3           | B       | 4242                  | 167.00                | 3.26        | 7.20         |
| 3/B168GL      | 3           | B       | 4267                  | 168.00                | 3.28        | 7.24         |
| 3/B173GL      | 3           | B       | 4394                  | 173.00                | 3.38        | 7.45         |
| 3/B177GL      | 3           | B       | 4496                  | 177.00                | 3.46        | 7.63         |
| 3/B180GL      | 3           | B       | 4572                  | 180.00                | 3.52        | 7.76         |
| 3/B185GL      | 3           | B       | 4699                  | 185.00                | 3.62        | 7.97         |
| 3/B187GL      | 3           | B       | 4750                  | 187.00                | 3.65        | 8.06         |
| 3/B190GL      | 3           | B       | 4826                  | 190.00                | 3.71        | 8.19         |
| 3/B195GL      | 3           | B       | 4953                  | 195.00                | 3.81        | 8.40         |
| 3/B197GL      | 3           | B       | 5004                  | 197.00                | 3.85        | 8.49         |
| 3/B208GL      | 3           | B       | 5283                  | 208.00                | 4.06        | 8.96         |
| 3/B210GL      | 3           | B       | 5334                  | 210.00                | 4.10        | 9.05         |
| 3/B218GL      | 3           | B       | 5537                  | 218.00                | 4.26        | 9.39         |
| 3/B220GL      | 3           | B       | 5588                  | 220.00                | 4.30        | 9.48         |
| 3/B225GL      | 3           | B       | 5715                  | 225.00                | 4.40        | 9.69         |
| 3/B240GL      | 3           | B       | 6096                  | 240.00                | 4.69        | 10.34        |
| 3/B255GL      | 3           | B       | 6477                  | 255.00                | 4.98        | 10.99        |
| 3/B270GL      | 3           | B       | 6858                  | 270.00                | 5.28        | 11.63        |
| 3/B300GL      | 3           | B       | 7620                  | 300.00                | 5.86        | 12.93        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 3/B315GL      | 3           | B       | 8001                  | 315.00                | 6.16        | 13.57        |
| 4/B56GL       | 4           | B       | 1422                  | 56.00                 | 1.46        | 3.22         |
| 4/B57GL       | 4           | B       | 1448                  | 57.00                 | 1.49        | 3.27         |
| 4/B58GL       | 4           | B       | 1473                  | 58.00                 | 1.51        | 3.33         |
| 4/B59GL       | 4           | B       | 1499                  | 59.00                 | 1.54        | 3.39         |
| 4/B60GL       | 4           | B       | 1524                  | 60.00                 | 1.56        | 3.45         |
| 4/B61GL       | 4           | B       | 1549                  | 61.00                 | 1.59        | 3.50         |
| 4/B62GL       | 4           | B       | 1575                  | 62.00                 | 1.62        | 3.56         |
| 4/B63GL       | 4           | B       | 1600                  | 63.00                 | 1.64        | 3.62         |
| 4/B64GL       | 4           | B       | 1626                  | 64.00                 | 1.67        | 3.68         |
| 4/B65GL       | 4           | B       | 1651                  | 65.00                 | 1.69        | 3.73         |
| 4/B66GL       | 4           | B       | 1676                  | 66.00                 | 1.72        | 3.79         |
| 4/B67GL       | 4           | B       | 1702                  | 67.00                 | 1.75        | 3.85         |
| 4/B68GL       | 4           | B       | 1727                  | 68.00                 | 1.77        | 3.91         |
| 4/B70GL       | 4           | B       | 1778                  | 70.00                 | 1.82        | 4.02         |
| 4/B71GL       | 4           | B       | 1803                  | 71.00                 | 1.85        | 4.08         |
| 4/B72GL       | 4           | B       | 1829                  | 72.00                 | 1.88        | 4.14         |
| 4/B73GL       | 4           | B       | 1854                  | 73.00                 | 1.90        | 4.19         |
| 4/B74GL       | 4           | B       | 1880                  | 74.00                 | 1.93        | 4.25         |
| 4/B75GL       | 4           | B       | 1905                  | 75.00                 | 1.95        | 4.31         |
| 4/B77GL       | 4           | B       | 1956                  | 77.00                 | 2.01        | 4.42         |
| 4/B78GL       | 4           | B       | 1981                  | 78.00                 | 2.03        | 4.48         |
| 4/B79GL       | 4           | B       | 2007                  | 79.00                 | 2.06        | 4.54         |
| 4/B80GL       | 4           | B       | 2032                  | 80.00                 | 2.08        | 4.60         |
| 4/B81GL       | 4           | B       | 2057                  | 81.00                 | 2.11        | 4.65         |
| 4/B82GL       | 4           | B       | 2083                  | 82.00                 | 2.14        | 4.71         |
| 4/B83GL       | 4           | B       | 2108                  | 83.00                 | 2.16        | 4.77         |
| 4/B84GL       | 4           | B       | 2134                  | 84.00                 | 2.19        | 4.83         |
| 4/B85GL       | 4           | B       | 2159                  | 85.00                 | 2.21        | 4.88         |
| 4/B86GL       | 4           | B       | 2184                  | 86.00                 | 2.24        | 4.94         |
| 4/B87GL       | 4           | B       | 2210                  | 87.00                 | 2.27        | 5.00         |
| 4/B88GL       | 4           | B       | 2235                  | 88.00                 | 2.29        | 5.06         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 4/B90GL       | 4           | B       | 2286                  | 90.00                 | 2.35        | 5.17         |
| 4/B91GL       | 4           | B       | 2311                  | 91.00                 | 2.37        | 5.23         |
| 4/B92GL       | 4           | B       | 2337                  | 92.00                 | 2.40        | 5.29         |
| 4/B93GL       | 4           | B       | 2362                  | 93.00                 | 2.42        | 5.34         |
| 4/B94.5GL     | 4           | B       | 2400                  | 94.50                 | 2.46        | 5.43         |
| 4/B95GL       | 4           | B       | 2413                  | 95.00                 | 2.48        | 5.46         |
| 4/B96GL       | 4           | B       | 2438                  | 96.00                 | 2.50        | 5.51         |
| 4/B97GL       | 4           | B       | 2464                  | 97.00                 | 2.53        | 5.57         |
| 4/B98GL       | 4           | B       | 2489                  | 98.00                 | 2.55        | 5.63         |
| 4/B99GL       | 4           | B       | 2515                  | 99.00                 | 2.58        | 5.69         |
| 4/B100GL      | 4           | B       | 2540                  | 100.00                | 2.61        | 5.74         |
| 4/B102GL      | 4           | B       | 2591                  | 102.00                | 2.66        | 5.86         |
| 4/B103GL      | 4           | B       | 2616                  | 103.00                | 2.68        | 5.92         |
| 4/B104GL      | 4           | B       | 2642                  | 104.00                | 2.71        | 5.97         |
| 4/B105GL      | 4           | B       | 2667                  | 105.00                | 2.74        | 6.03         |
| 4/B106GL      | 4           | B       | 2692                  | 106.00                | 2.76        | 6.09         |
| 4/B108GL      | 4           | B       | 2743                  | 108.00                | 2.81        | 6.20         |
| 4/B109GL      | 4           | B       | 2769                  | 109.00                | 2.84        | 6.26         |
| 4/B110GL      | 4           | B       | 2794                  | 110.00                | 2.87        | 6.32         |
| 4/B112GL      | 4           | B       | 2845                  | 112.00                | 2.92        | 6.43         |
| 4/B113GL      | 4           | B       | 2870                  | 113.00                | 2.94        | 6.49         |
| 4/B114GL      | 4           | B       | 2896                  | 114.00                | 2.97        | 6.55         |
| 4/B115GL      | 4           | B       | 2921                  | 115.00                | 3.00        | 6.61         |
| 4/B116GL      | 4           | B       | 2946                  | 116.00                | 3.02        | 6.66         |
| 4/B118GL      | 4           | B       | 2997                  | 118.00                | 3.07        | 6.78         |
| 4/B120GL      | 4           | B       | 3048                  | 120.00                | 3.13        | 6.89         |
| 4/B124GL      | 4           | B       | 3150                  | 124.00                | 3.23        | 7.12         |
| 4/B128GL      | 4           | B       | 3251                  | 128.00                | 3.34        | 7.35         |
| 4/B130GL      | 4           | B       | 3302                  | 130.00                | 3.39        | 7.47         |
| 4/B132GL      | 4           | B       | 3353                  | 132.00                | 3.44        | 7.58         |
| 4/B133GL      | 4           | B       | 3378                  | 133.00                | 3.47        | 7.64         |
| 4/B136GL      | 4           | B       | 3454                  | 136.00                | 3.54        | 7.81         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 4/B138GL      | 4           | B       | 3505                  | 138.00                | 3.60        | 7.93         |
| 4/B139GL      | 4           | B       | 3531                  | 139.00                | 3.62        | 7.99         |
| 4/B140GL      | 4           | B       | 3556                  | 140.00                | 3.65        | 8.04         |
| 4/B141GL      | 4           | B       | 3581                  | 141.00                | 3.67        | 8.10         |
| 4/B144GL      | 4           | B       | 3658                  | 144.00                | 3.75        | 8.27         |
| 4/B146GL      | 4           | B       | 3708                  | 146.00                | 3.80        | 8.39         |
| 4/B148GL      | 4           | B       | 3759                  | 148.00                | 3.86        | 8.50         |
| 4/B150GL      | 4           | B       | 3810                  | 150.00                | 3.91        | 8.62         |
| 4/B154GL      | 4           | B       | 3912                  | 154.00                | 4.01        | 8.85         |
| 4/B158GL      | 4           | B       | 4013                  | 158.00                | 4.12        | 9.08         |
| 4/B160GL      | 4           | B       | 4064                  | 160.00                | 4.17        | 9.19         |
| 4/B162GL      | 4           | B       | 4115                  | 162.00                | 4.22        | 9.31         |
| 4/B167GL      | 4           | B       | 4242                  | 167.00                | 4.35        | 9.59         |
| 4/B168GL      | 4           | B       | 4267                  | 168.00                | 4.38        | 9.65         |
| 4/B173GL      | 4           | B       | 4394                  | 173.00                | 4.51        | 9.94         |
| 4/B177GL      | 4           | B       | 4496                  | 177.00                | 4.61        | 10.17        |
| 4/B180GL      | 4           | B       | 4572                  | 180.00                | 4.69        | 10.34        |
| 4/B185GL      | 4           | B       | 4699                  | 185.00                | 4.82        | 10.63        |
| 4/B187GL      | 4           | B       | 4750                  | 187.00                | 4.87        | 10.74        |
| 4/B190GL      | 4           | B       | 4826                  | 190.00                | 4.95        | 10.91        |
| 4/B195GL      | 4           | B       | 4953                  | 195.00                | 5.08        | 11.20        |
| 4/B197GL      | 4           | B       | 5004                  | 197.00                | 5.13        | 11.32        |
| 4/B208GL      | 4           | B       | 5283                  | 208.00                | 5.42        | 11.95        |
| 4/B210GL      | 4           | B       | 5334                  | 210.00                | 5.47        | 12.06        |
| 4/B218GL      | 4           | B       | 5537                  | 218.00                | 5.68        | 12.52        |
| 4/B220GL      | 4           | B       | 5588                  | 220.00                | 5.73        | 12.64        |
| 4/B225GL      | 4           | B       | 5715                  | 225.00                | 5.86        | 12.93        |
| 4/B240GL      | 4           | B       | 6096                  | 240.00                | 6.25        | 13.79        |
| 4/B255GL      | 4           | B       | 6477                  | 255.00                | 6.64        | 14.65        |
| 4/B270GL      | 4           | B       | 6858                  | 270.00                | 7.04        | 15.51        |
| 4/B300GL      | 4           | B       | 7620                  | 300.00                | 7.82        | 17.23        |
| 4/B315GL      | 4           | B       | 8001                  | 315.00                | 8.21        | 18.10        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 5/B56GL       | 5           | B       | 1422                  | 56.00                 | 1.82        | 4.02         |
| 5/B57GL       | 5           | B       | 1448                  | 57.00                 | 1.86        | 4.09         |
| 5/B58GL       | 5           | B       | 1473                  | 58.00                 | 1.89        | 4.16         |
| 5/B59GL       | 5           | B       | 1499                  | 59.00                 | 1.92        | 4.24         |
| 5/B60GL       | 5           | B       | 1524                  | 60.00                 | 1.95        | 4.31         |
| 5/B61GL       | 5           | B       | 1549                  | 61.00                 | 1.99        | 4.38         |
| 5/B62GL       | 5           | B       | 1575                  | 62.00                 | 2.02        | 4.45         |
| 5/B63GL       | 5           | B       | 1600                  | 63.00                 | 2.05        | 4.52         |
| 5/B64GL       | 5           | B       | 1626                  | 64.00                 | 2.08        | 4.60         |
| 5/B65GL       | 5           | B       | 1651                  | 65.00                 | 2.12        | 4.67         |
| 5/B66GL       | 5           | B       | 1676                  | 66.00                 | 2.15        | 4.74         |
| 5/B67GL       | 5           | B       | 1702                  | 67.00                 | 2.18        | 4.81         |
| 5/B68GL       | 5           | B       | 1727                  | 68.00                 | 2.21        | 4.88         |
| 5/B70GL       | 5           | B       | 1778                  | 70.00                 | 2.28        | 5.03         |
| 5/B71GL       | 5           | B       | 1803                  | 71.00                 | 2.31        | 5.10         |
| 5/B72GL       | 5           | B       | 1829                  | 72.00                 | 2.35        | 5.17         |
| 5/B73GL       | 5           | B       | 1854                  | 73.00                 | 2.38        | 5.24         |
| 5/B74GL       | 5           | B       | 1880                  | 74.00                 | 2.41        | 5.31         |
| 5/B75GL       | 5           | B       | 1905                  | 75.00                 | 2.44        | 5.39         |
| 5/B77GL       | 5           | B       | 1956                  | 77.00                 | 2.51        | 5.53         |
| 5/B78GL       | 5           | B       | 1981                  | 78.00                 | 2.54        | 5.60         |
| 5/B79GL       | 5           | B       | 2007                  | 79.00                 | 2.57        | 5.67         |
| 5/B80GL       | 5           | B       | 2032                  | 80.00                 | 2.61        | 5.74         |
| 5/B81GL       | 5           | B       | 2057                  | 81.00                 | 2.64        | 5.82         |
| 5/B82GL       | 5           | B       | 2083                  | 82.00                 | 2.67        | 5.89         |
| 5/B83GL       | 5           | B       | 2108                  | 83.00                 | 2.70        | 5.96         |
| 5/B84GL       | 5           | B       | 2134                  | 84.00                 | 2.74        | 6.03         |
| 5/B85GL       | 5           | B       | 2159                  | 85.00                 | 2.77        | 6.10         |
| 5/B86GL       | 5           | B       | 2184                  | 86.00                 | 2.80        | 6.18         |
| 5/B87GL       | 5           | B       | 2210                  | 87.00                 | 2.83        | 6.25         |
| 5/B88GL       | 5           | B       | 2235                  | 88.00                 | 2.87        | 6.32         |
| 5/B90GL       | 5           | B       | 2286                  | 90.00                 | 2.93        | 6.46         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 5/B91GL       | 5           | B       | 2311                  | 91.00                 | 2.96        | 6.53         |
| 5/B92GL       | 5           | B       | 2337                  | 92.00                 | 3.00        | 6.61         |
| 5/B93GL       | 5           | B       | 2362                  | 93.00                 | 3.03        | 6.68         |
| 5/B94.5GL     | 5           | B       | 2400                  | 94.50                 | 3.08        | 6.79         |
| 5/B95GL       | 5           | B       | 2413                  | 95.00                 | 3.09        | 6.82         |
| 5/B96GL       | 5           | B       | 2438                  | 96.00                 | 3.13        | 6.89         |
| 5/B97GL       | 5           | B       | 2464                  | 97.00                 | 3.16        | 6.97         |
| 5/B98GL       | 5           | B       | 2489                  | 98.00                 | 3.19        | 7.04         |
| 5/B99GL       | 5           | B       | 2515                  | 99.00                 | 3.22        | 7.11         |
| 5/B100GL      | 5           | B       | 2540                  | 100.00                | 3.26        | 7.18         |
| 5/B102GL      | 5           | B       | 2591                  | 102.00                | 3.32        | 7.32         |
| 5/B103GL      | 5           | B       | 2616                  | 103.00                | 3.35        | 7.40         |
| 5/B104GL      | 5           | B       | 2642                  | 104.00                | 3.39        | 7.47         |
| 5/B105GL      | 5           | B       | 2667                  | 105.00                | 3.42        | 7.54         |
| 5/B106GL      | 5           | B       | 2692                  | 106.00                | 3.45        | 7.61         |
| 5/B108GL      | 5           | B       | 2743                  | 108.00                | 3.52        | 7.76         |
| 5/B109GL      | 5           | B       | 2769                  | 109.00                | 3.55        | 7.83         |
| 5/B110GL      | 5           | B       | 2794                  | 110.00                | 3.58        | 7.90         |
| 5/B112GL      | 5           | B       | 2845                  | 112.00                | 3.65        | 8.04         |
| 5/B113GL      | 5           | B       | 2870                  | 113.00                | 3.68        | 8.11         |
| 5/B114GL      | 5           | B       | 2896                  | 114.00                | 3.71        | 8.19         |
| 5/B115GL      | 5           | B       | 2921                  | 115.00                | 3.75        | 8.26         |
| 5/B116GL      | 5           | B       | 2946                  | 116.00                | 3.78        | 8.33         |
| 5/B118GL      | 5           | B       | 2997                  | 118.00                | 3.84        | 8.47         |
| 5/B120GL      | 5           | B       | 3048                  | 120.00                | 3.91        | 8.62         |
| 5/B124GL      | 5           | B       | 3150                  | 124.00                | 4.04        | 8.90         |
| 5/B128GL      | 5           | B       | 3251                  | 128.00                | 4.17        | 9.19         |
| 5/B130GL      | 5           | B       | 3302                  | 130.00                | 4.23        | 9.34         |
| 5/B132GL      | 5           | B       | 3353                  | 132.00                | 4.30        | 9.48         |
| 5/B133GL      | 5           | B       | 3378                  | 133.00                | 4.33        | 9.55         |
| 5/B136GL      | 5           | B       | 3454                  | 136.00                | 4.43        | 9.77         |
| 5/B138GL      | 5           | B       | 3505                  | 138.00                | 4.49        | 9.91         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 5/B139GL      | 5           | B       | 3531                  | 139.00                | 4.53        | 9.98         |
| 5/B140GL      | 5           | B       | 3556                  | 140.00                | 4.56        | 10.05        |
| 5/B141GL      | 5           | B       | 3581                  | 141.00                | 4.59        | 10.12        |
| 5/B144GL      | 5           | B       | 3658                  | 144.00                | 4.69        | 10.34        |
| 5/B146GL      | 5           | B       | 3708                  | 146.00                | 4.76        | 10.48        |
| 5/B148GL      | 5           | B       | 3759                  | 148.00                | 4.82        | 10.63        |
| 5/B150GL      | 5           | B       | 3810                  | 150.00                | 4.89        | 10.77        |
| 5/B154GL      | 5           | B       | 3912                  | 154.00                | 5.02        | 11.06        |
| 5/B158GL      | 5           | B       | 4013                  | 158.00                | 5.15        | 11.35        |
| 5/B160GL      | 5           | B       | 4064                  | 160.00                | 5.21        | 11.49        |
| 5/B162GL      | 5           | B       | 4115                  | 162.00                | 5.28        | 11.63        |
| 5/B167GL      | 5           | B       | 4242                  | 167.00                | 5.44        | 11.99        |
| 5/B168GL      | 5           | B       | 4267                  | 168.00                | 5.47        | 12.06        |
| 5/B173GL      | 5           | B       | 4394                  | 173.00                | 5.63        | 12.42        |
| 5/B177GL      | 5           | B       | 4496                  | 177.00                | 5.77        | 12.71        |
| 5/B180GL      | 5           | B       | 4572                  | 180.00                | 5.86        | 12.93        |
| 5/B185GL      | 5           | B       | 4699                  | 185.00                | 6.03        | 13.28        |
| 5/B187GL      | 5           | B       | 4750                  | 187.00                | 6.09        | 13.43        |
| 5/B190GL      | 5           | B       | 4826                  | 190.00                | 6.19        | 13.64        |
| 5/B195GL      | 5           | B       | 4953                  | 195.00                | 6.35        | 14.00        |
| 5/B197GL      | 5           | B       | 5004                  | 197.00                | 6.42        | 14.15        |
| 5/B208GL      | 5           | B       | 5283                  | 208.00                | 6.77        | 14.94        |
| 5/B210GL      | 5           | B       | 5334                  | 210.00                | 6.84        | 15.08        |
| 5/B218GL      | 5           | B       | 5537                  | 218.00                | 7.10        | 15.65        |
| 5/B220GL      | 5           | B       | 5588                  | 220.00                | 7.17        | 15.80        |
| 5/B225GL      | 5           | B       | 5715                  | 225.00                | 7.33        | 16.16        |
| 5/B240GL      | 5           | B       | 6096                  | 240.00                | 7.82        | 17.23        |
| 5/B255GL      | 5           | B       | 6477                  | 255.00                | 8.31        | 18.31        |
| 5/B270GL      | 5           | B       | 6858                  | 270.00                | 8.79        | 19.39        |
| 5/B300GL      | 5           | B       | 7620                  | 300.00                | 9.77        | 21.54        |
| 5/B315GL      | 5           | B       | 8001                  | 315.00                | 10.26       | 22.62        |
| 16/B56GL      | 16          | B       | 1422                  | 56.00                 | 5.84        | 12.87        |



## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 16/B57GL      | 16          | B       | 1448                  | 57.00                 | 5.94        | 13.10        |
| 16/B58GL      | 16          | B       | 1473                  | 58.00                 | 6.05        | 13.33        |
| 16/B59GL      | 16          | B       | 1499                  | 59.00                 | 6.15        | 13.56        |
| 16/B60GL      | 16          | B       | 1524                  | 60.00                 | 6.25        | 13.79        |
| 16/B61GL      | 16          | B       | 1549                  | 61.00                 | 6.36        | 14.02        |
| 16/B62GL      | 16          | B       | 1575                  | 62.00                 | 6.46        | 14.25        |
| 16/B63GL      | 16          | B       | 1600                  | 63.00                 | 6.57        | 14.48        |
| 16/B64GL      | 16          | B       | 1626                  | 64.00                 | 6.67        | 14.71        |
| 16/B65GL      | 16          | B       | 1651                  | 65.00                 | 6.77        | 14.94        |
| 16/B66GL      | 16          | B       | 1676                  | 66.00                 | 6.88        | 15.17        |
| 16/B67GL      | 16          | B       | 1702                  | 67.00                 | 6.98        | 15.40        |
| 16/B68GL      | 16          | B       | 1727                  | 68.00                 | 7.09        | 15.63        |
| 16/B70GL      | 16          | B       | 1778                  | 70.00                 | 7.30        | 16.08        |
| 16/B71GL      | 16          | B       | 1803                  | 71.00                 | 7.40        | 16.31        |
| 16/B72GL      | 16          | B       | 1829                  | 72.00                 | 7.50        | 16.54        |
| 16/B73GL      | 16          | B       | 1854                  | 73.00                 | 7.61        | 16.77        |
| 16/B74GL      | 16          | B       | 1880                  | 74.00                 | 7.71        | 17.00        |
| 16/B75GL      | 16          | B       | 1905                  | 75.00                 | 7.82        | 17.23        |
| 16/B77GL      | 16          | B       | 1956                  | 77.00                 | 8.03        | 17.69        |
| 16/B78GL      | 16          | B       | 1981                  | 78.00                 | 8.13        | 17.92        |
| 16/B79GL      | 16          | B       | 2007                  | 79.00                 | 8.23        | 18.15        |
| 16/B80GL      | 16          | B       | 2032                  | 80.00                 | 8.34        | 18.38        |
| 16/B81GL      | 16          | B       | 2057                  | 81.00                 | 8.44        | 18.61        |
| 16/B82GL      | 16          | B       | 2083                  | 82.00                 | 8.55        | 18.84        |
| 16/B83GL      | 16          | B       | 2108                  | 83.00                 | 8.65        | 19.07        |
| 16/B84GL      | 16          | B       | 2134                  | 84.00                 | 8.76        | 19.30        |
| 16/B85GL      | 16          | B       | 2159                  | 85.00                 | 8.86        | 19.53        |
| 24/B86GL      | 24          | B       | 2184                  | 86.00                 | 13.45       | 29.64        |
| 24/B87GL      | 24          | B       | 2210                  | 87.00                 | 13.60       | 29.99        |
| 24/B88GL      | 24          | B       | 2235                  | 88.00                 | 13.76       | 30.33        |
| 24/B90GL      | 24          | B       | 2286                  | 90.00                 | 14.07       | 31.02        |
| 24/B91GL      | 24          | B       | 2311                  | 91.00                 | 14.23       | 31.37        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 24/B92GL      | 24          | B       | 2337                  | 92.00                 | 14.38       | 31.71        |
| 24/B93GL      | 24          | B       | 2362                  | 93.00                 | 14.54       | 32.05        |
| 24/B94.5GL    | 24          | B       | 2400                  | 94.50                 | 14.77       | 32.57        |
| 24/B95GL      | 24          | B       | 2413                  | 95.00                 | 14.85       | 32.74        |
| 24/B96GL      | 24          | B       | 2438                  | 96.00                 | 15.01       | 33.09        |
| 24/B97GL      | 24          | B       | 2464                  | 97.00                 | 15.17       | 33.43        |
| 24/B98GL      | 24          | B       | 2489                  | 98.00                 | 15.32       | 33.78        |
| 24/B99GL      | 24          | B       | 2515                  | 99.00                 | 15.48       | 34.12        |
| 24/B100GL     | 24          | B       | 2540                  | 100.00                | 15.63       | 34.47        |
| 24/B102GL     | 24          | B       | 2591                  | 102.00                | 15.95       | 35.16        |
| 24/B103GL     | 24          | B       | 2616                  | 103.00                | 16.10       | 35.50        |
| 24/B104GL     | 24          | B       | 2642                  | 104.00                | 16.26       | 35.85        |
| 24/B105GL     | 24          | B       | 2667                  | 105.00                | 16.42       | 36.19        |
| 24/B106GL     | 24          | B       | 2692                  | 106.00                | 16.57       | 36.54        |
| 24/B108GL     | 24          | B       | 2743                  | 108.00                | 16.89       | 37.23        |
| 24/B109GL     | 24          | B       | 2769                  | 109.00                | 17.04       | 37.57        |
| 24/B110GL     | 24          | B       | 2794                  | 110.00                | 17.20       | 37.91        |
| 24/B112GL     | 24          | B       | 2845                  | 112.00                | 17.51       | 38.60        |
| 24/B113GL     | 24          | B       | 2870                  | 113.00                | 17.67       | 38.95        |
| 24/B114GL     | 24          | B       | 2896                  | 114.00                | 17.82       | 39.29        |
| 24/B115GL     | 24          | B       | 2921                  | 115.00                | 17.98       | 39.64        |
| 24/B116GL     | 24          | B       | 2946                  | 116.00                | 18.14       | 39.98        |
| 24/B118GL     | 24          | B       | 2997                  | 118.00                | 18.45       | 40.67        |
| 24/B120GL     | 24          | B       | 3048                  | 120.00                | 18.76       | 41.36        |
| 24/B124GL     | 24          | B       | 3150                  | 124.00                | 19.39       | 42.74        |
| 24/B128GL     | 24          | B       | 3251                  | 128.00                | 20.01       | 44.12        |
| 24/B130GL     | 24          | B       | 3302                  | 130.00                | 20.32       | 44.81        |
| 24/B132GL     | 24          | B       | 3353                  | 132.00                | 20.64       | 45.50        |
| 24/B133GL     | 24          | B       | 3378                  | 133.00                | 20.79       | 45.84        |
| 24/B136GL     | 24          | B       | 3454                  | 136.00                | 21.26       | 46.88        |
| 24/B138GL     | 24          | B       | 3505                  | 138.00                | 21.58       | 47.57        |
| 24/B139GL     | 24          | B       | 3531                  | 139.00                | 21.73       | 47.91        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 24/B140GL     | 24          | B       | 3556                  | 140.00                | 21.89       | 48.25        |
| 24/B141GL     | 24          | B       | 3581                  | 141.00                | 22.04       | 48.60        |
| 24/B144GL     | 24          | B       | 3658                  | 144.00                | 22.51       | 49.63        |
| 24/B146GL     | 24          | B       | 3708                  | 146.00                | 22.83       | 50.32        |
| 24/B148GL     | 24          | B       | 3759                  | 148.00                | 23.14       | 51.01        |
| 24/B150GL     | 24          | B       | 3810                  | 150.00                | 23.45       | 51.70        |
| 24/B154GL     | 24          | B       | 3912                  | 154.00                | 24.08       | 53.08        |
| 24/B158GL     | 24          | B       | 4013                  | 158.00                | 24.70       | 54.46        |
| 24/B160GL     | 24          | B       | 4064                  | 160.00                | 25.01       | 55.15        |
| 24/B162GL     | 24          | B       | 4115                  | 162.00                | 25.33       | 55.84        |
| 24/B167GL     | 24          | B       | 4242                  | 167.00                | 26.11       | 57.56        |
| 24/B168GL     | 24          | B       | 4267                  | 168.00                | 26.27       | 57.91        |
| 24/B173GL     | 24          | B       | 4394                  | 173.00                | 27.05       | 59.63        |
| 24/B177GL     | 24          | B       | 4496                  | 177.00                | 27.67       | 61.01        |
| 24/B180GL     | 24          | B       | 4572                  | 180.00                | 28.14       | 62.04        |
| 24/B185GL     | 24          | B       | 4699                  | 185.00                | 28.92       | 63.77        |
| 24/B187GL     | 24          | B       | 4750                  | 187.00                | 29.24       | 64.45        |
| 24/B190GL     | 24          | B       | 4826                  | 190.00                | 29.71       | 65.49        |
| 24/B195GL     | 24          | B       | 4953                  | 195.00                | 30.49       | 67.21        |
| 24/B197GL     | 24          | B       | 5004                  | 197.00                | 30.80       | 67.90        |
| 24/B208GL     | 24          | B       | 5283                  | 208.00                | 32.52       | 71.69        |
| 24/B210GL     | 24          | B       | 5334                  | 210.00                | 32.83       | 72.38        |
| 24/B218GL     | 24          | B       | 5537                  | 218.00                | 34.08       | 75.14        |
| 24/B220GL     | 24          | B       | 5588                  | 220.00                | 34.40       | 75.83        |
| 24/B225GL     | 24          | B       | 5715                  | 225.00                | 35.18       | 77.55        |
| 24/B240GL     | 24          | B       | 6096                  | 240.00                | 37.52       | 82.72        |
| 24/B255GL     | 24          | B       | 6477                  | 255.00                | 39.87       | 87.89        |
| 24/B270GL     | 24          | B       | 6858                  | 270.00                | 42.21       | 93.06        |
| 24/B300GL     | 24          | B       | 7620                  | 300.00                | 46.90       | 103.40       |
| 24/B315GL     | 24          | B       | 8001                  | 315.00                | 49.25       | 108.57       |
| 2/C60GL       | 2           | C       | 1524                  | 60.00                 | 1.37        | 3.03         |
| 2/C68GL       | 2           | C       | 1727                  | 68.00                 | 1.56        | 3.43         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/C72GL       | 2           | C       | 1829                  | 72.00                 | 1.65        | 3.64         |
| 2/C75GL       | 2           | C       | 1905                  | 75.00                 | 1.72        | 3.79         |
| 2/C78GL       | 2           | C       | 1981                  | 78.00                 | 1.79        | 3.94         |
| 2/C80GL       | 2           | C       | 2032                  | 80.00                 | 1.83        | 4.04         |
| 2/C81GL       | 2           | C       | 2057                  | 81.00                 | 1.86        | 4.09         |
| 2/C85GL       | 2           | C       | 2159                  | 85.00                 | 1.95        | 4.29         |
| 2/C87GL       | 2           | C       | 2210                  | 87.00                 | 1.99        | 4.39         |
| 2/C90GL       | 2           | C       | 2286                  | 90.00                 | 2.06        | 4.54         |
| 2/C96GL       | 2           | C       | 2438                  | 96.00                 | 2.20        | 4.85         |
| 2/C98GL       | 2           | C       | 2489                  | 98.00                 | 2.24        | 4.95         |
| 2/C99GL       | 2           | C       | 2515                  | 99.00                 | 2.27        | 5.00         |
| 2/C100GL      | 2           | C       | 2540                  | 100.00                | 2.29        | 5.05         |
| 2/C105GL      | 2           | C       | 2667                  | 105.00                | 2.40        | 5.30         |
| 2/C108GL      | 2           | C       | 2743                  | 108.00                | 2.47        | 5.45         |
| 2/C109GL      | 2           | C       | 2769                  | 109.00                | 2.50        | 5.50         |
| 2/C112GL      | 2           | C       | 2845                  | 112.00                | 2.57        | 5.65         |
| 2/C120GL      | 2           | C       | 3048                  | 120.00                | 2.75        | 6.06         |
| 2/C124GL      | 2           | C       | 3150                  | 124.00                | 2.84        | 6.26         |
| 2/C126GL      | 2           | C       | 3200                  | 126.00                | 2.89        | 6.36         |
| 2/C128GL      | 2           | C       | 3251                  | 128.00                | 2.93        | 6.46         |
| 2/C136GL      | 2           | C       | 3454                  | 136.00                | 3.11        | 6.87         |
| 2/C140GL      | 2           | C       | 3556                  | 140.00                | 3.21        | 7.07         |
| 2/C144GL      | 2           | C       | 3658                  | 144.00                | 3.30        | 7.27         |
| 2/C146GL      | 2           | C       | 3708                  | 146.00                | 3.34        | 7.37         |
| 2/C151GL      | 2           | C       | 3835                  | 151.00                | 3.46        | 7.62         |
| 2/C158GL      | 2           | C       | 4013                  | 158.00                | 3.62        | 7.98         |
| 2/C162GL      | 2           | C       | 4115                  | 162.00                | 3.71        | 8.18         |
| 2/C167GL      | 2           | C       | 4242                  | 167.00                | 3.82        | 8.43         |
| 2/C173GL      | 2           | C       | 4394                  | 173.00                | 3.96        | 8.73         |
| 2/C177GL      | 2           | C       | 4496                  | 177.00                | 4.05        | 8.94         |
| 2/C180GL      | 2           | C       | 4572                  | 180.00                | 4.12        | 9.09         |
| 2/C185GL      | 2           | C       | 4699                  | 185.00                | 4.24        | 9.34         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/C187GL      | 2           | C       | 4750                  | 187.00                | 4.28        | 9.44         |
| 2/C190GL      | 2           | C       | 4826                  | 190.00                | 4.35        | 9.59         |
| 2/C195GL      | 2           | C       | 4953                  | 195.00                | 4.47        | 9.85         |
| 2/C197GL      | 2           | C       | 5004                  | 197.00                | 4.51        | 9.95         |
| 2/C204GL      | 2           | C       | 5182                  | 204.00                | 4.67        | 10.30        |
| 2/C208GL      | 2           | C       | 5283                  | 208.00                | 4.76        | 10.50        |
| 2/C210GL      | 2           | C       | 5334                  | 210.00                | 4.81        | 10.60        |
| 2/C220GL      | 2           | C       | 5588                  | 220.00                | 5.04        | 11.11        |
| 2/C225GL      | 2           | C       | 5715                  | 225.00                | 5.15        | 11.36        |
| 2/C236GL      | 2           | C       | 5994                  | 236.00                | 5.40        | 11.92        |
| 2/C240GL      | 2           | C       | 6096                  | 240.00                | 5.50        | 12.12        |
| 2/C248GL      | 2           | C       | 6299                  | 248.00                | 5.68        | 12.52        |
| 2/C255GL      | 2           | C       | 6477                  | 255.00                | 5.84        | 12.87        |
| 2/C270GL      | 2           | C       | 6858                  | 270.00                | 6.18        | 13.63        |
| 2/C285GL      | 2           | C       | 7239                  | 285.00                | 6.53        | 14.39        |
| 2/C300GL      | 2           | C       | 7620                  | 300.00                | 6.87        | 15.15        |
| 2/C315GL      | 2           | C       | 8001                  | 315.00                | 7.21        | 15.90        |
| 2/C330GL      | 2           | C       | 8382                  | 330.00                | 7.56        | 16.66        |
| 2/C345GL      | 2           | C       | 8763                  | 345.00                | 7.90        | 17.42        |
| 2/C360GL      | 2           | C       | 9144                  | 360.00                | 8.24        | 18.18        |
| 2/C390GL      | 2           | C       | 9906                  | 390.00                | 8.93        | 19.69        |
| 2/C420GL      | 2           | C       | 10668                 | 420.00                | 9.62        | 21.21        |
| 3/C60GL       | 3           | C       | 1524                  | 60.00                 | 2.06        | 4.54         |
| 3/C68GL       | 3           | C       | 1727                  | 68.00                 | 2.34        | 5.15         |
| 3/C72GL       | 3           | C       | 1829                  | 72.00                 | 2.47        | 5.45         |
| 3/C75GL       | 3           | C       | 1905                  | 75.00                 | 2.58        | 5.68         |
| 3/C78GL       | 3           | C       | 1981                  | 78.00                 | 2.68        | 5.91         |
| 3/C80GL       | 3           | C       | 2032                  | 80.00                 | 2.75        | 6.06         |
| 3/C81GL       | 3           | C       | 2057                  | 81.00                 | 2.78        | 6.13         |
| 3/C85GL       | 3           | C       | 2159                  | 85.00                 | 2.92        | 6.44         |
| 3/C87GL       | 3           | C       | 2210                  | 87.00                 | 2.99        | 6.59         |
| 3/C90GL       | 3           | C       | 2286                  | 90.00                 | 3.09        | 6.82         |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 3/C96GL       | 3           | C       | 2438                  | 96.00                 | 3.30        | 7.27         |
| 3/C98GL       | 3           | C       | 2489                  | 98.00                 | 3.37        | 7.42         |
| 3/C99GL       | 3           | C       | 2515                  | 99.00                 | 3.40        | 7.50         |
| 3/C100GL      | 3           | C       | 2540                  | 100.00                | 3.44        | 7.57         |
| 3/C105GL      | 3           | C       | 2667                  | 105.00                | 3.61        | 7.95         |
| 3/C108GL      | 3           | C       | 2743                  | 108.00                | 3.71        | 8.18         |
| 3/C109GL      | 3           | C       | 2769                  | 109.00                | 3.74        | 8.26         |
| 3/C112GL      | 3           | C       | 2845                  | 112.00                | 3.85        | 8.48         |
| 3/C120GL      | 3           | C       | 3048                  | 120.00                | 4.12        | 9.09         |
| 3/C124GL      | 3           | C       | 3150                  | 124.00                | 4.26        | 9.39         |
| 3/C126GL      | 3           | C       | 3200                  | 126.00                | 4.33        | 9.54         |
| 3/C128GL      | 3           | C       | 3251                  | 128.00                | 4.40        | 9.69         |
| 3/C136GL      | 3           | C       | 3454                  | 136.00                | 4.67        | 10.30        |
| 3/C140GL      | 3           | C       | 3556                  | 140.00                | 4.81        | 10.60        |
| 3/C144GL      | 3           | C       | 3658                  | 144.00                | 4.95        | 10.91        |
| 3/C146GL      | 3           | C       | 3708                  | 146.00                | 5.02        | 11.06        |
| 3/C151GL      | 3           | C       | 3835                  | 151.00                | 5.19        | 11.44        |
| 3/C158GL      | 3           | C       | 4013                  | 158.00                | 5.43        | 11.97        |
| 3/C162GL      | 3           | C       | 4115                  | 162.00                | 5.57        | 12.27        |
| 3/C167GL      | 3           | C       | 4242                  | 167.00                | 5.74        | 12.65        |
| 3/C173GL      | 3           | C       | 4394                  | 173.00                | 5.94        | 13.10        |
| 3/C177GL      | 3           | C       | 4496                  | 177.00                | 6.08        | 13.41        |
| 3/C180GL      | 3           | C       | 4572                  | 180.00                | 6.18        | 13.63        |
| 3/C185GL      | 3           | C       | 4699                  | 185.00                | 6.36        | 14.01        |
| 3/C187GL      | 3           | C       | 4750                  | 187.00                | 6.42        | 14.16        |
| 3/C190GL      | 3           | C       | 4826                  | 190.00                | 6.53        | 14.39        |
| 3/C195GL      | 3           | C       | 4953                  | 195.00                | 6.70        | 14.77        |
| 3/C197GL      | 3           | C       | 5004                  | 197.00                | 6.77        | 14.92        |
| 3/C204GL      | 3           | C       | 5182                  | 204.00                | 7.01        | 15.45        |
| 3/C208GL      | 3           | C       | 5283                  | 208.00                | 7.15        | 15.75        |
| 3/C210GL      | 3           | C       | 5334                  | 210.00                | 7.21        | 15.90        |
| 3/C220GL      | 3           | C       | 5588                  | 220.00                | 7.56        | 16.66        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 3/C225GL      | 3           | C       | 5715                  | 225.00                | 7.73        | 17.04        |
| 3/C236GL      | 3           | C       | 5994                  | 236.00                | 8.11        | 17.87        |
| 3/C240GL      | 3           | C       | 6096                  | 240.00                | 8.24        | 18.18        |
| 3/C248GL      | 3           | C       | 6299                  | 248.00                | 8.52        | 18.78        |
| 3/C255GL      | 3           | C       | 6477                  | 255.00                | 8.76        | 19.31        |
| 3/C270GL      | 3           | C       | 6858                  | 270.00                | 9.28        | 20.45        |
| 3/C285GL      | 3           | C       | 7239                  | 285.00                | 9.79        | 21.58        |
| 3/C300GL      | 3           | C       | 7620                  | 300.00                | 10.31       | 22.72        |
| 3/C315GL      | 3           | C       | 8001                  | 315.00                | 10.82       | 23.86        |
| 3/C330GL      | 3           | C       | 8382                  | 330.00                | 11.34       | 24.99        |
| 3/C345GL      | 3           | C       | 8763                  | 345.00                | 11.85       | 26.13        |
| 3/C360GL      | 3           | C       | 9144                  | 360.00                | 12.37       | 27.26        |
| 3/C390GL      | 3           | C       | 9906                  | 390.00                | 13.40       | 29.54        |
| 3/C420GL      | 3           | C       | 10668                 | 420.00                | 14.43       | 31.81        |
| 4/C60GL       | 4           | C       | 1524                  | 60.00                 | 2.75        | 6.06         |
| 4/C68GL       | 4           | C       | 1727                  | 68.00                 | 3.11        | 6.87         |
| 4/C72GL       | 4           | C       | 1829                  | 72.00                 | 3.30        | 7.27         |
| 4/C75GL       | 4           | C       | 1905                  | 75.00                 | 3.44        | 7.57         |
| 4/C78GL       | 4           | C       | 1981                  | 78.00                 | 3.57        | 7.88         |
| 4/C80GL       | 4           | C       | 2032                  | 80.00                 | 3.66        | 8.08         |
| 4/C81GL       | 4           | C       | 2057                  | 81.00                 | 3.71        | 8.18         |
| 4/C85GL       | 4           | C       | 2159                  | 85.00                 | 3.89        | 8.58         |
| 4/C87GL       | 4           | C       | 2210                  | 87.00                 | 3.98        | 8.79         |
| 4/C90GL       | 4           | C       | 2286                  | 90.00                 | 4.12        | 9.09         |
| 4/C96GL       | 4           | C       | 2438                  | 96.00                 | 4.40        | 9.69         |
| 4/C98GL       | 4           | C       | 2489                  | 98.00                 | 4.49        | 9.90         |
| 4/C99GL       | 4           | C       | 2515                  | 99.00                 | 4.53        | 10.00        |
| 4/C100GL      | 4           | C       | 2540                  | 100.00                | 4.58        | 10.10        |
| 4/C105GL      | 4           | C       | 2667                  | 105.00                | 4.81        | 10.60        |
| 4/C108GL      | 4           | C       | 2743                  | 108.00                | 4.95        | 10.91        |
| 4/C109GL      | 4           | C       | 2769                  | 109.00                | 4.99        | 11.01        |
| 4/C112GL      | 4           | C       | 2845                  | 112.00                | 5.13        | 11.31        |



## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 4/C120GL      | 4           | C       | 3048                  | 120.00                | 5.50        | 12.12        |
| 4/C124GL      | 4           | C       | 3150                  | 124.00                | 5.68        | 12.52        |
| 4/C126GL      | 4           | C       | 3200                  | 126.00                | 5.77        | 12.72        |
| 4/C128GL      | 4           | C       | 3251                  | 128.00                | 5.86        | 12.93        |
| 4/C136GL      | 4           | C       | 3454                  | 136.00                | 6.23        | 13.73        |
| 4/C140GL      | 4           | C       | 3556                  | 140.00                | 6.41        | 14.14        |
| 4/C144GL      | 4           | C       | 3658                  | 144.00                | 6.60        | 14.54        |
| 4/C146GL      | 4           | C       | 3708                  | 146.00                | 6.69        | 14.74        |
| 4/C151GL      | 4           | C       | 3835                  | 151.00                | 6.92        | 15.25        |
| 4/C158GL      | 4           | C       | 4013                  | 158.00                | 7.24        | 15.95        |
| 4/C162GL      | 4           | C       | 4115                  | 162.00                | 7.42        | 16.36        |
| 4/C167GL      | 4           | C       | 4242                  | 167.00                | 7.65        | 16.86        |
| 4/C173GL      | 4           | C       | 4394                  | 173.00                | 7.92        | 17.47        |
| 4/C177GL      | 4           | C       | 4496                  | 177.00                | 8.11        | 17.87        |
| 4/C180GL      | 4           | C       | 4572                  | 180.00                | 8.24        | 18.18        |
| 4/C185GL      | 4           | C       | 4699                  | 185.00                | 8.47        | 18.68        |
| 4/C187GL      | 4           | C       | 4750                  | 187.00                | 8.57        | 18.88        |
| 4/C190GL      | 4           | C       | 4826                  | 190.00                | 8.70        | 19.19        |
| 4/C195GL      | 4           | C       | 4953                  | 195.00                | 8.93        | 19.69        |
| 4/C197GL      | 4           | C       | 5004                  | 197.00                | 9.02        | 19.89        |
| 4/C204GL      | 4           | C       | 5182                  | 204.00                | 9.34        | 20.60        |
| 4/C208GL      | 4           | C       | 5283                  | 208.00                | 9.53        | 21.00        |
| 4/C210GL      | 4           | C       | 5334                  | 210.00                | 9.62        | 21.21        |
| 4/C220GL      | 4           | C       | 5588                  | 220.00                | 10.08       | 22.22        |
| 4/C225GL      | 4           | C       | 5715                  | 225.00                | 10.31       | 22.72        |
| 4/C236GL      | 4           | C       | 5994                  | 236.00                | 10.81       | 23.83        |
| 4/C240GL      | 4           | C       | 6096                  | 240.00                | 10.99       | 24.24        |
| 4/C248GL      | 4           | C       | 6299                  | 248.00                | 11.36       | 25.04        |
| 4/C255GL      | 4           | C       | 6477                  | 255.00                | 11.68       | 25.75        |
| 4/C270GL      | 4           | C       | 6858                  | 270.00                | 12.37       | 27.26        |
| 4/C285GL      | 4           | C       | 7239                  | 285.00                | 13.05       | 28.78        |
| 4/C300GL      | 4           | C       | 7620                  | 300.00                | 13.74       | 30.29        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 4/C315GL      | 4           | C       | 8001                  | 315.00                | 14.43       | 31.81        |
| 4/C330GL      | 4           | C       | 8382                  | 330.00                | 15.12       | 33.32        |
| 4/C345GL      | 4           | C       | 8763                  | 345.00                | 15.80       | 34.84        |
| 4/C360GL      | 4           | C       | 9144                  | 360.00                | 16.49       | 36.35        |
| 4/C390GL      | 4           | C       | 9906                  | 390.00                | 17.86       | 39.38        |
| 4/C420GL      | 4           | C       | 10668                 | 420.00                | 19.24       | 42.41        |
| 5/C60GL       | 5           | C       | 1524                  | 60.00                 | 3.44        | 7.57         |
| 5/C68GL       | 5           | C       | 1727                  | 68.00                 | 3.89        | 8.58         |
| 5/C72GL       | 5           | C       | 1829                  | 72.00                 | 4.12        | 9.09         |
| 5/C75GL       | 5           | C       | 1905                  | 75.00                 | 4.29        | 9.47         |
| 5/C78GL       | 5           | C       | 1981                  | 78.00                 | 4.47        | 9.85         |
| 5/C80GL       | 5           | C       | 2032                  | 80.00                 | 4.58        | 10.10        |
| 5/C81GL       | 5           | C       | 2057                  | 81.00                 | 4.64        | 10.22        |
| 5/C85GL       | 5           | C       | 2159                  | 85.00                 | 4.87        | 10.73        |
| 5/C87GL       | 5           | C       | 2210                  | 87.00                 | 4.98        | 10.98        |
| 5/C90GL       | 5           | C       | 2286                  | 90.00                 | 5.15        | 11.36        |
| 5/C96GL       | 5           | C       | 2438                  | 96.00                 | 5.50        | 12.12        |
| 5/C98GL       | 5           | C       | 2489                  | 98.00                 | 5.61        | 12.37        |
| 5/C99GL       | 5           | C       | 2515                  | 99.00                 | 5.67        | 12.50        |
| 5/C100GL      | 5           | C       | 2540                  | 100.00                | 5.73        | 12.62        |
| 5/C105GL      | 5           | C       | 2667                  | 105.00                | 6.01        | 13.25        |
| 5/C108GL      | 5           | C       | 2743                  | 108.00                | 6.18        | 13.63        |
| 5/C109GL      | 5           | C       | 2769                  | 109.00                | 6.24        | 13.76        |
| 5/C112GL      | 5           | C       | 2845                  | 112.00                | 6.41        | 14.14        |
| 5/C120GL      | 5           | C       | 3048                  | 120.00                | 6.87        | 15.15        |
| 5/C124GL      | 5           | C       | 3150                  | 124.00                | 7.10        | 15.65        |
| 5/C126GL      | 5           | C       | 3200                  | 126.00                | 7.21        | 15.90        |
| 5/C128GL      | 5           | C       | 3251                  | 128.00                | 7.33        | 16.16        |
| 5/C136GL      | 5           | C       | 3454                  | 136.00                | 7.79        | 17.17        |
| 5/C140GL      | 5           | C       | 3556                  | 140.00                | 8.02        | 17.67        |
| 5/C144GL      | 5           | C       | 3658                  | 144.00                | 8.24        | 18.18        |
| 5/C146GL      | 5           | C       | 3708                  | 146.00                | 8.36        | 18.43        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 5/C151GL      | 5           | C       | 3835                  | 151.00                | 8.65        | 19.06        |
| 5/C158GL      | 5           | C       | 4013                  | 158.00                | 9.05        | 19.94        |
| 5/C162GL      | 5           | C       | 4115                  | 162.00                | 9.28        | 20.45        |
| 5/C167GL      | 5           | C       | 4242                  | 167.00                | 9.56        | 21.08        |
| 5/C173GL      | 5           | C       | 4394                  | 173.00                | 9.91        | 21.84        |
| 5/C177GL      | 5           | C       | 4496                  | 177.00                | 10.13       | 22.34        |
| 5/C180GL      | 5           | C       | 4572                  | 180.00                | 10.31       | 22.72        |
| 5/C185GL      | 5           | C       | 4699                  | 185.00                | 10.59       | 23.35        |
| 5/C187GL      | 5           | C       | 4750                  | 187.00                | 10.71       | 23.60        |
| 5/C190GL      | 5           | C       | 4826                  | 190.00                | 10.88       | 23.98        |
| 5/C195GL      | 5           | C       | 4953                  | 195.00                | 11.16       | 24.61        |
| 5/C197GL      | 5           | C       | 5004                  | 197.00                | 11.28       | 24.87        |
| 5/C204GL      | 5           | C       | 5182                  | 204.00                | 11.68       | 25.75        |
| 5/C208GL      | 5           | C       | 5283                  | 208.00                | 11.91       | 26.25        |
| 5/C210GL      | 5           | C       | 5334                  | 210.00                | 12.02       | 26.51        |
| 5/C220GL      | 5           | C       | 5588                  | 220.00                | 12.60       | 27.77        |
| 5/C225GL      | 5           | C       | 5715                  | 225.00                | 12.88       | 28.40        |
| 5/C236GL      | 5           | C       | 5994                  | 236.00                | 13.51       | 29.79        |
| 5/C240GL      | 5           | C       | 6096                  | 240.00                | 13.74       | 30.29        |
| 5/C248GL      | 5           | C       | 6299                  | 248.00                | 14.20       | 31.30        |
| 5/C255GL      | 5           | C       | 6477                  | 255.00                | 14.60       | 32.19        |
| 5/C270GL      | 5           | C       | 6858                  | 270.00                | 15.46       | 34.08        |
| 5/C285GL      | 5           | C       | 7239                  | 285.00                | 16.32       | 35.97        |
| 5/C300GL      | 5           | C       | 7620                  | 300.00                | 17.18       | 37.87        |
| 5/C315GL      | 5           | C       | 8001                  | 315.00                | 18.04       | 39.76        |
| 5/C330GL      | 5           | C       | 8382                  | 330.00                | 18.89       | 41.65        |
| 5/C345GL      | 5           | C       | 8763                  | 345.00                | 19.75       | 43.55        |
| 5/C360GL      | 5           | C       | 9144                  | 360.00                | 20.61       | 45.44        |
| 5/C390GL      | 5           | C       | 9906                  | 390.00                | 22.33       | 49.23        |
| 5/C420GL      | 5           | C       | 10668                 | 420.00                | 24.05       | 53.01        |
| 12/C60GL      | 12          | C       | 1524                  | 60.00                 | 8.24        | 18.18        |
| 12/C68GL      | 12          | C       | 1727                  | 68.00                 | 9.34        | 20.60        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 12/C72GL      | 12          | C       | 1829                  | 72.00                 | 9.89        | 21.81        |
| 12/C75GL      | 12          | C       | 1905                  | 75.00                 | 10.31       | 22.72        |
| 12/C78GL      | 12          | C       | 1981                  | 78.00                 | 10.72       | 23.63        |
| 12/C80GL      | 12          | C       | 2032                  | 80.00                 | 10.99       | 24.24        |
| 12/C81GL      | 12          | C       | 2057                  | 81.00                 | 11.13       | 24.54        |
| 12/C85GL      | 12          | C       | 2159                  | 85.00                 | 11.68       | 25.75        |
| 18/C87GL      | 18          | C       | 2210                  | 87.00                 | 17.93       | 39.53        |
| 18/C90GL      | 18          | C       | 2286                  | 90.00                 | 18.55       | 40.90        |
| 18/C96GL      | 18          | C       | 2438                  | 96.00                 | 19.79       | 43.62        |
| 18/C98GL      | 18          | C       | 2489                  | 98.00                 | 20.20       | 44.53        |
| 18/C99GL      | 18          | C       | 2515                  | 99.00                 | 20.41       | 44.99        |
| 18/C100GL     | 18          | C       | 2540                  | 100.00                | 20.61       | 45.44        |
| 18/C105GL     | 18          | C       | 2667                  | 105.00                | 21.64       | 47.71        |
| 18/C108GL     | 18          | C       | 2743                  | 108.00                | 22.26       | 49.08        |
| 18/C109GL     | 18          | C       | 2769                  | 109.00                | 22.47       | 49.53        |
| 18/C112GL     | 18          | C       | 2845                  | 112.00                | 23.09       | 50.89        |
| 18/C120GL     | 18          | C       | 3048                  | 120.00                | 24.73       | 54.53        |
| 18/C124GL     | 18          | C       | 3150                  | 124.00                | 25.56       | 56.35        |
| 18/C126GL     | 18          | C       | 3200                  | 126.00                | 25.97       | 57.26        |
| 18/C128GL     | 18          | C       | 3251                  | 128.00                | 26.38       | 58.16        |
| 18/C136GL     | 18          | C       | 3454                  | 136.00                | 28.03       | 61.80        |
| 18/C140GL     | 18          | C       | 3556                  | 140.00                | 28.86       | 63.62        |
| 18/C144GL     | 18          | C       | 3658                  | 144.00                | 29.68       | 65.43        |
| 18/C146GL     | 18          | C       | 3708                  | 146.00                | 30.09       | 66.34        |
| 18/C151GL     | 18          | C       | 3835                  | 151.00                | 31.12       | 68.62        |
| 18/C158GL     | 18          | C       | 4013                  | 158.00                | 32.57       | 71.80        |
| 18/C162GL     | 18          | C       | 4115                  | 162.00                | 33.39       | 73.61        |
| 18/C167GL     | 18          | C       | 4242                  | 167.00                | 34.42       | 75.89        |
| 18/C173GL     | 18          | C       | 4394                  | 173.00                | 35.66       | 78.61        |
| 18/C177GL     | 18          | C       | 4496                  | 177.00                | 36.48       | 80.43        |
| 18/C180GL     | 18          | C       | 4572                  | 180.00                | 37.10       | 81.79        |
| 18/C185GL     | 18          | C       | 4699                  | 185.00                | 38.13       | 84.07        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 18/C187GL     | 18          | C       | 4750                  | 187.00                | 38.54       | 84.97        |
| 18/C190GL     | 18          | C       | 4826                  | 190.00                | 39.16       | 86.34        |
| 18/C195GL     | 18          | C       | 4953                  | 195.00                | 40.19       | 88.61        |
| 18/C197GL     | 18          | C       | 5004                  | 197.00                | 40.60       | 89.52        |
| 18/C204GL     | 18          | C       | 5182                  | 204.00                | 42.05       | 92.70        |
| 18/C208GL     | 18          | C       | 5283                  | 208.00                | 42.87       | 94.52        |
| 18/C210GL     | 18          | C       | 5334                  | 210.00                | 43.28       | 95.43        |
| 18/C220GL     | 18          | C       | 5588                  | 220.00                | 45.35       | 99.97        |
| 18/C225GL     | 18          | C       | 5715                  | 225.00                | 46.38       | 102.24       |
| 18/C236GL     | 18          | C       | 5994                  | 236.00                | 48.64       | 107.24       |
| 18/C240GL     | 18          | C       | 6096                  | 240.00                | 49.47       | 109.06       |
| 18/C248GL     | 18          | C       | 6299                  | 248.00                | 51.12       | 112.69       |
| 18/C255GL     | 18          | C       | 6477                  | 255.00                | 52.56       | 115.87       |
| 18/C270GL     | 18          | C       | 6858                  | 270.00                | 55.65       | 122.69       |
| 18/C285GL     | 18          | C       | 7239                  | 285.00                | 58.74       | 129.51       |
| 18/C300GL     | 18          | C       | 7620                  | 300.00                | 61.84       | 136.32       |
| 18/C315GL     | 18          | C       | 8001                  | 315.00                | 64.93       | 143.14       |
| 18/C330GL     | 18          | C       | 8382                  | 330.00                | 68.02       | 149.96       |
| 18/C345GL     | 18          | C       | 8763                  | 345.00                | 71.11       | 156.77       |
| 18/C360GL     | 18          | C       | 9144                  | 360.00                | 74.20       | 163.59       |
| 18/C390GL     | 18          | C       | 9906                  | 390.00                | 80.39       | 177.22       |
| 18/C420GL     | 18          | C       | 10668                 | 420.00                | 86.57       | 190.85       |
| 2/D110GL      | 2           | D       | 2794                  | 110.00                | 4.47        | 9.85         |
| 2/D120GL      | 2           | D       | 3048                  | 120.00                | 4.87        | 10.75        |
| 2/D128GL      | 2           | D       | 3251                  | 128.00                | 5.20        | 11.46        |
| 2/D144GL      | 2           | D       | 3658                  | 144.00                | 5.85        | 12.89        |
| 2/D158GL      | 2           | D       | 4013                  | 158.00                | 6.42        | 14.15        |
| 2/D162GL      | 2           | D       | 4115                  | 162.00                | 6.58        | 14.51        |
| 2/D173GL      | 2           | D       | 4394                  | 173.00                | 7.03        | 15.49        |
| 2/D180GL      | 2           | D       | 4572                  | 180.00                | 7.31        | 16.12        |
| 2/D195GL      | 2           | D       | 4953                  | 195.00                | 7.92        | 17.46        |
| 2/D210GL      | 2           | D       | 5334                  | 210.00                | 8.53        | 18.80        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 2/D225GL      | 2           | D       | 5715                  | 225.00                | 9.14        | 20.15        |
| 2/D240GL      | 2           | D       | 6096                  | 240.00                | 9.75        | 21.49        |
| 2/D255GL      | 2           | D       | 6477                  | 255.00                | 10.36       | 22.83        |
| 2/D270GL      | 2           | D       | 6858                  | 270.00                | 10.97       | 24.18        |
| 2/D285GL      | 2           | D       | 7239                  | 285.00                | 11.58       | 25.52        |
| 2/D300GL      | 2           | D       | 7620                  | 300.00                | 12.19       | 26.86        |
| 2/D315GL      | 2           | D       | 8001                  | 315.00                | 12.79       | 28.21        |
| 2/D330GL      | 2           | D       | 8382                  | 330.00                | 13.40       | 29.55        |
| 2/D345GL      | 2           | D       | 8763                  | 345.00                | 14.01       | 30.89        |
| 2/D360GL      | 2           | D       | 9144                  | 360.00                | 14.62       | 32.24        |
| 2/D390GL      | 2           | D       | 9906                  | 390.00                | 15.84       | 34.92        |
| 2/D420GL      | 2           | D       | 10668                 | 420.00                | 17.06       | 37.61        |
| 2/D450GL      | 2           | D       | 11430                 | 450.00                | 18.28       | 40.30        |
| 2/D480GL      | 2           | D       | 12192                 | 480.00                | 19.50       | 42.98        |
| 2/D540GL      | 2           | D       | 13716                 | 540.00                | 21.93       | 48.35        |
| 2/D600GL      | 2           | D       | 15240                 | 600.00                | 24.37       | 53.73        |
| 2/D660GL      | 2           | D       | 16764                 | 660.00                | 26.81       | 59.10        |
| 2/D700GL      | 2           | D       | 17780                 | 700.00                | 28.43       | 62.68        |
| 3/D110GL      | 3           | D       | 2794                  | 110.00                | 6.70        | 14.77        |
| 3/D120GL      | 3           | D       | 3048                  | 120.00                | 7.31        | 16.12        |
| 3/D128GL      | 3           | D       | 3251                  | 128.00                | 7.80        | 17.19        |
| 3/D144GL      | 3           | D       | 3658                  | 144.00                | 8.77        | 19.34        |
| 3/D158GL      | 3           | D       | 4013                  | 158.00                | 9.63        | 21.22        |
| 3/D162GL      | 3           | D       | 4115                  | 162.00                | 9.87        | 21.76        |
| 3/D173GL      | 3           | D       | 4394                  | 173.00                | 10.54       | 23.24        |
| 3/D180GL      | 3           | D       | 4572                  | 180.00                | 10.97       | 24.18        |
| 3/D195GL      | 3           | D       | 4953                  | 195.00                | 11.88       | 26.19        |
| 3/D210GL      | 3           | D       | 5334                  | 210.00                | 12.79       | 28.21        |
| 3/D225GL      | 3           | D       | 5715                  | 225.00                | 13.71       | 30.22        |
| 3/D240GL      | 3           | D       | 6096                  | 240.00                | 14.62       | 32.24        |
| 3/D255GL      | 3           | D       | 6477                  | 255.00                | 15.54       | 34.25        |
| 3/D270GL      | 3           | D       | 6858                  | 270.00                | 16.45       | 36.27        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 3/D285GL      | 3           | D       | 7239                  | 285.00                | 17.36       | 38.28        |
| 3/D300GL      | 3           | D       | 7620                  | 300.00                | 18.28       | 40.30        |
| 3/D315GL      | 3           | D       | 8001                  | 315.00                | 19.19       | 42.31        |
| 3/D330GL      | 3           | D       | 8382                  | 330.00                | 20.11       | 44.32        |
| 3/D345GL      | 3           | D       | 8763                  | 345.00                | 21.02       | 46.34        |
| 3/D360GL      | 3           | D       | 9144                  | 360.00                | 21.93       | 48.35        |
| 3/D390GL      | 3           | D       | 9906                  | 390.00                | 23.76       | 52.38        |
| 3/D420GL      | 3           | D       | 10668                 | 420.00                | 25.59       | 56.41        |
| 3/D450GL      | 3           | D       | 11430                 | 450.00                | 27.42       | 60.44        |
| 3/D480GL      | 3           | D       | 12192                 | 480.00                | 29.24       | 64.47        |
| 3/D540GL      | 3           | D       | 13716                 | 540.00                | 32.90       | 72.53        |
| 3/D600GL      | 3           | D       | 15240                 | 600.00                | 36.56       | 80.59        |
| 3/D660GL      | 3           | D       | 16764                 | 660.00                | 40.21       | 88.65        |
| 3/D700GL      | 3           | D       | 17780                 | 700.00                | 42.65       | 94.02        |
| 4/D110GL      | 4           | D       | 2794                  | 110.00                | 8.94        | 19.70        |
| 4/D120GL      | 4           | D       | 3048                  | 120.00                | 9.75        | 21.49        |
| 4/D128GL      | 4           | D       | 3251                  | 128.00                | 10.40       | 22.92        |
| 4/D144GL      | 4           | D       | 3658                  | 144.00                | 11.70       | 25.79        |
| 4/D158GL      | 4           | D       | 4013                  | 158.00                | 12.83       | 28.30        |
| 4/D162GL      | 4           | D       | 4115                  | 162.00                | 13.16       | 29.01        |
| 4/D173GL      | 4           | D       | 4394                  | 173.00                | 14.05       | 30.98        |
| 4/D180GL      | 4           | D       | 4572                  | 180.00                | 14.62       | 32.24        |
| 4/D195GL      | 4           | D       | 4953                  | 195.00                | 15.84       | 34.92        |
| 4/D210GL      | 4           | D       | 5334                  | 210.00                | 17.06       | 37.61        |
| 4/D225GL      | 4           | D       | 5715                  | 225.00                | 18.28       | 40.30        |
| 4/D240GL      | 4           | D       | 6096                  | 240.00                | 19.50       | 42.98        |
| 4/D255GL      | 4           | D       | 6477                  | 255.00                | 20.71       | 45.67        |
| 4/D270GL      | 4           | D       | 6858                  | 270.00                | 21.93       | 48.35        |
| 4/D285GL      | 4           | D       | 7239                  | 285.00                | 23.15       | 51.04        |
| 4/D300GL      | 4           | D       | 7620                  | 300.00                | 24.37       | 53.73        |
| 4/D315GL      | 4           | D       | 8001                  | 315.00                | 25.59       | 56.41        |
| 4/D330GL      | 4           | D       | 8382                  | 330.00                | 26.81       | 59.10        |



## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 4/D345GL      | 4           | D       | 8763                  | 345.00                | 28.03       | 61.79        |
| 4/D360GL      | 4           | D       | 9144                  | 360.00                | 29.24       | 64.47        |
| 4/D390GL      | 4           | D       | 9906                  | 390.00                | 31.68       | 69.84        |
| 4/D420GL      | 4           | D       | 10668                 | 420.00                | 34.12       | 75.22        |
| 4/D450GL      | 4           | D       | 11430                 | 450.00                | 36.56       | 80.59        |
| 4/D480GL      | 4           | D       | 12192                 | 480.00                | 38.99       | 85.96        |
| 4/D540GL      | 4           | D       | 13716                 | 540.00                | 43.87       | 96.71        |
| 4/D600GL      | 4           | D       | 15240                 | 600.00                | 48.74       | 107.45       |
| 4/D660GL      | 4           | D       | 16764                 | 660.00                | 53.61       | 118.20       |
| 4/D700GL      | 4           | D       | 17780                 | 700.00                | 56.86       | 125.36       |
| 5/D110GL      | 5           | D       | 2794                  | 110.00                | 11.17       | 24.62        |
| 5/D120GL      | 5           | D       | 3048                  | 120.00                | 12.19       | 26.86        |
| 5/D128GL      | 5           | D       | 3251                  | 128.00                | 13.00       | 28.65        |
| 5/D144GL      | 5           | D       | 3658                  | 144.00                | 14.62       | 32.24        |
| 5/D158GL      | 5           | D       | 4013                  | 158.00                | 16.04       | 35.37        |
| 5/D162GL      | 5           | D       | 4115                  | 162.00                | 16.45       | 36.27        |
| 5/D173GL      | 5           | D       | 4394                  | 173.00                | 17.57       | 38.73        |
| 5/D180GL      | 5           | D       | 4572                  | 180.00                | 18.28       | 40.30        |
| 5/D195GL      | 5           | D       | 4953                  | 195.00                | 19.80       | 43.65        |
| 5/D210GL      | 5           | D       | 5334                  | 210.00                | 21.32       | 47.01        |
| 5/D225GL      | 5           | D       | 5715                  | 225.00                | 22.85       | 50.37        |
| 5/D240GL      | 5           | D       | 6096                  | 240.00                | 24.37       | 53.73        |
| 5/D255GL      | 5           | D       | 6477                  | 255.00                | 25.89       | 57.08        |
| 5/D270GL      | 5           | D       | 6858                  | 270.00                | 27.42       | 60.44        |
| 5/D285GL      | 5           | D       | 7239                  | 285.00                | 28.94       | 63.80        |
| 5/D300GL      | 5           | D       | 7620                  | 300.00                | 30.46       | 67.16        |
| 5/D315GL      | 5           | D       | 8001                  | 315.00                | 31.99       | 70.52        |
| 5/D330GL      | 5           | D       | 8382                  | 330.00                | 33.51       | 73.87        |
| 5/D345GL      | 5           | D       | 8763                  | 345.00                | 35.03       | 77.23        |
| 5/D360GL      | 5           | D       | 9144                  | 360.00                | 36.56       | 80.59        |
| 5/D390GL      | 5           | D       | 9906                  | 390.00                | 39.60       | 87.31        |
| 5/D420GL      | 5           | D       | 10668                 | 420.00                | 42.65       | 94.02        |

## GOLD LABEL Banded Wrapped Classical - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| A       | 13           | 10            | 0.183             |
| B       | 17           | 13            | 0.256             |
| C       | 22           | 16            | 0.451             |
| D       | 32           | 22            | 0.800             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| A        | 1/2          | 25/64         | 0.010              |
| B        | 21/32        | 1/2           | 0.014              |
| C        | 7/8          | 5/8           | 0.025              |
| D        | 1-1/4        | 55/64         | 0.045              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Li Inside length (mm) | Li Inside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|-----------------------|-----------------------|-------------|--------------|
| 5/D450GL      | 5           | D       | 11430                 | 450.00                | 45.69       | 100.74       |
| 5/D480GL      | 5           | D       | 12192                 | 480.00                | 48.74       | 107.45       |
| 5/D540GL      | 5           | D       | 13716                 | 540.00                | 54.83       | 120.89       |
| 5/D600GL      | 5           | D       | 15240                 | 600.00                | 60.93       | 134.32       |
| 5/D660GL      | 5           | D       | 16764                 | 660.00                | 67.02       | 147.75       |
| 5/D700GL      | 5           | D       | 17780                 | 700.00                | 71.08       | 156.70       |
| 12/D110GL     | 12          | D       | 2794                  | 110.00                | 26.81       | 59.10        |
| 12/D120GL     | 12          | D       | 3048                  | 120.00                | 29.24       | 64.47        |
| 12/D128GL     | 12          | D       | 3251                  | 128.00                | 31.19       | 68.77        |
| 12/D144GL     | 12          | D       | 3658                  | 144.00                | 35.09       | 77.37        |
| 12/D660GL     | 12          | D       | 16764                 | 660.00                | 160.84      | 354.60       |
| 12/D700GL     | 12          | D       | 17780                 | 700.00                | 170.59      | 376.09       |
| 20/D158GL     | 20          | D       | 4013                  | 158.00                | 64.17       | 141.48       |
| 20/D162GL     | 20          | D       | 4115                  | 162.00                | 65.80       | 145.06       |
| 20/D173GL     | 20          | D       | 4394                  | 173.00                | 70.27       | 154.91       |
| 20/D180GL     | 20          | D       | 4572                  | 180.00                | 73.11       | 161.18       |
| 20/D195GL     | 20          | D       | 4953                  | 195.00                | 79.20       | 174.61       |
| 20/D210GL     | 20          | D       | 5334                  | 210.00                | 85.30       | 188.04       |
| 20/D225GL     | 20          | D       | 5715                  | 225.00                | 91.39       | 201.48       |
| 20/D240GL     | 20          | D       | 6096                  | 240.00                | 97.48       | 214.91       |
| 20/D255GL     | 20          | D       | 6477                  | 255.00                | 103.57      | 228.34       |
| 20/D270GL     | 20          | D       | 6858                  | 270.00                | 109.67      | 241.77       |
| 20/D285GL     | 20          | D       | 7239                  | 285.00                | 115.76      | 255.20       |
| 20/D300GL     | 20          | D       | 7620                  | 300.00                | 121.85      | 268.63       |
| 20/D315GL     | 20          | D       | 8001                  | 315.00                | 127.94      | 282.07       |
| 20/D330GL     | 20          | D       | 8382                  | 330.00                | 134.04      | 295.50       |
| 20/D345GL     | 20          | D       | 8763                  | 345.00                | 140.13      | 308.93       |
| 20/D360GL     | 20          | D       | 9144                  | 360.00                | 146.22      | 322.36       |
| 20/D390GL     | 20          | D       | 9906                  | 390.00                | 158.41      | 349.22       |
| 20/D420GL     | 20          | D       | 10668                 | 420.00                | 170.59      | 376.09       |
| 20/D450GL     | 20          | D       | 11430                 | 450.00                | 182.78      | 402.95       |
| 20/D480GL     | 20          | D       | 12192                 | 480.00                | 194.96      | 429.81       |
| 20/D540GL     | 20          | D       | 13716                 | 540.00                | 219.33      | 483.54       |
| 20/D600GL     | 20          | D       | 15240                 | 600.00                | 243.70      | 537.27       |

## GOLD LABEL Banded Wrapped Narrow - Product Description



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

### V-Belt

Part Number Description: **2/3V800GL**

**2/**: Number of ribs

**3V**: Profile

**800**: External Length (tenths of an inch)

**GL**: Gold Label

### Features and Benefits:

Tie Band Fabric: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Prevents Vibrations and belt Turn-over

Fabric Cover: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/BR Rubber blend

- High resistance to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 °C / -31 To 160 °F

Wedge Profile (RMA): Up to 3 times the Power transmission capacity compared to Classical V Profiles (A, B, C, D)

Designed for OEMs

### Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty drives

Recommended solution for multiple belts drives where single belts vibrate or turn over

Pulley Standards: ARPM/MPTA IP-22 / ISO5290

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 2/3V600GL     | 2           | 3V      | 1524                   | 60.00                  | 0.31        | 0.69         |
| 2/3V630GL     | 2           | 3V      | 1600                   | 63.00                  | 0.33        | 0.73         |
| 2/3V670GL     | 2           | 3V      | 1702                   | 67.00                  | 0.35        | 0.77         |
| 2/3V710GL     | 2           | 3V      | 1803                   | 71.00                  | 0.37        | 0.82         |
| 2/3V750GL     | 2           | 3V      | 1905                   | 75.00                  | 0.39        | 0.87         |
| 2/3V800GL     | 2           | 3V      | 2032                   | 80.00                  | 0.42        | 0.92         |
| 2/3V850GL     | 2           | 3V      | 2159                   | 85.00                  | 0.45        | 0.98         |
| 2/3V900GL     | 2           | 3V      | 2286                   | 90.00                  | 0.47        | 1.04         |
| 2/3V950GL     | 2           | 3V      | 2413                   | 95.00                  | 0.50        | 1.10         |
| 2/3V1000GL    | 2           | 3V      | 2540                   | 100.00                 | 0.52        | 1.15         |
| 2/3V1060GL    | 2           | 3V      | 2692                   | 106.00                 | 0.56        | 1.22         |
| 2/3V1120GL    | 2           | 3V      | 2845                   | 112.00                 | 0.59        | 1.29         |
| 2/3V1180GL    | 2           | 3V      | 2997                   | 118.00                 | 0.62        | 1.36         |
| 2/3V1250GL    | 2           | 3V      | 3175                   | 125.00                 | 0.65        | 1.44         |
| 2/3V1320GL    | 2           | 3V      | 3353                   | 132.00                 | 0.69        | 1.52         |
| 2/3V1400GL    | 2           | 3V      | 3556                   | 140.00                 | 0.73        | 1.62         |
| 3/3V600GL     | 3           | 3V      | 1524                   | 60.00                  | 0.47        | 1.04         |
| 3/3V630GL     | 3           | 3V      | 1600                   | 63.00                  | 0.49        | 1.09         |
| 3/3V670GL     | 3           | 3V      | 1702                   | 67.00                  | 0.53        | 1.16         |
| 3/3V710GL     | 3           | 3V      | 1803                   | 71.00                  | 0.56        | 1.23         |
| 3/3V750GL     | 3           | 3V      | 1905                   | 75.00                  | 0.59        | 1.30         |
| 3/3V800GL     | 3           | 3V      | 2032                   | 80.00                  | 0.63        | 1.39         |
| 3/3V850GL     | 3           | 3V      | 2159                   | 85.00                  | 0.67        | 1.47         |
| 3/3V900GL     | 3           | 3V      | 2286                   | 90.00                  | 0.71        | 1.56         |
| 3/3V950GL     | 3           | 3V      | 2413                   | 95.00                  | 0.75        | 1.65         |
| 3/3V1000GL    | 3           | 3V      | 2540                   | 100.00                 | 0.79        | 1.73         |
| 3/3V1060GL    | 3           | 3V      | 2692                   | 106.00                 | 0.83        | 1.84         |
| 3/3V1120GL    | 3           | 3V      | 2845                   | 112.00                 | 0.88        | 1.94         |
| 3/3V1180GL    | 3           | 3V      | 2997                   | 118.00                 | 0.93        | 2.04         |
| 3/3V1250GL    | 3           | 3V      | 3175                   | 125.00                 | 0.98        | 2.17         |
| 3/3V1320GL    | 3           | 3V      | 3353                   | 132.00                 | 1.04        | 2.29         |
| 3/3V1400GL    | 3           | 3V      | 3556                   | 140.00                 | 1.10        | 2.42         |
| 4/3V600GL     | 4           | 3V      | 1524                   | 60.00                  | 0.63        | 1.39         |
| 4/3V630GL     | 4           | 3V      | 1600                   | 63.00                  | 0.66        | 1.45         |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 4/3V670GL     | 4           | 3V      | 1702                   | 67.00                  | 0.70        | 1.55         |
| 4/3V710GL     | 4           | 3V      | 1803                   | 71.00                  | 0.74        | 1.64         |
| 4/3V750GL     | 4           | 3V      | 1905                   | 75.00                  | 0.79        | 1.73         |
| 4/3V800GL     | 4           | 3V      | 2032                   | 80.00                  | 0.84        | 1.85         |
| 4/3V850GL     | 4           | 3V      | 2159                   | 85.00                  | 0.89        | 1.96         |
| 4/3V900GL     | 4           | 3V      | 2286                   | 90.00                  | 0.94        | 2.08         |
| 4/3V950GL     | 4           | 3V      | 2413                   | 95.00                  | 1.00        | 2.19         |
| 4/3V1000GL    | 4           | 3V      | 2540                   | 100.00                 | 1.05        | 2.31         |
| 4/3V1060GL    | 4           | 3V      | 2692                   | 106.00                 | 1.11        | 2.45         |
| 4/3V1120GL    | 4           | 3V      | 2845                   | 112.00                 | 1.17        | 2.59         |
| 4/3V1180GL    | 4           | 3V      | 2997                   | 118.00                 | 1.24        | 2.73         |
| 4/3V1250GL    | 4           | 3V      | 3175                   | 125.00                 | 1.31        | 2.89         |
| 4/3V1320GL    | 4           | 3V      | 3353                   | 132.00                 | 1.38        | 3.05         |
| 4/3V1400GL    | 4           | 3V      | 3556                   | 140.00                 | 1.47        | 3.23         |
| 5/3V600GL     | 5           | 3V      | 1524                   | 60.00                  | 0.79        | 1.73         |
| 5/3V630GL     | 5           | 3V      | 1600                   | 63.00                  | 0.82        | 1.82         |
| 5/3V670GL     | 5           | 3V      | 1702                   | 67.00                  | 0.88        | 1.93         |
| 5/3V710GL     | 5           | 3V      | 1803                   | 71.00                  | 0.93        | 2.05         |
| 5/3V750GL     | 5           | 3V      | 1905                   | 75.00                  | 0.98        | 2.17         |
| 5/3V800GL     | 5           | 3V      | 2032                   | 80.00                  | 1.05        | 2.31         |
| 5/3V850GL     | 5           | 3V      | 2159                   | 85.00                  | 1.11        | 2.45         |
| 5/3V900GL     | 5           | 3V      | 2286                   | 90.00                  | 1.18        | 2.60         |
| 5/3V950GL     | 5           | 3V      | 2413                   | 95.00                  | 1.24        | 2.74         |
| 5/3V1000GL    | 5           | 3V      | 2540                   | 100.00                 | 1.31        | 2.89         |
| 5/3V1060GL    | 5           | 3V      | 2692                   | 106.00                 | 1.39        | 3.06         |
| 5/3V1120GL    | 5           | 3V      | 2845                   | 112.00                 | 1.47        | 3.23         |
| 5/3V1180GL    | 5           | 3V      | 2997                   | 118.00                 | 1.55        | 3.41         |
| 5/3V1250GL    | 5           | 3V      | 3175                   | 125.00                 | 1.64        | 3.61         |
| 5/3V1320GL    | 5           | 3V      | 3353                   | 132.00                 | 1.73        | 3.81         |
| 5/3V1400GL    | 5           | 3V      | 3556                   | 140.00                 | 1.83        | 4.04         |
| 29/3V600GL    | 29          | 3V      | 1524                   | 60.00                  | 4.56        | 10.05        |
| 29/3V630GL    | 29          | 3V      | 1600                   | 63.00                  | 4.78        | 10.55        |
| 29/3V670GL    | 29          | 3V      | 1702                   | 67.00                  | 5.09        | 11.22        |
| 29/3V710GL    | 29          | 3V      | 1803                   | 71.00                  | 5.39        | 11.89        |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 29/3V750GL    | 29          | 3V      | 1905                   | 75.00                  | 5.70        | 12.56        |
| 29/3V800GL    | 29          | 3V      | 2032                   | 80.00                  | 6.08        | 13.40        |
| 29/3V850GL    | 29          | 3V      | 2159                   | 85.00                  | 6.46        | 14.23        |
| 29/3V900GL    | 29          | 3V      | 2286                   | 90.00                  | 6.84        | 15.07        |
| 29/3V950GL    | 29          | 3V      | 2413                   | 95.00                  | 7.22        | 15.91        |
| 29/3V1000GL   | 29          | 3V      | 2540                   | 100.00                 | 7.59        | 16.74        |
| 29/3V1060GL   | 29          | 3V      | 2692                   | 106.00                 | 8.05        | 17.75        |
| 29/3V1120GL   | 29          | 3V      | 2845                   | 112.00                 | 8.51        | 18.75        |
| 29/3V1180GL   | 29          | 3V      | 2997                   | 118.00                 | 8.96        | 19.76        |
| 29/3V1250GL   | 29          | 3V      | 3175                   | 125.00                 | 9.49        | 20.93        |
| 29/3V1320GL   | 29          | 3V      | 3353                   | 132.00                 | 10.03       | 22.10        |
| 29/3V1400GL   | 29          | 3V      | 3556                   | 140.00                 | 10.63       | 23.44        |
| 2/5V600GL     | 2           | 5V      | 1524                   | 60.00                  | 0.85        | 1.88         |
| 2/5V630GL     | 2           | 5V      | 1600                   | 63.00                  | 0.90        | 1.97         |
| 2/5V670GL     | 2           | 5V      | 1702                   | 67.00                  | 0.95        | 2.10         |
| 2/5V710GL     | 2           | 5V      | 1803                   | 71.00                  | 1.01        | 2.23         |
| 2/5V750GL     | 2           | 5V      | 1905                   | 75.00                  | 1.07        | 2.35         |
| 2/5V800GL     | 2           | 5V      | 2032                   | 80.00                  | 1.14        | 2.51         |
| 2/5V850GL     | 2           | 5V      | 2159                   | 85.00                  | 1.21        | 2.66         |
| 2/5V900GL     | 2           | 5V      | 2286                   | 90.00                  | 1.28        | 2.82         |
| 2/5V950GL     | 2           | 5V      | 2413                   | 95.00                  | 1.35        | 2.98         |
| 2/5V1000GL    | 2           | 5V      | 2540                   | 100.00                 | 1.42        | 3.13         |
| 2/5V1060GL    | 2           | 5V      | 2692                   | 106.00                 | 1.51        | 3.32         |
| 2/5V1120GL    | 2           | 5V      | 2845                   | 112.00                 | 1.59        | 3.51         |
| 2/5V1180GL    | 2           | 5V      | 2997                   | 118.00                 | 1.68        | 3.70         |
| 2/5V1200GL    | 2           | 5V      | 3048                   | 120.00                 | 1.71        | 3.76         |
| 2/5V1210GL    | 2           | 5V      | 3073                   | 121.00                 | 1.72        | 3.79         |
| 2/5V1250GL    | 2           | 5V      | 3175                   | 125.00                 | 1.78        | 3.92         |
| 2/5V1320GL    | 2           | 5V      | 3353                   | 132.00                 | 1.88        | 4.14         |
| 2/5V1400GL    | 2           | 5V      | 3556                   | 140.00                 | 1.99        | 4.39         |
| 2/5V1500GL    | 2           | 5V      | 3810                   | 150.00                 | 2.13        | 4.70         |
| 2/5V1600GL    | 2           | 5V      | 4064                   | 160.00                 | 2.27        | 5.01         |
| 2/5V1700GL    | 2           | 5V      | 4318                   | 170.00                 | 2.42        | 5.33         |
| 2/5V1800GL    | 2           | 5V      | 4572                   | 180.00                 | 2.56        | 5.64         |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 2/5V1900GL    | 2           | 5V      | 4826                   | 190.00                 | 2.70        | 5.95         |
| 2/5V2000GL    | 2           | 5V      | 5080                   | 200.00                 | 2.84        | 6.27         |
| 2/5V2120GL    | 2           | 5V      | 5385                   | 212.00                 | 3.01        | 6.64         |
| 2/5V2240GL    | 2           | 5V      | 5690                   | 224.00                 | 3.18        | 7.02         |
| 2/5V2360GL    | 2           | 5V      | 5994                   | 236.00                 | 3.35        | 7.40         |
| 2/5V2500GL    | 2           | 5V      | 6350                   | 250.00                 | 3.55        | 7.83         |
| 2/5V2650GL    | 2           | 5V      | 6731                   | 265.00                 | 3.77        | 8.30         |
| 2/5V2800GL    | 2           | 5V      | 7112                   | 280.00                 | 3.98        | 8.78         |
| 2/5V3000GL    | 2           | 5V      | 7620                   | 300.00                 | 4.26        | 9.40         |
| 2/5V3150GL    | 2           | 5V      | 8001                   | 315.00                 | 4.48        | 9.87         |
| 2/5V3350GL    | 2           | 5V      | 8509                   | 335.00                 | 4.76        | 10.50        |
| 2/5V3550GL    | 2           | 5V      | 9017                   | 355.00                 | 5.05        | 11.13        |
| 3/5V600GL     | 3           | 5V      | 1524                   | 60.00                  | 1.28        | 2.82         |
| 3/5V630GL     | 3           | 5V      | 1600                   | 63.00                  | 1.34        | 2.96         |
| 3/5V670GL     | 3           | 5V      | 1702                   | 67.00                  | 1.43        | 3.15         |
| 3/5V710GL     | 3           | 5V      | 1803                   | 71.00                  | 1.51        | 3.34         |
| 3/5V750GL     | 3           | 5V      | 1905                   | 75.00                  | 1.60        | 3.53         |
| 3/5V800GL     | 3           | 5V      | 2032                   | 80.00                  | 1.71        | 3.76         |
| 3/5V850GL     | 3           | 5V      | 2159                   | 85.00                  | 1.81        | 4.00         |
| 3/5V900GL     | 3           | 5V      | 2286                   | 90.00                  | 1.92        | 4.23         |
| 3/5V950GL     | 3           | 5V      | 2413                   | 95.00                  | 2.03        | 4.47         |
| 3/5V1000GL    | 3           | 5V      | 2540                   | 100.00                 | 2.13        | 4.70         |
| 3/5V1060GL    | 3           | 5V      | 2692                   | 106.00                 | 2.26        | 4.98         |
| 3/5V1120GL    | 3           | 5V      | 2845                   | 112.00                 | 2.39        | 5.27         |
| 3/5V1180GL    | 3           | 5V      | 2997                   | 118.00                 | 2.52        | 5.55         |
| 3/5V1200GL    | 3           | 5V      | 3048                   | 120.00                 | 2.56        | 5.64         |
| 3/5V1210GL    | 3           | 5V      | 3073                   | 121.00                 | 2.58        | 5.69         |
| 3/5V1250GL    | 3           | 5V      | 3175                   | 125.00                 | 2.67        | 5.88         |
| 3/5V1320GL    | 3           | 5V      | 3353                   | 132.00                 | 2.81        | 6.21         |
| 3/5V1400GL    | 3           | 5V      | 3556                   | 140.00                 | 2.99        | 6.58         |
| 3/5V1500GL    | 3           | 5V      | 3810                   | 150.00                 | 3.20        | 7.05         |
| 3/5V1600GL    | 3           | 5V      | 4064                   | 160.00                 | 3.41        | 7.52         |
| 3/5V1700GL    | 3           | 5V      | 4318                   | 170.00                 | 3.62        | 7.99         |
| 3/5V1800GL    | 3           | 5V      | 4572                   | 180.00                 | 3.84        | 8.46         |



## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 3/5V1900GL    | 3           | 5V      | 4826                   | 190.00                 | 4.05        | 8.93         |
| 3/5V2000GL    | 3           | 5V      | 5080                   | 200.00                 | 4.26        | 9.40         |
| 3/5V2120GL    | 3           | 5V      | 5385                   | 212.00                 | 4.52        | 9.97         |
| 3/5V2240GL    | 3           | 5V      | 5690                   | 224.00                 | 4.78        | 10.53        |
| 3/5V2360GL    | 3           | 5V      | 5994                   | 236.00                 | 5.03        | 11.09        |
| 3/5V2500GL    | 3           | 5V      | 6350                   | 250.00                 | 5.33        | 11.75        |
| 3/5V2650GL    | 3           | 5V      | 6731                   | 265.00                 | 5.65        | 12.46        |
| 3/5V2800GL    | 3           | 5V      | 7112                   | 280.00                 | 5.97        | 13.16        |
| 3/5V3000GL    | 3           | 5V      | 7620                   | 300.00                 | 6.40        | 14.10        |
| 3/5V3150GL    | 3           | 5V      | 8001                   | 315.00                 | 6.72        | 14.81        |
| 3/5V3350GL    | 3           | 5V      | 8509                   | 335.00                 | 7.14        | 15.75        |
| 3/5V3550GL    | 3           | 5V      | 9017                   | 355.00                 | 7.57        | 16.69        |
| 4/5V600GL     | 4           | 5V      | 1524                   | 60.00                  | 1.71        | 3.76         |
| 4/5V630GL     | 4           | 5V      | 1600                   | 63.00                  | 1.79        | 3.95         |
| 4/5V670GL     | 4           | 5V      | 1702                   | 67.00                  | 1.90        | 4.20         |
| 4/5V710GL     | 4           | 5V      | 1803                   | 71.00                  | 2.02        | 4.45         |
| 4/5V750GL     | 4           | 5V      | 1905                   | 75.00                  | 2.13        | 4.70         |
| 4/5V800GL     | 4           | 5V      | 2032                   | 80.00                  | 2.27        | 5.01         |
| 4/5V850GL     | 4           | 5V      | 2159                   | 85.00                  | 2.42        | 5.33         |
| 4/5V900GL     | 4           | 5V      | 2286                   | 90.00                  | 2.56        | 5.64         |
| 4/5V950GL     | 4           | 5V      | 2413                   | 95.00                  | 2.70        | 5.95         |
| 4/5V1000GL    | 4           | 5V      | 2540                   | 100.00                 | 2.84        | 6.27         |
| 4/5V1060GL    | 4           | 5V      | 2692                   | 106.00                 | 3.01        | 6.64         |
| 4/5V1120GL    | 4           | 5V      | 2845                   | 112.00                 | 3.18        | 7.02         |
| 4/5V1180GL    | 4           | 5V      | 2997                   | 118.00                 | 3.35        | 7.40         |
| 4/5V1200GL    | 4           | 5V      | 3048                   | 120.00                 | 3.41        | 7.52         |
| 4/5V1210GL    | 4           | 5V      | 3073                   | 121.00                 | 3.44        | 7.58         |
| 4/5V1250GL    | 4           | 5V      | 3175                   | 125.00                 | 3.55        | 7.83         |
| 4/5V1320GL    | 4           | 5V      | 3353                   | 132.00                 | 3.75        | 8.27         |
| 4/5V1400GL    | 4           | 5V      | 3556                   | 140.00                 | 3.98        | 8.78         |
| 4/5V1500GL    | 4           | 5V      | 3810                   | 150.00                 | 4.26        | 9.40         |
| 4/5V1600GL    | 4           | 5V      | 4064                   | 160.00                 | 4.55        | 10.03        |
| 4/5V1700GL    | 4           | 5V      | 4318                   | 170.00                 | 4.83        | 10.66        |
| 4/5V1800GL    | 4           | 5V      | 4572                   | 180.00                 | 5.12        | 11.28        |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 4/5V1900GL    | 4           | 5V      | 4826                   | 190.00                 | 5.40        | 11.91        |
| 4/5V2000GL    | 4           | 5V      | 5080                   | 200.00                 | 5.69        | 12.54        |
| 4/5V2120GL    | 4           | 5V      | 5385                   | 212.00                 | 6.03        | 13.29        |
| 4/5V2240GL    | 4           | 5V      | 5690                   | 224.00                 | 6.37        | 14.04        |
| 4/5V2360GL    | 4           | 5V      | 5994                   | 236.00                 | 6.71        | 14.79        |
| 4/5V2500GL    | 4           | 5V      | 6350                   | 250.00                 | 7.11        | 15.67        |
| 4/5V2650GL    | 4           | 5V      | 6731                   | 265.00                 | 7.53        | 16.61        |
| 4/5V2800GL    | 4           | 5V      | 7112                   | 280.00                 | 7.96        | 17.55        |
| 4/5V3000GL    | 4           | 5V      | 7620                   | 300.00                 | 8.53        | 18.80        |
| 4/5V3150GL    | 4           | 5V      | 8001                   | 315.00                 | 8.96        | 19.74        |
| 4/5V3350GL    | 4           | 5V      | 8509                   | 335.00                 | 9.52        | 21.00        |
| 4/5V3550GL    | 4           | 5V      | 9017                   | 355.00                 | 10.09       | 22.25        |
| 5/5V600GL     | 5           | 5V      | 1524                   | 60.00                  | 2.13        | 4.70         |
| 5/5V630GL     | 5           | 5V      | 1600                   | 63.00                  | 2.24        | 4.94         |
| 5/5V670GL     | 5           | 5V      | 1702                   | 67.00                  | 2.38        | 5.25         |
| 5/5V710GL     | 5           | 5V      | 1803                   | 71.00                  | 2.52        | 5.56         |
| 5/5V750GL     | 5           | 5V      | 1905                   | 75.00                  | 2.67        | 5.88         |
| 5/5V800GL     | 5           | 5V      | 2032                   | 80.00                  | 2.84        | 6.27         |
| 5/5V850GL     | 5           | 5V      | 2159                   | 85.00                  | 3.02        | 6.66         |
| 5/5V900GL     | 5           | 5V      | 2286                   | 90.00                  | 3.20        | 7.05         |
| 5/5V950GL     | 5           | 5V      | 2413                   | 95.00                  | 3.38        | 7.44         |
| 5/5V1000GL    | 5           | 5V      | 2540                   | 100.00                 | 3.55        | 7.83         |
| 5/5V1060GL    | 5           | 5V      | 2692                   | 106.00                 | 3.77        | 8.30         |
| 5/5V1120GL    | 5           | 5V      | 2845                   | 112.00                 | 3.98        | 8.78         |
| 5/5V1180GL    | 5           | 5V      | 2997                   | 118.00                 | 4.19        | 9.25         |
| 5/5V1200GL    | 5           | 5V      | 3048                   | 120.00                 | 4.26        | 9.40         |
| 5/5V1210GL    | 5           | 5V      | 3073                   | 121.00                 | 4.30        | 9.48         |
| 5/5V1250GL    | 5           | 5V      | 3175                   | 125.00                 | 4.44        | 9.79         |
| 5/5V1320GL    | 5           | 5V      | 3353                   | 132.00                 | 4.69        | 10.34        |
| 5/5V1400GL    | 5           | 5V      | 3556                   | 140.00                 | 4.98        | 10.97        |
| 5/5V1500GL    | 5           | 5V      | 3810                   | 150.00                 | 5.33        | 11.75        |
| 5/5V1600GL    | 5           | 5V      | 4064                   | 160.00                 | 5.69        | 12.54        |
| 5/5V1700GL    | 5           | 5V      | 4318                   | 170.00                 | 6.04        | 13.32        |
| 5/5V1800GL    | 5           | 5V      | 4572                   | 180.00                 | 6.40        | 14.10        |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 5/5V1900GL    | 5           | 5V      | 4826                   | 190.00                 | 6.75        | 14.89        |
| 5/5V2000GL    | 5           | 5V      | 5080                   | 200.00                 | 7.11        | 15.67        |
| 5/5V2120GL    | 5           | 5V      | 5385                   | 212.00                 | 7.53        | 16.61        |
| 5/5V2240GL    | 5           | 5V      | 5690                   | 224.00                 | 7.96        | 17.55        |
| 5/5V2360GL    | 5           | 5V      | 5994                   | 236.00                 | 8.39        | 18.49        |
| 5/5V2500GL    | 5           | 5V      | 6350                   | 250.00                 | 8.88        | 19.59        |
| 5/5V2650GL    | 5           | 5V      | 6731                   | 265.00                 | 9.42        | 20.76        |
| 5/5V2800GL    | 5           | 5V      | 7112                   | 280.00                 | 9.95        | 21.94        |
| 5/5V3000GL    | 5           | 5V      | 7620                   | 300.00                 | 10.66       | 23.50        |
| 5/5V3150GL    | 5           | 5V      | 8001                   | 315.00                 | 11.19       | 24.68        |
| 5/5V3350GL    | 5           | 5V      | 8509                   | 335.00                 | 11.91       | 26.25        |
| 5/5V3550GL    | 5           | 5V      | 9017                   | 355.00                 | 12.62       | 27.81        |
| 16/5V600GL    | 16          | 5V      | 1524                   | 60.00                  | 6.82        | 15.04        |
| 26/5V3150GL   | 26          | 5V      | 8001                   | 315.00                 | 58.21       | 128.34       |
| 26/5V3350GL   | 26          | 5V      | 8509                   | 335.00                 | 61.91       | 136.48       |
| 26/5V3550GL   | 26          | 5V      | 9017                   | 355.00                 | 65.60       | 144.63       |
| 32/5V630GL    | 32          | 5V      | 1600                   | 63.00                  | 14.33       | 31.59        |
| 32/5V670GL    | 32          | 5V      | 1702                   | 67.00                  | 15.24       | 33.60        |
| 32/5V710GL    | 32          | 5V      | 1803                   | 71.00                  | 16.15       | 35.60        |
| 32/5V750GL    | 32          | 5V      | 1905                   | 75.00                  | 17.06       | 37.61        |
| 32/5V800GL    | 32          | 5V      | 2032                   | 80.00                  | 18.20       | 40.11        |
| 32/5V850GL    | 32          | 5V      | 2159                   | 85.00                  | 19.33       | 42.62        |
| 32/5V900GL    | 32          | 5V      | 2286                   | 90.00                  | 20.47       | 45.13        |
| 32/5V950GL    | 32          | 5V      | 2413                   | 95.00                  | 21.61       | 47.64        |
| 32/5V1000GL   | 32          | 5V      | 2540                   | 100.00                 | 22.74       | 50.14        |
| 32/5V1060GL   | 32          | 5V      | 2692                   | 106.00                 | 24.11       | 53.15        |
| 32/5V1120GL   | 32          | 5V      | 2845                   | 112.00                 | 25.47       | 56.16        |
| 32/5V1180GL   | 32          | 5V      | 2997                   | 118.00                 | 26.84       | 59.17        |
| 32/5V1200GL   | 32          | 5V      | 3048                   | 120.00                 | 27.29       | 60.17        |
| 32/5V1210GL   | 32          | 5V      | 3073                   | 121.00                 | 27.52       | 60.67        |
| 32/5V1250GL   | 32          | 5V      | 3175                   | 125.00                 | 28.43       | 62.68        |
| 32/5V1320GL   | 32          | 5V      | 3353                   | 132.00                 | 30.02       | 66.19        |
| 32/5V1400GL   | 32          | 5V      | 3556                   | 140.00                 | 31.84       | 70.20        |
| 32/5V1500GL   | 32          | 5V      | 3810                   | 150.00                 | 34.12       | 75.21        |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 32/5V1600GL   | 32          | 5V      | 4064                   | 160.00                 | 36.39       | 80.23        |
| 32/5V1700GL   | 32          | 5V      | 4318                   | 170.00                 | 38.67       | 85.24        |
| 32/5V1800GL   | 32          | 5V      | 4572                   | 180.00                 | 40.94       | 90.26        |
| 32/5V1900GL   | 32          | 5V      | 4826                   | 190.00                 | 43.21       | 95.27        |
| 32/5V2000GL   | 32          | 5V      | 5080                   | 200.00                 | 45.49       | 100.29       |
| 32/5V2120GL   | 32          | 5V      | 5385                   | 212.00                 | 48.22       | 106.30       |
| 32/5V2240GL   | 32          | 5V      | 5690                   | 224.00                 | 50.95       | 112.32       |
| 32/5V2360GL   | 32          | 5V      | 5994                   | 236.00                 | 53.68       | 118.34       |
| 32/5V2500GL   | 32          | 5V      | 6350                   | 250.00                 | 56.86       | 125.36       |
| 32/5V2650GL   | 32          | 5V      | 6731                   | 265.00                 | 60.27       | 132.88       |
| 32/5V2800GL   | 32          | 5V      | 7112                   | 280.00                 | 63.68       | 140.40       |
| 32/5V3000GL   | 32          | 5V      | 7620                   | 300.00                 | 68.23       | 150.43       |
| 2/8V1120GL    | 2           | 8V      | 2845                   | 112.00                 | 3.78        | 8.33         |
| 2/8V1180GL    | 2           | 8V      | 2997                   | 118.00                 | 3.98        | 8.78         |
| 2/8V1250GL    | 2           | 8V      | 3175                   | 125.00                 | 4.22        | 9.30         |
| 2/8V1320GL    | 2           | 8V      | 3353                   | 132.00                 | 4.45        | 9.82         |
| 2/8V1400GL    | 2           | 8V      | 3556                   | 140.00                 | 4.72        | 10.42        |
| 2/8V1500GL    | 2           | 8V      | 3810                   | 150.00                 | 5.06        | 11.16        |
| 2/8V1600GL    | 2           | 8V      | 4064                   | 160.00                 | 5.40        | 11.90        |
| 2/8V1700GL    | 2           | 8V      | 4318                   | 170.00                 | 5.74        | 12.65        |
| 2/8V1800GL    | 2           | 8V      | 4572                   | 180.00                 | 6.07        | 13.39        |
| 2/8V1900GL    | 2           | 8V      | 4826                   | 190.00                 | 6.41        | 14.14        |
| 2/8V2000GL    | 2           | 8V      | 5080                   | 200.00                 | 6.75        | 14.88        |
| 2/8V2120GL    | 2           | 8V      | 5385                   | 212.00                 | 7.15        | 15.77        |
| 2/8V2240GL    | 2           | 8V      | 5690                   | 224.00                 | 7.56        | 16.67        |
| 2/8V2360GL    | 2           | 8V      | 5994                   | 236.00                 | 7.96        | 17.56        |
| 2/8V2500GL    | 2           | 8V      | 6350                   | 250.00                 | 8.44        | 18.60        |
| 2/8V2650GL    | 2           | 8V      | 6731                   | 265.00                 | 8.94        | 19.72        |
| 2/8V2800GL    | 2           | 8V      | 7112                   | 280.00                 | 9.45        | 20.83        |
| 2/8V3000GL    | 2           | 8V      | 7620                   | 300.00                 | 10.12       | 22.32        |
| 2/8V3150GL    | 2           | 8V      | 8001                   | 315.00                 | 10.63       | 23.44        |
| 2/8V3350GL    | 2           | 8V      | 8509                   | 335.00                 | 11.30       | 24.92        |
| 2/8V3550GL    | 2           | 8V      | 9017                   | 355.00                 | 11.98       | 26.41        |
| 2/8V3750GL    | 2           | 8V      | 9525                   | 375.00                 | 12.65       | 27.90        |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 2/8V4000GL    | 2           | 8V      | 10160                  | 400.00                 | 13.50       | 29.76        |
| 2/8V4250GL    | 2           | 8V      | 10795                  | 425.00                 | 14.34       | 31.62        |
| 2/8V4500GL    | 2           | 8V      | 11430                  | 450.00                 | 15.19       | 33.48        |
| 2/8V4750GL    | 2           | 8V      | 12065                  | 475.00                 | 16.03       | 35.34        |
| 2/8V5000GL    | 2           | 8V      | 12700                  | 500.00                 | 16.87       | 37.20        |
| 2/8V5600GL    | 2           | 8V      | 14224                  | 560.00                 | 18.90       | 41.66        |
| 2/8V6000GL    | 2           | 8V      | 15240                  | 600.00                 | 20.25       | 44.64        |
| 3/8V1120GL    | 3           | 8V      | 2845                   | 112.00                 | 5.67        | 12.50        |
| 3/8V1180GL    | 3           | 8V      | 2997                   | 118.00                 | 5.97        | 13.17        |
| 3/8V1250GL    | 3           | 8V      | 3175                   | 125.00                 | 6.33        | 13.95        |
| 3/8V1320GL    | 3           | 8V      | 3353                   | 132.00                 | 6.68        | 14.73        |
| 3/8V1400GL    | 3           | 8V      | 3556                   | 140.00                 | 7.09        | 15.62        |
| 3/8V1500GL    | 3           | 8V      | 3810                   | 150.00                 | 7.59        | 16.74        |
| 3/8V1600GL    | 3           | 8V      | 4064                   | 160.00                 | 8.10        | 17.86        |
| 3/8V1700GL    | 3           | 8V      | 4318                   | 170.00                 | 8.61        | 18.97        |
| 3/8V1800GL    | 3           | 8V      | 4572                   | 180.00                 | 9.11        | 20.09        |
| 3/8V1900GL    | 3           | 8V      | 4826                   | 190.00                 | 9.62        | 21.20        |
| 3/8V2000GL    | 3           | 8V      | 5080                   | 200.00                 | 10.12       | 22.32        |
| 3/8V2120GL    | 3           | 8V      | 5385                   | 212.00                 | 10.73       | 23.66        |
| 3/8V2240GL    | 3           | 8V      | 5690                   | 224.00                 | 11.34       | 25.00        |
| 3/8V2360GL    | 3           | 8V      | 5994                   | 236.00                 | 11.95       | 26.34        |
| 3/8V2500GL    | 3           | 8V      | 6350                   | 250.00                 | 12.65       | 27.90        |
| 3/8V2650GL    | 3           | 8V      | 6731                   | 265.00                 | 13.41       | 29.57        |
| 3/8V2800GL    | 3           | 8V      | 7112                   | 280.00                 | 14.17       | 31.25        |
| 3/8V3000GL    | 3           | 8V      | 7620                   | 300.00                 | 15.19       | 33.48        |
| 3/8V3150GL    | 3           | 8V      | 8001                   | 315.00                 | 15.95       | 35.15        |
| 3/8V3350GL    | 3           | 8V      | 8509                   | 335.00                 | 16.96       | 37.38        |
| 3/8V3550GL    | 3           | 8V      | 9017                   | 355.00                 | 17.97       | 39.62        |
| 3/8V3750GL    | 3           | 8V      | 9525                   | 375.00                 | 18.98       | 41.85        |
| 3/8V4000GL    | 3           | 8V      | 10160                  | 400.00                 | 20.25       | 44.64        |
| 3/8V4250GL    | 3           | 8V      | 10795                  | 425.00                 | 21.51       | 47.43        |
| 3/8V4500GL    | 3           | 8V      | 11430                  | 450.00                 | 22.78       | 50.22        |
| 3/8V4750GL    | 3           | 8V      | 12065                  | 475.00                 | 24.04       | 53.01        |
| 3/8V5000GL    | 3           | 8V      | 12700                  | 500.00                 | 25.31       | 55.80        |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 3/8V5600GL    | 3           | 8V      | 14224                  | 560.00                 | 28.35       | 62.49        |
| 3/8V6000GL    | 3           | 8V      | 15240                  | 600.00                 | 30.37       | 66.96        |
| 4/8V1120GL    | 4           | 8V      | 2845                   | 112.00                 | 7.56        | 16.67        |
| 4/8V1180GL    | 4           | 8V      | 2997                   | 118.00                 | 7.96        | 17.56        |
| 4/8V1250GL    | 4           | 8V      | 3175                   | 125.00                 | 8.44        | 18.60        |
| 4/8V1320GL    | 4           | 8V      | 3353                   | 132.00                 | 8.91        | 19.64        |
| 4/8V1400GL    | 4           | 8V      | 3556                   | 140.00                 | 9.45        | 20.83        |
| 4/8V1500GL    | 4           | 8V      | 3810                   | 150.00                 | 10.12       | 22.32        |
| 4/8V1600GL    | 4           | 8V      | 4064                   | 160.00                 | 10.80       | 23.81        |
| 4/8V1700GL    | 4           | 8V      | 4318                   | 170.00                 | 11.47       | 25.30        |
| 4/8V1800GL    | 4           | 8V      | 4572                   | 180.00                 | 12.15       | 26.78        |
| 4/8V1900GL    | 4           | 8V      | 4826                   | 190.00                 | 12.82       | 28.27        |
| 4/8V2000GL    | 4           | 8V      | 5080                   | 200.00                 | 13.50       | 29.76        |
| 4/8V2120GL    | 4           | 8V      | 5385                   | 212.00                 | 14.31       | 31.54        |
| 4/8V2240GL    | 4           | 8V      | 5690                   | 224.00                 | 15.12       | 33.33        |
| 4/8V2360GL    | 4           | 8V      | 5994                   | 236.00                 | 15.93       | 35.12        |
| 4/8V2500GL    | 4           | 8V      | 6350                   | 250.00                 | 16.87       | 37.20        |
| 4/8V2650GL    | 4           | 8V      | 6731                   | 265.00                 | 17.89       | 39.43        |
| 4/8V2800GL    | 4           | 8V      | 7112                   | 280.00                 | 18.90       | 41.66        |
| 4/8V3000GL    | 4           | 8V      | 7620                   | 300.00                 | 20.25       | 44.64        |
| 4/8V3150GL    | 4           | 8V      | 8001                   | 315.00                 | 21.26       | 46.87        |
| 4/8V3350GL    | 4           | 8V      | 8509                   | 335.00                 | 22.61       | 49.85        |
| 4/8V3550GL    | 4           | 8V      | 9017                   | 355.00                 | 23.96       | 52.82        |
| 4/8V3750GL    | 4           | 8V      | 9525                   | 375.00                 | 25.31       | 55.80        |
| 4/8V4000GL    | 4           | 8V      | 10160                  | 400.00                 | 27.00       | 59.52        |
| 4/8V4250GL    | 4           | 8V      | 10795                  | 425.00                 | 28.68       | 63.24        |
| 4/8V4500GL    | 4           | 8V      | 11430                  | 450.00                 | 30.37       | 66.96        |
| 4/8V4750GL    | 4           | 8V      | 12065                  | 475.00                 | 32.06       | 70.68        |
| 4/8V5000GL    | 4           | 8V      | 12700                  | 500.00                 | 33.75       | 74.40        |
| 4/8V5600GL    | 4           | 8V      | 14224                  | 560.00                 | 37.80       | 83.33        |
| 4/8V6000GL    | 4           | 8V      | 15240                  | 600.00                 | 40.50       | 89.28        |
| 5/8V1120GL    | 5           | 8V      | 2845                   | 112.00                 | 9.45        | 20.83        |
| 5/8V1180GL    | 5           | 8V      | 2997                   | 118.00                 | 9.96        | 21.95        |
| 5/8V1250GL    | 5           | 8V      | 3175                   | 125.00                 | 10.55       | 23.25        |

## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 5/8V1320GL    | 5           | 8V      | 3353                   | 132.00                 | 11.14       | 24.55        |
| 5/8V1400GL    | 5           | 8V      | 3556                   | 140.00                 | 11.81       | 26.04        |
| 5/8V1500GL    | 5           | 8V      | 3810                   | 150.00                 | 12.65       | 27.90        |
| 5/8V1600GL    | 5           | 8V      | 4064                   | 160.00                 | 13.50       | 29.76        |
| 5/8V1700GL    | 5           | 8V      | 4318                   | 170.00                 | 14.34       | 31.62        |
| 5/8V1800GL    | 5           | 8V      | 4572                   | 180.00                 | 15.19       | 33.48        |
| 5/8V1900GL    | 5           | 8V      | 4826                   | 190.00                 | 16.03       | 35.34        |
| 5/8V2000GL    | 5           | 8V      | 5080                   | 200.00                 | 16.87       | 37.20        |
| 5/8V2120GL    | 5           | 8V      | 5385                   | 212.00                 | 17.89       | 39.43        |
| 5/8V2240GL    | 5           | 8V      | 5690                   | 224.00                 | 18.90       | 41.66        |
| 5/8V2360GL    | 5           | 8V      | 5994                   | 236.00                 | 19.91       | 43.89        |
| 5/8V2500GL    | 5           | 8V      | 6350                   | 250.00                 | 21.09       | 46.50        |
| 5/8V2650GL    | 5           | 8V      | 6731                   | 265.00                 | 22.36       | 49.29        |
| 5/8V2800GL    | 5           | 8V      | 7112                   | 280.00                 | 23.62       | 52.08        |
| 5/8V3000GL    | 5           | 8V      | 7620                   | 300.00                 | 25.31       | 55.80        |
| 5/8V3150GL    | 5           | 8V      | 8001                   | 315.00                 | 26.58       | 58.59        |
| 5/8V3350GL    | 5           | 8V      | 8509                   | 335.00                 | 28.26       | 62.31        |
| 5/8V3550GL    | 5           | 8V      | 9017                   | 355.00                 | 29.95       | 66.03        |
| 5/8V3750GL    | 5           | 8V      | 9525                   | 375.00                 | 31.64       | 69.75        |
| 5/8V4000GL    | 5           | 8V      | 10160                  | 400.00                 | 33.75       | 74.40        |
| 5/8V4250GL    | 5           | 8V      | 10795                  | 425.00                 | 35.86       | 79.05        |
| 5/8V4500GL    | 5           | 8V      | 11430                  | 450.00                 | 37.96       | 83.70        |
| 5/8V4750GL    | 5           | 8V      | 12065                  | 475.00                 | 40.07       | 88.35        |
| 5/8V5000GL    | 5           | 8V      | 12700                  | 500.00                 | 42.18       | 93.00        |
| 5/8V5600GL    | 5           | 8V      | 14224                  | 560.00                 | 47.24       | 104.16       |
| 5/8V6000GL    | 5           | 8V      | 15240                  | 600.00                 | 50.62       | 111.60       |
| 16/8V1120GL   | 16          | 8V      | 2845                   | 112.00                 | 30.24       | 66.66        |
| 16/8V1180GL   | 16          | 8V      | 2997                   | 118.00                 | 31.86       | 70.23        |
| 16/8V1250GL   | 16          | 8V      | 3175                   | 125.00                 | 33.75       | 74.40        |
| 16/8V1320GL   | 16          | 8V      | 3353                   | 132.00                 | 35.64       | 78.56        |
| 16/8V1400GL   | 16          | 8V      | 3556                   | 140.00                 | 37.80       | 83.33        |
| 16/8V1500GL   | 16          | 8V      | 3810                   | 150.00                 | 40.50       | 89.28        |
| 16/8V1600GL   | 16          | 8V      | 4064                   | 160.00                 | 43.19       | 95.23        |
| 16/8V1700GL   | 16          | 8V      | 4318                   | 170.00                 | 45.89       | 101.18       |




## GOLD LABEL Banded Wrapped Narrow - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| 3V      | 9            | 10            | 0.103             |
| 5V      | 15           | 15            | 0.280             |
| 8V      | 25           | 25            | 0.664             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| 3V       | 3/8          | 25/64         | 0.006              |
| 5V       | 5/8          | 38/64         | 0.016              |
| 8V       | 1            | 1             | 0.037              |

All number of ribs between 2 and the max number in the table below are available


| DAYCO Part Nr | Ribs number | Section | Lo Outside length (mm) | Lo Outside length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|------------------------|------------------------|-------------|--------------|
| 16/8V1800GL   | 16          | 8V      | 4572                   | 180.00                 | 48.59       | 107.13       |
| 16/8V1900GL   | 16          | 8V      | 4826                   | 190.00                 | 51.29       | 113.08       |
| 16/8V2000GL   | 16          | 8V      | 5080                   | 200.00                 | 53.99       | 119.04       |
| 16/8V2120GL   | 16          | 8V      | 5385                   | 212.00                 | 57.23       | 126.18       |
| 16/8V2240GL   | 16          | 8V      | 5690                   | 224.00                 | 60.47       | 133.32       |
| 16/8V2360GL   | 16          | 8V      | 5994                   | 236.00                 | 63.71       | 140.46       |
| 16/8V2500GL   | 16          | 8V      | 6350                   | 250.00                 | 67.49       | 148.79       |
| 16/8V2650GL   | 16          | 8V      | 6731                   | 265.00                 | 71.54       | 157.72       |
| 16/8V2800GL   | 16          | 8V      | 7112                   | 280.00                 | 75.59       | 166.65       |
| 16/8V3000GL   | 16          | 8V      | 7620                   | 300.00                 | 80.99       | 178.55       |
| 16/8V3150GL   | 16          | 8V      | 8001                   | 315.00                 | 85.04       | 187.48       |
| 16/8V3350GL   | 16          | 8V      | 8509                   | 335.00                 | 90.44       | 199.38       |
| 16/8V3550GL   | 16          | 8V      | 9017                   | 355.00                 | 95.84       | 211.29       |
| 16/8V3750GL   | 16          | 8V      | 9525                   | 375.00                 | 101.24      | 223.19       |
| 16/8V4000GL   | 16          | 8V      | 10160                  | 400.00                 | 107.99      | 238.07       |
| 16/8V4250GL   | 16          | 8V      | 10795                  | 425.00                 | 114.74      | 252.95       |
| 16/8V4500GL   | 16          | 8V      | 11430                  | 450.00                 | 121.49      | 267.83       |
| 16/8V4750GL   | 16          | 8V      | 12065                  | 475.00                 | 128.24      | 282.71       |
| 16/8V5000GL   | 16          | 8V      | 12700                  | 500.00                 | 134.98      | 297.59       |
| 16/8V5600GL   | 16          | 8V      | 14224                  | 560.00                 | 151.18      | 333.30       |
| 16/8V6000GL   | 16          | 8V      | 15240                  | 600.00                 | 161.98      | 357.11       |

## GOLD LABEL Banded Wrapped Wedge - Product Description



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

### V-Belt

Part Number Description: **2/SPA1500GL**

**2/**: Number of ribs

**SPA**: Profile

**1500**: Datum Length (mm)

**GL**: Gold Label

### Features and Benefits:

Tie Band Fabric: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Prevents Vibrations and belt Turn-over

Fabric Cover: PET/Cotton, rubber impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/BR Rubber blend

- High resistance to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 °C / -31 To 160 °F

RLT: Restricted length tolerance, matching set according to ISO 4184

Wedge Profile (Metric): Up to 3 times the Power transmission capacity of Classical V Profiles (Z, A, B, C, D, E)

Designed for OEMs

### Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty Metrics drives where space is critical especially where small or sub-minimal sheave diameters are required

Recommended solution for multiple belts drives where single belts vibrate or turn over

Pulley Standards: DIN2211 – ISO 4183

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 2/SPZ1500GL   | 2           | SPZ     | 1500                 | 59.06                | 0.38        | 0.84         |
| 2/SPZ1600GL   | 2           | SPZ     | 1600                 | 62.99                | 0.41        | 0.90         |
| 2/SPZ1700GL   | 2           | SPZ     | 1700                 | 66.93                | 0.43        | 0.96         |
| 2/SPZ1800GL   | 2           | SPZ     | 1800                 | 70.87                | 0.46        | 1.01         |
| 2/SPZ1900GL   | 2           | SPZ     | 1900                 | 74.80                | 0.49        | 1.07         |
| 2/SPZ2000GL   | 2           | SPZ     | 2000                 | 78.74                | 0.51        | 1.13         |
| 2/SPZ2120GL   | 2           | SPZ     | 2120                 | 83.46                | 0.54        | 1.19         |
| 2/SPZ2240GL   | 2           | SPZ     | 2240                 | 88.19                | 0.57        | 1.26         |
| 2/SPZ2360GL   | 2           | SPZ     | 2360                 | 92.91                | 0.60        | 1.33         |
| 2/SPZ2500GL   | 2           | SPZ     | 2500                 | 98.43                | 0.64        | 1.41         |
| 2/SPZ2650GL   | 2           | SPZ     | 2650                 | 104.33               | 0.68        | 1.49         |
| 2/SPZ2800GL   | 2           | SPZ     | 2800                 | 110.24               | 0.72        | 1.58         |
| 2/SPZ3000GL   | 2           | SPZ     | 3000                 | 118.11               | 0.77        | 1.69         |
| 2/SPZ3150GL   | 2           | SPZ     | 3150                 | 124.02               | 0.80        | 1.77         |
| 2/SPZ3350GL   | 2           | SPZ     | 3350                 | 131.89               | 0.86        | 1.89         |
| 2/SPZ3550GL   | 2           | SPZ     | 3550                 | 139.76               | 0.91        | 2.00         |
| 3/SPZ1500GL   | 3           | SPZ     | 1500                 | 59.06                | 0.57        | 1.27         |
| 3/SPZ1600GL   | 3           | SPZ     | 1600                 | 62.99                | 0.61        | 1.35         |
| 3/SPZ1700GL   | 3           | SPZ     | 1700                 | 66.93                | 0.65        | 1.44         |
| 3/SPZ1800GL   | 3           | SPZ     | 1800                 | 70.87                | 0.69        | 1.52         |
| 3/SPZ1900GL   | 3           | SPZ     | 1900                 | 74.80                | 0.73        | 1.60         |
| 3/SPZ2000GL   | 3           | SPZ     | 2000                 | 78.74                | 0.77        | 1.69         |
| 3/SPZ2120GL   | 3           | SPZ     | 2120                 | 83.46                | 0.81        | 1.79         |
| 3/SPZ2240GL   | 3           | SPZ     | 2240                 | 88.19                | 0.86        | 1.89         |
| 3/SPZ2360GL   | 3           | SPZ     | 2360                 | 92.91                | 0.90        | 1.99         |
| 3/SPZ2500GL   | 3           | SPZ     | 2500                 | 98.43                | 0.96        | 2.11         |
| 3/SPZ2650GL   | 3           | SPZ     | 2650                 | 104.33               | 1.02        | 2.24         |
| 3/SPZ2800GL   | 3           | SPZ     | 2800                 | 110.24               | 1.07        | 2.36         |
| 3/SPZ3000GL   | 3           | SPZ     | 3000                 | 118.11               | 1.15        | 2.53         |
| 3/SPZ3150GL   | 3           | SPZ     | 3150                 | 124.02               | 1.21        | 2.66         |
| 3/SPZ3350GL   | 3           | SPZ     | 3350                 | 131.89               | 1.28        | 2.83         |
| 3/SPZ3550GL   | 3           | SPZ     | 3550                 | 139.76               | 1.36        | 3.00         |
| 4/SPZ1500GL   | 4           | SPZ     | 1500                 | 59.06                | 0.77        | 1.69         |
| 4/SPZ1600GL   | 4           | SPZ     | 1600                 | 62.99                | 0.82        | 1.80         |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 4/SPZ1700GL   | 4           | SPZ     | 1700                 | 66.93                | 0.87        | 1.91         |
| 4/SPZ1800GL   | 4           | SPZ     | 1800                 | 70.87                | 0.92        | 2.03         |
| 4/SPZ1900GL   | 4           | SPZ     | 1900                 | 74.80                | 0.97        | 2.14         |
| 4/SPZ2000GL   | 4           | SPZ     | 2000                 | 78.74                | 1.02        | 2.25         |
| 4/SPZ2120GL   | 4           | SPZ     | 2120                 | 83.46                | 1.08        | 2.39         |
| 4/SPZ2240GL   | 4           | SPZ     | 2240                 | 88.19                | 1.14        | 2.52         |
| 4/SPZ2360GL   | 4           | SPZ     | 2360                 | 92.91                | 1.21        | 2.66         |
| 4/SPZ2500GL   | 4           | SPZ     | 2500                 | 98.43                | 1.28        | 2.82         |
| 4/SPZ2650GL   | 4           | SPZ     | 2650                 | 104.33               | 1.35        | 2.98         |
| 4/SPZ2800GL   | 4           | SPZ     | 2800                 | 110.24               | 1.43        | 3.15         |
| 4/SPZ3000GL   | 4           | SPZ     | 3000                 | 118.11               | 1.53        | 3.38         |
| 4/SPZ3150GL   | 4           | SPZ     | 3150                 | 124.02               | 1.61        | 3.55         |
| 4/SPZ3350GL   | 4           | SPZ     | 3350                 | 131.89               | 1.71        | 3.77         |
| 4/SPZ3550GL   | 4           | SPZ     | 3550                 | 139.76               | 1.81        | 4.00         |
| 5/SPZ1500GL   | 5           | SPZ     | 1500                 | 59.06                | 0.96        | 2.11         |
| 5/SPZ1600GL   | 5           | SPZ     | 1600                 | 62.99                | 1.02        | 2.25         |
| 5/SPZ1700GL   | 5           | SPZ     | 1700                 | 66.93                | 1.09        | 2.39         |
| 5/SPZ1800GL   | 5           | SPZ     | 1800                 | 70.87                | 1.15        | 2.53         |
| 5/SPZ1900GL   | 5           | SPZ     | 1900                 | 74.80                | 1.21        | 2.67         |
| 5/SPZ2000GL   | 5           | SPZ     | 2000                 | 78.74                | 1.28        | 2.82         |
| 5/SPZ2120GL   | 5           | SPZ     | 2120                 | 83.46                | 1.35        | 2.98         |
| 5/SPZ2240GL   | 5           | SPZ     | 2240                 | 88.19                | 1.43        | 3.15         |
| 5/SPZ2360GL   | 5           | SPZ     | 2360                 | 92.91                | 1.51        | 3.32         |
| 5/SPZ2500GL   | 5           | SPZ     | 2500                 | 98.43                | 1.60        | 3.52         |
| 5/SPZ2650GL   | 5           | SPZ     | 2650                 | 104.33               | 1.69        | 3.73         |
| 5/SPZ2800GL   | 5           | SPZ     | 2800                 | 110.24               | 1.79        | 3.94         |
| 5/SPZ3000GL   | 5           | SPZ     | 3000                 | 118.11               | 1.92        | 4.22         |
| 5/SPZ3150GL   | 5           | SPZ     | 3150                 | 124.02               | 2.01        | 4.43         |
| 5/SPZ3350GL   | 5           | SPZ     | 3350                 | 131.89               | 2.14        | 4.72         |
| 5/SPZ3550GL   | 5           | SPZ     | 3550                 | 139.76               | 2.27        | 5.00         |
| 25/SPZ1500GL  | 25          | SPZ     | 1500                 | 59.06                | 4.79        | 10.56        |
| 25/SPZ1600GL  | 25          | SPZ     | 1600                 | 62.99                | 5.11        | 11.26        |
| 25/SPZ1700GL  | 25          | SPZ     | 1700                 | 66.93                | 5.43        | 11.96        |
| 25/SPZ1800GL  | 25          | SPZ     | 1800                 | 70.87                | 5.75        | 12.67        |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 25/SPZ1900GL  | 25          | SPZ     | 1900                 | 74.80                | 6.07        | 13.37        |
| 25/SPZ2000GL  | 25          | SPZ     | 2000                 | 78.74                | 6.38        | 14.08        |
| 25/SPZ2120GL  | 25          | SPZ     | 2120                 | 83.46                | 6.77        | 14.92        |
| 25/SPZ2240GL  | 25          | SPZ     | 2240                 | 88.19                | 7.15        | 15.76        |
| 25/SPZ2360GL  | 25          | SPZ     | 2360                 | 92.91                | 7.53        | 16.61        |
| 25/SPZ2500GL  | 25          | SPZ     | 2500                 | 98.43                | 7.98        | 17.59        |
| 25/SPZ2650GL  | 25          | SPZ     | 2650                 | 104.33               | 8.46        | 18.65        |
| 25/SPZ2800GL  | 25          | SPZ     | 2800                 | 110.24               | 8.94        | 19.71        |
| 25/SPZ3000GL  | 25          | SPZ     | 3000                 | 118.11               | 9.58        | 21.11        |
| 25/SPZ3150GL  | 25          | SPZ     | 3150                 | 124.02               | 10.06       | 22.17        |
| 25/SPZ3350GL  | 25          | SPZ     | 3350                 | 131.89               | 10.69       | 23.58        |
| 25/SPZ3550GL  | 25          | SPZ     | 3550                 | 139.76               | 11.33       | 24.98        |
| 2/SPA1500GL   | 2           | SPA     | 1500                 | 59.06                | 0.51        | 1.12         |
| 2/SPA1600GL   | 2           | SPA     | 1600                 | 62.99                | 0.54        | 1.20         |
| 2/SPA1700GL   | 2           | SPA     | 1700                 | 66.93                | 0.58        | 1.27         |
| 2/SPA1800GL   | 2           | SPA     | 1800                 | 70.87                | 0.61        | 1.35         |
| 2/SPA1900GL   | 2           | SPA     | 1900                 | 74.80                | 0.65        | 1.42         |
| 2/SPA2000GL   | 2           | SPA     | 2000                 | 78.74                | 0.68        | 1.50         |
| 2/SPA2120GL   | 2           | SPA     | 2120                 | 83.46                | 0.72        | 1.59         |
| 2/SPA2240GL   | 2           | SPA     | 2240                 | 88.19                | 0.76        | 1.68         |
| 2/SPA2360GL   | 2           | SPA     | 2360                 | 92.91                | 0.80        | 1.77         |
| 2/SPA2500GL   | 2           | SPA     | 2500                 | 98.43                | 0.85        | 1.87         |
| 2/SPA2650GL   | 2           | SPA     | 2650                 | 104.33               | 0.90        | 1.99         |
| 2/SPA2800GL   | 2           | SPA     | 2800                 | 110.24               | 0.95        | 2.10         |
| 2/SPA3000GL   | 2           | SPA     | 3000                 | 118.11               | 1.02        | 2.25         |
| 2/SPA3150GL   | 2           | SPA     | 3150                 | 124.02               | 1.07        | 2.36         |
| 2/SPA3350GL   | 2           | SPA     | 3350                 | 131.89               | 1.14        | 2.51         |
| 2/SPA3550GL   | 2           | SPA     | 3550                 | 139.76               | 1.21        | 2.66         |
| 2/SPA3750GL   | 2           | SPA     | 3750                 | 147.64               | 1.28        | 2.81         |
| 2/SPA4000GL   | 2           | SPA     | 4000                 | 157.48               | 1.36        | 3.00         |
| 2/SPA4250GL   | 2           | SPA     | 4250                 | 167.32               | 1.45        | 3.19         |
| 2/SPA4500GL   | 2           | SPA     | 4500                 | 177.17               | 1.53        | 3.37         |
| 3/SPA1500GL   | 3           | SPA     | 1500                 | 59.06                | 0.77        | 1.69         |
| 3/SPA1600GL   | 3           | SPA     | 1600                 | 62.99                | 0.82        | 1.80         |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 3/SPA1700GL   | 3           | SPA     | 1700                 | 66.93                | 0.87        | 1.91         |
| 3/SPA1800GL   | 3           | SPA     | 1800                 | 70.87                | 0.92        | 2.02         |
| 3/SPA1900GL   | 3           | SPA     | 1900                 | 74.80                | 0.97        | 2.14         |
| 3/SPA2000GL   | 3           | SPA     | 2000                 | 78.74                | 1.02        | 2.25         |
| 3/SPA2120GL   | 3           | SPA     | 2120                 | 83.46                | 1.08        | 2.38         |
| 3/SPA2240GL   | 3           | SPA     | 2240                 | 88.19                | 1.14        | 2.52         |
| 3/SPA2360GL   | 3           | SPA     | 2360                 | 92.91                | 1.20        | 2.65         |
| 3/SPA2500GL   | 3           | SPA     | 2500                 | 98.43                | 1.28        | 2.81         |
| 3/SPA2650GL   | 3           | SPA     | 2650                 | 104.33               | 1.35        | 2.98         |
| 3/SPA2800GL   | 3           | SPA     | 2800                 | 110.24               | 1.43        | 3.15         |
| 3/SPA3000GL   | 3           | SPA     | 3000                 | 118.11               | 1.53        | 3.37         |
| 3/SPA3150GL   | 3           | SPA     | 3150                 | 124.02               | 1.61        | 3.54         |
| 3/SPA3350GL   | 3           | SPA     | 3350                 | 131.89               | 1.71        | 3.77         |
| 3/SPA3550GL   | 3           | SPA     | 3550                 | 139.76               | 1.81        | 3.99         |
| 3/SPA3750GL   | 3           | SPA     | 3750                 | 147.64               | 1.91        | 4.22         |
| 3/SPA4000GL   | 3           | SPA     | 4000                 | 157.48               | 2.04        | 4.50         |
| 3/SPA4250GL   | 3           | SPA     | 4250                 | 167.32               | 2.17        | 4.78         |
| 3/SPA4500GL   | 3           | SPA     | 4500                 | 177.17               | 2.30        | 5.06         |
| 4/SPA1500GL   | 4           | SPA     | 1500                 | 59.06                | 1.02        | 2.25         |
| 4/SPA1600GL   | 4           | SPA     | 1600                 | 62.99                | 1.09        | 2.40         |
| 4/SPA1700GL   | 4           | SPA     | 1700                 | 66.93                | 1.16        | 2.55         |
| 4/SPA1800GL   | 4           | SPA     | 1800                 | 70.87                | 1.22        | 2.70         |
| 4/SPA1900GL   | 4           | SPA     | 1900                 | 74.80                | 1.29        | 2.85         |
| 4/SPA2000GL   | 4           | SPA     | 2000                 | 78.74                | 1.36        | 3.00         |
| 4/SPA2120GL   | 4           | SPA     | 2120                 | 83.46                | 1.44        | 3.18         |
| 4/SPA2240GL   | 4           | SPA     | 2240                 | 88.19                | 1.52        | 3.36         |
| 4/SPA2360GL   | 4           | SPA     | 2360                 | 92.91                | 1.61        | 3.54         |
| 4/SPA2500GL   | 4           | SPA     | 2500                 | 98.43                | 1.70        | 3.75         |
| 4/SPA2650GL   | 4           | SPA     | 2650                 | 104.33               | 1.80        | 3.97         |
| 4/SPA2800GL   | 4           | SPA     | 2800                 | 110.24               | 1.90        | 4.20         |
| 4/SPA3000GL   | 4           | SPA     | 3000                 | 118.11               | 2.04        | 4.50         |
| 4/SPA3150GL   | 4           | SPA     | 3150                 | 124.02               | 2.14        | 4.72         |
| 4/SPA3350GL   | 4           | SPA     | 3350                 | 131.89               | 2.28        | 5.02         |
| 4/SPA3550GL   | 4           | SPA     | 3550                 | 139.76               | 2.41        | 5.32         |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 4/SPA3750GL   | 4           | SPA     | 3750                 | 147.64               | 2.55        | 5.62         |
| 4/SPA4000GL   | 4           | SPA     | 4000                 | 157.48               | 2.72        | 6.00         |
| 4/SPA4250GL   | 4           | SPA     | 4250                 | 167.32               | 2.89        | 6.37         |
| 4/SPA4500GL   | 4           | SPA     | 4500                 | 177.17               | 3.06        | 6.75         |
| 5/SPA1500GL   | 5           | SPA     | 1500                 | 59.06                | 1.28        | 2.81         |
| 5/SPA1600GL   | 5           | SPA     | 1600                 | 62.99                | 1.36        | 3.00         |
| 5/SPA1700GL   | 5           | SPA     | 1700                 | 66.93                | 1.45        | 3.19         |
| 5/SPA1800GL   | 5           | SPA     | 1800                 | 70.87                | 1.53        | 3.37         |
| 5/SPA1900GL   | 5           | SPA     | 1900                 | 74.80                | 1.62        | 3.56         |
| 5/SPA2000GL   | 5           | SPA     | 2000                 | 78.74                | 1.70        | 3.75         |
| 5/SPA2120GL   | 5           | SPA     | 2120                 | 83.46                | 1.80        | 3.97         |
| 5/SPA2240GL   | 5           | SPA     | 2240                 | 88.19                | 1.90        | 4.20         |
| 5/SPA2360GL   | 5           | SPA     | 2360                 | 92.91                | 2.01        | 4.42         |
| 5/SPA2500GL   | 5           | SPA     | 2500                 | 98.43                | 2.13        | 4.69         |
| 5/SPA2650GL   | 5           | SPA     | 2650                 | 104.33               | 2.25        | 4.97         |
| 5/SPA2800GL   | 5           | SPA     | 2800                 | 110.24               | 2.38        | 5.25         |
| 5/SPA3000GL   | 5           | SPA     | 3000                 | 118.11               | 2.55        | 5.62         |
| 5/SPA3150GL   | 5           | SPA     | 3150                 | 124.02               | 2.68        | 5.90         |
| 5/SPA3350GL   | 5           | SPA     | 3350                 | 131.89               | 2.85        | 6.28         |
| 5/SPA3550GL   | 5           | SPA     | 3550                 | 139.76               | 3.02        | 6.65         |
| 5/SPA3750GL   | 5           | SPA     | 3750                 | 147.64               | 3.19        | 7.03         |
| 5/SPA4000GL   | 5           | SPA     | 4000                 | 157.48               | 3.40        | 7.50         |
| 5/SPA4250GL   | 5           | SPA     | 4250                 | 167.32               | 3.61        | 7.97         |
| 5/SPA4500GL   | 5           | SPA     | 4500                 | 177.17               | 3.83        | 8.43         |
| 20/SPA1500GL  | 20          | SPA     | 1500                 | 59.06                | 5.10        | 11.25        |
| 20/SPA1600GL  | 20          | SPA     | 1600                 | 62.99                | 5.44        | 12.00        |
| 20/SPA1700GL  | 20          | SPA     | 1700                 | 66.93                | 5.78        | 12.74        |
| 20/SPA1800GL  | 20          | SPA     | 1800                 | 70.87                | 6.12        | 13.49        |
| 20/SPA1900GL  | 20          | SPA     | 1900                 | 74.80                | 6.46        | 14.24        |
| 20/SPA2000GL  | 20          | SPA     | 2000                 | 78.74                | 6.80        | 14.99        |
| 20/SPA2120GL  | 20          | SPA     | 2120                 | 83.46                | 7.21        | 15.89        |
| 30/SPA2240GL  | 30          | SPA     | 2240                 | 88.19                | 11.43       | 25.19        |
| 30/SPA2360GL  | 30          | SPA     | 2360                 | 92.91                | 12.04       | 26.54        |
| 30/SPA2500GL  | 30          | SPA     | 2500                 | 98.43                | 12.75       | 28.11        |



## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 30/SPA2650GL  | 30          | SPA     | 2650                 | 104.33               | 13.52       | 29.80        |
| 30/SPA2800GL  | 30          | SPA     | 2800                 | 110.24               | 14.28       | 31.49        |
| 30/SPA3000GL  | 30          | SPA     | 3000                 | 118.11               | 15.30       | 33.74        |
| 30/SPA3150GL  | 30          | SPA     | 3150                 | 124.02               | 16.07       | 35.42        |
| 30/SPA3350GL  | 30          | SPA     | 3350                 | 131.89               | 17.09       | 37.67        |
| 30/SPA3550GL  | 30          | SPA     | 3550                 | 139.76               | 18.11       | 39.92        |
| 30/SPA3750GL  | 30          | SPA     | 3750                 | 147.64               | 19.13       | 42.17        |
| 30/SPA4000GL  | 30          | SPA     | 4000                 | 157.48               | 20.40       | 44.98        |
| 30/SPA4250GL  | 30          | SPA     | 4250                 | 167.32               | 21.68       | 47.79        |
| 30/SPA4500GL  | 30          | SPA     | 4500                 | 177.17               | 22.95       | 50.60        |
| 2/SPB2000GL   | 2           | SPB     | 2000                 | 78.74                | 1.03        | 2.28         |
| 2/SPB2120GL   | 2           | SPB     | 2120                 | 83.46                | 1.09        | 2.41         |
| 2/SPB2240GL   | 2           | SPB     | 2240                 | 88.19                | 1.16        | 2.55         |
| 2/SPB2360GL   | 2           | SPB     | 2360                 | 92.91                | 1.22        | 2.69         |
| 2/SPB2500GL   | 2           | SPB     | 2500                 | 98.43                | 1.29        | 2.85         |
| 2/SPB2650GL   | 2           | SPB     | 2650                 | 104.33               | 1.37        | 3.02         |
| 2/SPB2800GL   | 2           | SPB     | 2800                 | 110.24               | 1.45        | 3.19         |
| 2/SPB3000GL   | 2           | SPB     | 3000                 | 118.11               | 1.55        | 3.42         |
| 2/SPB3150GL   | 2           | SPB     | 3150                 | 124.02               | 1.63        | 3.59         |
| 2/SPB3350GL   | 2           | SPB     | 3350                 | 131.89               | 1.73        | 3.81         |
| 2/SPB3550GL   | 2           | SPB     | 3550                 | 139.76               | 1.83        | 4.04         |
| 2/SPB3750GL   | 2           | SPB     | 3750                 | 147.64               | 1.94        | 4.27         |
| 2/SPB4000GL   | 2           | SPB     | 4000                 | 157.48               | 2.07        | 4.55         |
| 2/SPB4250GL   | 2           | SPB     | 4250                 | 167.32               | 2.19        | 4.84         |
| 2/SPB4500GL   | 2           | SPB     | 4500                 | 177.17               | 2.32        | 5.12         |
| 2/SPB4750GL   | 2           | SPB     | 4750                 | 187.01               | 2.45        | 5.41         |
| 2/SPB5000GL   | 2           | SPB     | 5000                 | 196.85               | 2.58        | 5.69         |
| 2/SPB5300GL   | 2           | SPB     | 5300                 | 208.66               | 2.74        | 6.03         |
| 2/SPB5600GL   | 2           | SPB     | 5600                 | 220.47               | 2.89        | 6.38         |
| 2/SPB6000GL   | 2           | SPB     | 6000                 | 236.22               | 3.10        | 6.83         |
| 2/SPB6300GL   | 2           | SPB     | 6300                 | 248.03               | 3.25        | 7.17         |
| 2/SPB6700GL   | 2           | SPB     | 6700                 | 263.78               | 3.46        | 7.63         |
| 2/SPB7100GL   | 2           | SPB     | 7100                 | 279.53               | 3.67        | 8.08         |
| 2/SPB7500GL   | 2           | SPB     | 7500                 | 295.28               | 3.87        | 8.54         |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 2/SPB8000GL   | 2           | SPB     | 8000                 | 314.96               | 4.13        | 9.11         |
| 3/SPB2000GL   | 3           | SPB     | 2000                 | 78.74                | 1.55        | 3.42         |
| 3/SPB2120GL   | 3           | SPB     | 2120                 | 83.46                | 1.64        | 3.62         |
| 3/SPB2240GL   | 3           | SPB     | 2240                 | 88.19                | 1.74        | 3.83         |
| 3/SPB2360GL   | 3           | SPB     | 2360                 | 92.91                | 1.83        | 4.03         |
| 3/SPB2500GL   | 3           | SPB     | 2500                 | 98.43                | 1.94        | 4.27         |
| 3/SPB2650GL   | 3           | SPB     | 2650                 | 104.33               | 2.05        | 4.53         |
| 3/SPB2800GL   | 3           | SPB     | 2800                 | 110.24               | 2.17        | 4.78         |
| 3/SPB3000GL   | 3           | SPB     | 3000                 | 118.11               | 2.32        | 5.12         |
| 3/SPB3150GL   | 3           | SPB     | 3150                 | 124.02               | 2.44        | 5.38         |
| 3/SPB3350GL   | 3           | SPB     | 3350                 | 131.89               | 2.59        | 5.72         |
| 3/SPB3550GL   | 3           | SPB     | 3550                 | 139.76               | 2.75        | 6.06         |
| 3/SPB3750GL   | 3           | SPB     | 3750                 | 147.64               | 2.90        | 6.40         |
| 3/SPB4000GL   | 3           | SPB     | 4000                 | 157.48               | 3.10        | 6.83         |
| 3/SPB4250GL   | 3           | SPB     | 4250                 | 167.32               | 3.29        | 7.26         |
| 3/SPB4500GL   | 3           | SPB     | 4500                 | 177.17               | 3.49        | 7.68         |
| 3/SPB4750GL   | 3           | SPB     | 4750                 | 187.01               | 3.68        | 8.11         |
| 3/SPB5000GL   | 3           | SPB     | 5000                 | 196.85               | 3.87        | 8.54         |
| 3/SPB5300GL   | 3           | SPB     | 5300                 | 208.66               | 4.11        | 9.05         |
| 3/SPB5600GL   | 3           | SPB     | 5600                 | 220.47               | 4.34        | 9.56         |
| 3/SPB6000GL   | 3           | SPB     | 6000                 | 236.22               | 4.65        | 10.25        |
| 3/SPB6300GL   | 3           | SPB     | 6300                 | 248.03               | 4.88        | 10.76        |
| 3/SPB6700GL   | 3           | SPB     | 6700                 | 263.78               | 5.19        | 11.44        |
| 3/SPB7100GL   | 3           | SPB     | 7100                 | 279.53               | 5.50        | 12.13        |
| 3/SPB7500GL   | 3           | SPB     | 7500                 | 295.28               | 5.81        | 12.81        |
| 3/SPB8000GL   | 3           | SPB     | 8000                 | 314.96               | 6.20        | 13.66        |
| 4/SPB2000GL   | 4           | SPB     | 2000                 | 78.74                | 2.07        | 4.55         |
| 4/SPB2120GL   | 4           | SPB     | 2120                 | 83.46                | 2.19        | 4.83         |
| 4/SPB2240GL   | 4           | SPB     | 2240                 | 88.19                | 2.31        | 5.10         |
| 4/SPB2360GL   | 4           | SPB     | 2360                 | 92.91                | 2.44        | 5.37         |
| 4/SPB2500GL   | 4           | SPB     | 2500                 | 98.43                | 2.58        | 5.69         |
| 4/SPB2650GL   | 4           | SPB     | 2650                 | 104.33               | 2.74        | 6.03         |
| 4/SPB2800GL   | 4           | SPB     | 2800                 | 110.24               | 2.89        | 6.38         |
| 4/SPB3000GL   | 4           | SPB     | 3000                 | 118.11               | 3.10        | 6.83         |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 4/SPB3150GL   | 4           | SPB     | 3150                 | 124.02               | 3.25        | 7.17         |
| 4/SPB3350GL   | 4           | SPB     | 3350                 | 131.89               | 3.46        | 7.63         |
| 4/SPB3550GL   | 4           | SPB     | 3550                 | 139.76               | 3.67        | 8.08         |
| 4/SPB3750GL   | 4           | SPB     | 3750                 | 147.64               | 3.87        | 8.54         |
| 4/SPB4000GL   | 4           | SPB     | 4000                 | 157.48               | 4.13        | 9.11         |
| 4/SPB4250GL   | 4           | SPB     | 4250                 | 167.32               | 4.39        | 9.68         |
| 4/SPB4500GL   | 4           | SPB     | 4500                 | 177.17               | 4.65        | 10.25        |
| 4/SPB4750GL   | 4           | SPB     | 4750                 | 187.01               | 4.91        | 10.82        |
| 4/SPB5000GL   | 4           | SPB     | 5000                 | 196.85               | 5.16        | 11.38        |
| 4/SPB5300GL   | 4           | SPB     | 5300                 | 208.66               | 5.47        | 12.07        |
| 4/SPB5600GL   | 4           | SPB     | 5600                 | 220.47               | 5.78        | 12.75        |
| 4/SPB6000GL   | 4           | SPB     | 6000                 | 236.22               | 6.20        | 13.66        |
| 4/SPB6300GL   | 4           | SPB     | 6300                 | 248.03               | 6.51        | 14.35        |
| 4/SPB6700GL   | 4           | SPB     | 6700                 | 263.78               | 6.92        | 15.26        |
| 4/SPB7100GL   | 4           | SPB     | 7100                 | 279.53               | 7.33        | 16.17        |
| 4/SPB7500GL   | 4           | SPB     | 7500                 | 295.28               | 7.75        | 17.08        |
| 4/SPB8000GL   | 4           | SPB     | 8000                 | 314.96               | 8.26        | 18.22        |
| 5/SPB2000GL   | 5           | SPB     | 2000                 | 78.74                | 2.58        | 5.69         |
| 5/SPB2120GL   | 5           | SPB     | 2120                 | 83.46                | 2.74        | 6.03         |
| 5/SPB2240GL   | 5           | SPB     | 2240                 | 88.19                | 2.89        | 6.38         |
| 5/SPB2360GL   | 5           | SPB     | 2360                 | 92.91                | 3.05        | 6.72         |
| 5/SPB2500GL   | 5           | SPB     | 2500                 | 98.43                | 3.23        | 7.12         |
| 5/SPB2650GL   | 5           | SPB     | 2650                 | 104.33               | 3.42        | 7.54         |
| 5/SPB2800GL   | 5           | SPB     | 2800                 | 110.24               | 3.61        | 7.97         |
| 5/SPB3000GL   | 5           | SPB     | 3000                 | 118.11               | 3.87        | 8.54         |
| 5/SPB3150GL   | 5           | SPB     | 3150                 | 124.02               | 4.07        | 8.97         |
| 5/SPB3350GL   | 5           | SPB     | 3350                 | 131.89               | 4.32        | 9.53         |
| 5/SPB3550GL   | 5           | SPB     | 3550                 | 139.76               | 4.58        | 10.10        |
| 5/SPB3750GL   | 5           | SPB     | 3750                 | 147.64               | 4.84        | 10.67        |
| 5/SPB4000GL   | 5           | SPB     | 4000                 | 157.48               | 5.16        | 11.38        |
| 5/SPB4250GL   | 5           | SPB     | 4250                 | 167.32               | 5.49        | 12.10        |
| 5/SPB4500GL   | 5           | SPB     | 4500                 | 177.17               | 5.81        | 12.81        |
| 5/SPB4750GL   | 5           | SPB     | 4750                 | 187.01               | 6.13        | 13.52        |
| 5/SPB5000GL   | 5           | SPB     | 5000                 | 196.85               | 6.46        | 14.23        |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 5/SPB5300GL   | 5           | SPB     | 5300                 | 208.66               | 6.84        | 15.09        |
| 5/SPB5600GL   | 5           | SPB     | 5600                 | 220.47               | 7.23        | 15.94        |
| 5/SPB6000GL   | 5           | SPB     | 6000                 | 236.22               | 7.75        | 17.08        |
| 5/SPB6300GL   | 5           | SPB     | 6300                 | 248.03               | 8.13        | 17.93        |
| 5/SPB6700GL   | 5           | SPB     | 6700                 | 263.78               | 8.65        | 19.07        |
| 5/SPB7100GL   | 5           | SPB     | 7100                 | 279.53               | 9.17        | 20.21        |
| 5/SPB7500GL   | 5           | SPB     | 7500                 | 295.28               | 9.68        | 21.35        |
| 5/SPB8000GL   | 5           | SPB     | 8000                 | 314.96               | 10.33       | 22.77        |
| 16/SPB2000GL  | 16          | SPB     | 2000                 | 78.74                | 8.26        | 18.22        |
| 16/SPB2120GL  | 16          | SPB     | 2120                 | 83.46                | 8.76        | 19.31        |
| 16/SPB2240GL  | 16          | SPB     | 2240                 | 88.19                | 9.25        | 20.40        |
| 16/SPB2360GL  | 16          | SPB     | 2360                 | 92.91                | 9.75        | 21.49        |
| 16/SPB2500GL  | 16          | SPB     | 2500                 | 98.43                | 10.33       | 22.77        |
| 16/SPB2650GL  | 16          | SPB     | 2650                 | 104.33               | 10.95       | 24.14        |
| 24/SPB2800GL  | 24          | SPB     | 2800                 | 110.24               | 17.35       | 38.25        |
| 24/SPB3000GL  | 24          | SPB     | 3000                 | 118.11               | 18.59       | 40.99        |
| 24/SPB3150GL  | 24          | SPB     | 3150                 | 124.02               | 19.52       | 43.04        |
| 24/SPB3350GL  | 24          | SPB     | 3350                 | 131.89               | 20.76       | 45.77        |
| 24/SPB3550GL  | 24          | SPB     | 3550                 | 139.76               | 22.00       | 48.50        |
| 24/SPB3750GL  | 24          | SPB     | 3750                 | 147.64               | 23.24       | 51.23        |
| 24/SPB4000GL  | 24          | SPB     | 4000                 | 157.48               | 24.79       | 54.65        |
| 24/SPB4250GL  | 24          | SPB     | 4250                 | 167.32               | 26.34       | 58.06        |
| 24/SPB4500GL  | 24          | SPB     | 4500                 | 177.17               | 27.89       | 61.48        |
| 24/SPB4750GL  | 24          | SPB     | 4750                 | 187.01               | 29.44       | 64.89        |
| 24/SPB5000GL  | 24          | SPB     | 5000                 | 196.85               | 30.98       | 68.31        |
| 24/SPB5300GL  | 24          | SPB     | 5300                 | 208.66               | 32.84       | 72.41        |
| 24/SPB5600GL  | 24          | SPB     | 5600                 | 220.47               | 34.70       | 76.51        |
| 24/SPB6000GL  | 24          | SPB     | 6000                 | 236.22               | 37.18       | 81.97        |
| 24/SPB6300GL  | 24          | SPB     | 6300                 | 248.03               | 39.04       | 86.07        |
| 24/SPB6700GL  | 24          | SPB     | 6700                 | 263.78               | 41.52       | 91.54        |
| 24/SPB7100GL  | 24          | SPB     | 7100                 | 279.53               | 44.00       | 97.00        |
| 24/SPB7500GL  | 24          | SPB     | 7500                 | 295.28               | 46.48       | 102.46       |
| 24/SPB8000GL  | 24          | SPB     | 8000                 | 314.96               | 49.58       | 109.30       |
| 2/SPC3000GL   | 2           | SPC     | 3000                 | 118.11               | 3.41        | 7.51         |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 2/SPC3150GL   | 2           | SPC     | 3150                 | 124.02               | 3.58        | 7.89         |
| 2/SPC3350GL   | 2           | SPC     | 3350                 | 131.89               | 3.81        | 8.39         |
| 2/SPC3550GL   | 2           | SPC     | 3550                 | 139.76               | 4.03        | 8.89         |
| 2/SPC3750GL   | 2           | SPC     | 3750                 | 147.64               | 4.26        | 9.39         |
| 2/SPC4000GL   | 2           | SPC     | 4000                 | 157.48               | 4.54        | 10.02        |
| 2/SPC4250GL   | 2           | SPC     | 4250                 | 167.32               | 4.83        | 10.64        |
| 2/SPC4500GL   | 2           | SPC     | 4500                 | 177.17               | 5.11        | 11.27        |
| 2/SPC4750GL   | 2           | SPC     | 4750                 | 187.01               | 5.40        | 11.90        |
| 2/SPC5000GL   | 2           | SPC     | 5000                 | 196.85               | 5.68        | 12.52        |
| 2/SPC5300GL   | 2           | SPC     | 5300                 | 208.66               | 6.02        | 13.27        |
| 2/SPC5600GL   | 2           | SPC     | 5600                 | 220.47               | 6.36        | 14.02        |
| 2/SPC6000GL   | 2           | SPC     | 6000                 | 236.22               | 6.82        | 15.03        |
| 2/SPC6300GL   | 2           | SPC     | 6300                 | 248.03               | 7.16        | 15.78        |
| 2/SPC6700GL   | 2           | SPC     | 6700                 | 263.78               | 7.61        | 16.78        |
| 2/SPC7100GL   | 2           | SPC     | 7100                 | 279.53               | 8.07        | 17.78        |
| 2/SPC7500GL   | 2           | SPC     | 7500                 | 295.28               | 8.52        | 18.78        |
| 2/SPC8000GL   | 2           | SPC     | 8000                 | 314.96               | 9.09        | 20.04        |
| 2/SPC8500GL   | 2           | SPC     | 8500                 | 334.65               | 9.66        | 21.29        |
| 2/SPC9000GL   | 2           | SPC     | 9000                 | 354.33               | 10.22       | 22.54        |
| 2/SPC9500GL   | 2           | SPC     | 9500                 | 374.02               | 10.79       | 23.79        |
| 2/SPC10000GL  | 2           | SPC     | 10000                | 393.70               | 11.36       | 25.04        |
| 2/SPC10600GL  | 2           | SPC     | 10600                | 417.32               | 12.04       | 26.55        |
| 2/SPC11200GL  | 2           | SPC     | 11200                | 440.94               | 12.72       | 28.05        |
| 2/SPC11800GL  | 2           | SPC     | 11800                | 464.57               | 13.40       | 29.55        |
| 2/SPC12500GL  | 2           | SPC     | 12500                | 492.13               | 14.20       | 31.31        |
| 3/SPC3000GL   | 3           | SPC     | 3000                 | 118.11               | 5.11        | 11.27        |
| 3/SPC3150GL   | 3           | SPC     | 3150                 | 124.02               | 5.37        | 11.83        |
| 3/SPC3350GL   | 3           | SPC     | 3350                 | 131.89               | 5.71        | 12.58        |
| 3/SPC3550GL   | 3           | SPC     | 3550                 | 139.76               | 6.05        | 13.34        |
| 3/SPC3750GL   | 3           | SPC     | 3750                 | 147.64               | 6.39        | 14.09        |
| 3/SPC4000GL   | 3           | SPC     | 4000                 | 157.48               | 6.82        | 15.03        |
| 3/SPC4250GL   | 3           | SPC     | 4250                 | 167.32               | 7.24        | 15.97        |
| 3/SPC4500GL   | 3           | SPC     | 4500                 | 177.17               | 7.67        | 16.90        |
| 3/SPC4750GL   | 3           | SPC     | 4750                 | 187.01               | 8.09        | 17.84        |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 3/SPC5000GL   | 3           | SPC     | 5000                 | 196.85               | 8.52        | 18.78        |
| 3/SPC5300GL   | 3           | SPC     | 5300                 | 208.66               | 9.03        | 19.91        |
| 3/SPC5600GL   | 3           | SPC     | 5600                 | 220.47               | 9.54        | 21.04        |
| 3/SPC6000GL   | 3           | SPC     | 6000                 | 236.22               | 10.22       | 22.54        |
| 3/SPC6300GL   | 3           | SPC     | 6300                 | 248.03               | 10.74       | 23.67        |
| 3/SPC6700GL   | 3           | SPC     | 6700                 | 263.78               | 11.42       | 25.17        |
| 3/SPC7100GL   | 3           | SPC     | 7100                 | 279.53               | 12.10       | 26.67        |
| 3/SPC7500GL   | 3           | SPC     | 7500                 | 295.28               | 12.78       | 28.17        |
| 3/SPC8000GL   | 3           | SPC     | 8000                 | 314.96               | 13.63       | 30.05        |
| 3/SPC8500GL   | 3           | SPC     | 8500                 | 334.65               | 14.48       | 31.93        |
| 3/SPC9000GL   | 3           | SPC     | 9000                 | 354.33               | 15.34       | 33.81        |
| 3/SPC9500GL   | 3           | SPC     | 9500                 | 374.02               | 16.19       | 35.69        |
| 3/SPC10000GL  | 3           | SPC     | 10000                | 393.70               | 17.04       | 37.57        |
| 3/SPC10600GL  | 3           | SPC     | 10600                | 417.32               | 18.06       | 39.82        |
| 3/SPC11200GL  | 3           | SPC     | 11200                | 440.94               | 19.08       | 42.07        |
| 3/SPC11800GL  | 3           | SPC     | 11800                | 464.57               | 20.11       | 44.33        |
| 3/SPC12500GL  | 3           | SPC     | 12500                | 492.13               | 21.30       | 46.96        |
| 4/SPC3000GL   | 4           | SPC     | 3000                 | 118.11               | 6.82        | 15.03        |
| 4/SPC3150GL   | 4           | SPC     | 3150                 | 124.02               | 7.16        | 15.78        |
| 4/SPC3350GL   | 4           | SPC     | 3350                 | 131.89               | 7.61        | 16.78        |
| 4/SPC3550GL   | 4           | SPC     | 3550                 | 139.76               | 8.07        | 17.78        |
| 4/SPC3750GL   | 4           | SPC     | 3750                 | 147.64               | 8.52        | 18.78        |
| 4/SPC4000GL   | 4           | SPC     | 4000                 | 157.48               | 9.09        | 20.04        |
| 4/SPC4250GL   | 4           | SPC     | 4250                 | 167.32               | 9.66        | 21.29        |
| 4/SPC4500GL   | 4           | SPC     | 4500                 | 177.17               | 10.22       | 22.54        |
| 4/SPC4750GL   | 4           | SPC     | 4750                 | 187.01               | 10.79       | 23.79        |
| 4/SPC5000GL   | 4           | SPC     | 5000                 | 196.85               | 11.36       | 25.04        |
| 4/SPC5300GL   | 4           | SPC     | 5300                 | 208.66               | 12.04       | 26.55        |
| 4/SPC5600GL   | 4           | SPC     | 5600                 | 220.47               | 12.72       | 28.05        |
| 4/SPC6000GL   | 4           | SPC     | 6000                 | 236.22               | 13.63       | 30.05        |
| 4/SPC6300GL   | 4           | SPC     | 6300                 | 248.03               | 14.31       | 31.56        |
| 4/SPC6700GL   | 4           | SPC     | 6700                 | 263.78               | 15.22       | 33.56        |
| 4/SPC7100GL   | 4           | SPC     | 7100                 | 279.53               | 16.13       | 35.56        |
| 4/SPC7500GL   | 4           | SPC     | 7500                 | 295.28               | 17.04       | 37.57        |

## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 4/SPC8000GL   | 4           | SPC     | 8000                 | 314.96               | 18.18       | 40.07        |
| 4/SPC8500GL   | 4           | SPC     | 8500                 | 334.65               | 19.31       | 42.58        |
| 4/SPC9000GL   | 4           | SPC     | 9000                 | 354.33               | 20.45       | 45.08        |
| 4/SPC9500GL   | 4           | SPC     | 9500                 | 374.02               | 21.58       | 47.58        |
| 4/SPC10000GL  | 4           | SPC     | 10000                | 393.70               | 22.72       | 50.09        |
| 4/SPC10600GL  | 4           | SPC     | 10600                | 417.32               | 24.08       | 53.09        |
| 4/SPC11200GL  | 4           | SPC     | 11200                | 440.94               | 25.45       | 56.10        |
| 4/SPC11800GL  | 4           | SPC     | 11800                | 464.57               | 26.81       | 59.10        |
| 4/SPC12500GL  | 4           | SPC     | 12500                | 492.13               | 28.40       | 62.61        |
| 5/SPC3000GL   | 5           | SPC     | 3000                 | 118.11               | 8.52        | 18.78        |
| 5/SPC3150GL   | 5           | SPC     | 3150                 | 124.02               | 8.95        | 19.72        |
| 5/SPC3350GL   | 5           | SPC     | 3350                 | 131.89               | 9.51        | 20.97        |
| 5/SPC3550GL   | 5           | SPC     | 3550                 | 139.76               | 10.08       | 22.23        |
| 5/SPC3750GL   | 5           | SPC     | 3750                 | 147.64               | 10.65       | 23.48        |
| 5/SPC4000GL   | 5           | SPC     | 4000                 | 157.48               | 11.36       | 25.04        |
| 5/SPC4250GL   | 5           | SPC     | 4250                 | 167.32               | 12.07       | 26.61        |
| 5/SPC4500GL   | 5           | SPC     | 4500                 | 177.17               | 12.78       | 28.17        |
| 5/SPC4750GL   | 5           | SPC     | 4750                 | 187.01               | 13.49       | 29.74        |
| 5/SPC5000GL   | 5           | SPC     | 5000                 | 196.85               | 14.20       | 31.31        |
| 5/SPC5300GL   | 5           | SPC     | 5300                 | 208.66               | 15.05       | 33.18        |
| 5/SPC5600GL   | 5           | SPC     | 5600                 | 220.47               | 15.90       | 35.06        |
| 5/SPC6000GL   | 5           | SPC     | 6000                 | 236.22               | 17.04       | 37.57        |
| 5/SPC6300GL   | 5           | SPC     | 6300                 | 248.03               | 17.89       | 39.44        |
| 5/SPC6700GL   | 5           | SPC     | 6700                 | 263.78               | 19.03       | 41.95        |
| 5/SPC7100GL   | 5           | SPC     | 7100                 | 279.53               | 20.16       | 44.45        |
| 5/SPC7500GL   | 5           | SPC     | 7500                 | 295.28               | 21.30       | 46.96        |
| 5/SPC8000GL   | 5           | SPC     | 8000                 | 314.96               | 22.72       | 50.09        |
| 5/SPC8500GL   | 5           | SPC     | 8500                 | 334.65               | 24.14       | 53.22        |
| 5/SPC9000GL   | 5           | SPC     | 9000                 | 354.33               | 25.56       | 56.35        |
| 5/SPC9500GL   | 5           | SPC     | 9500                 | 374.02               | 26.98       | 59.48        |
| 5/SPC10000GL  | 5           | SPC     | 10000                | 393.70               | 28.40       | 62.61        |
| 5/SPC10600GL  | 5           | SPC     | 10600                | 417.32               | 30.10       | 66.37        |
| 5/SPC11200GL  | 5           | SPC     | 11200                | 440.94               | 31.81       | 70.12        |
| 5/SPC11800GL  | 5           | SPC     | 11800                | 464.57               | 33.51       | 73.88        |



## GOLD LABEL Banded Wrapped Wedge - Size List



V-Belt Banded

**GOLD LABEL™**



| Metric  |              |               |                   |
|---------|--------------|---------------|-------------------|
| Section | W-Width (mm) | H-Height (mm) | Weight (Kg/rib*m) |
| SPZ     | 10           | 10            | 0.128             |
| SPA     | 13           | 12            | 0.170             |
| SPB     | 17           | 16            | 0.258             |
| SPC     | 22           | 23            | 0.568             |

| Imperial |              |               |                    |
|----------|--------------|---------------|--------------------|
| Section  | W-Width (in) | H-Height (in) | Weight (lb/rib*in) |
| SPZ      | 25/64        | 25/64         | 0.007              |
| SPA      | 33/64        | 30/64         | 0.010              |
| SPB      | 43/64        | 5/8           | 0.014              |
| SPC      | 7/8          | 58/64         | 0.032              |

All number of ribs between 2 and the max number in the table below are available

| DAYCO Part Nr | Ribs number | Section | Ld Datum length (mm) | Ld Datum length (in) | Weight (Kg) | Weight (lbs) |
|---------------|-------------|---------|----------------------|----------------------|-------------|--------------|
| 5/SPC12500GL  | 5           | SPC     | 12500                | 492.13               | 35.50       | 78.26        |
| 18/SPC8000GL  | 18          | SPC     | 8000                 | 314.96               | 81.79       | 180.32       |
| 18/SPC8500GL  | 18          | SPC     | 8500                 | 334.65               | 86.90       | 191.59       |
| 18/SPC9000GL  | 18          | SPC     | 9000                 | 354.33               | 92.02       | 202.86       |
| 18/SPC9500GL  | 18          | SPC     | 9500                 | 374.02               | 97.13       | 214.13       |
| 18/SPC10000GL | 18          | SPC     | 10000                | 393.70               | 102.24      | 225.40       |
| 18/SPC10600GL | 18          | SPC     | 10600                | 417.32               | 108.37      | 238.92       |
| 18/SPC11200GL | 18          | SPC     | 11200                | 440.94               | 114.51      | 252.45       |
| 18/SPC11800GL | 18          | SPC     | 11800                | 464.57               | 120.64      | 265.97       |
| 18/SPC12500GL | 18          | SPC     | 12500                | 492.13               | 127.80      | 281.75       |
| 22/SPC3000GL  | 22          | SPC     | 3000                 | 118.11               | 37.49       | 82.65        |
| 22/SPC3150GL  | 22          | SPC     | 3150                 | 124.02               | 39.36       | 86.78        |
| 22/SPC3350GL  | 22          | SPC     | 3350                 | 131.89               | 41.86       | 92.29        |
| 22/SPC3550GL  | 22          | SPC     | 3550                 | 139.76               | 44.36       | 97.80        |
| 22/SPC3750GL  | 22          | SPC     | 3750                 | 147.64               | 46.86       | 103.31       |
| 22/SPC4000GL  | 22          | SPC     | 4000                 | 157.48               | 49.98       | 110.19       |
| 22/SPC4250GL  | 22          | SPC     | 4250                 | 167.32               | 53.11       | 117.08       |
| 22/SPC4500GL  | 22          | SPC     | 4500                 | 177.17               | 56.23       | 123.97       |
| 22/SPC4750GL  | 22          | SPC     | 4750                 | 187.01               | 59.36       | 130.86       |
| 22/SPC5000GL  | 22          | SPC     | 5000                 | 196.85               | 62.48       | 137.74       |
| 22/SPC5300GL  | 22          | SPC     | 5300                 | 208.66               | 66.23       | 146.01       |
| 22/SPC5600GL  | 22          | SPC     | 5600                 | 220.47               | 69.98       | 154.27       |
| 22/SPC6000GL  | 22          | SPC     | 6000                 | 236.22               | 74.98       | 165.29       |
| 22/SPC6300GL  | 22          | SPC     | 6300                 | 248.03               | 78.72       | 173.56       |
| 22/SPC6700GL  | 22          | SPC     | 6700                 | 263.78               | 83.72       | 184.58       |
| 22/SPC7100GL  | 22          | SPC     | 7100                 | 279.53               | 88.72       | 195.60       |
| 22/SPC7500GL  | 22          | SPC     | 7500                 | 295.28               | 93.72       | 206.62       |



## PRODUCTS STORAGE-HANDLING CONDITIONS

- Possibly dry and cool environment
- Better no direct sunlight
- Prevent moisture contamination
- Avoid contamination with solvents or chemicals
- Ideal temperature for storage conditions is  $< 30\text{ }^{\circ}\text{C}$  /  $86\text{ }^{\circ}\text{F}$
- Continues high temperature ( $50\text{ }^{\circ}\text{C}$  /  $122\text{ }^{\circ}\text{F}$ ) might significantly reduce belt life
- Humidity is not significantly causing issues
- If properly stored belt shelf life is at least 5 years



## GOLD LABEL Banded Wrapped - Notes





## GOLD LABEL Banded Wrapped - Notes



