


Product Guide

HT POWER Timing Belts



HT POWER are suitable for all Industrial applications.

HT Power - Table of Contents




XL - L - H

HT Power imperial

Trapezoidal tooth profile timing belts.

Product description	3
Sleeves Size List	4
Belts Size List	12





HTD

HT Power metric

Curvilinear tooth profile timing belts.

Product description	46
Sleeves Size List	47
Belts Size List	55

HT Power imperial - Product Description



Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

HT Power imperial

Part Number Description: **100XL1890**

100: Pitch length in tenths of an inch (**100=10"**)

XL: Pitch (**XL=Extra Light=0.2"**)

1890: Width in hundredths of an inch (**1890=18.90"**)*

* For sleeves width is the max possible width (nominal reference), actual width could be less.

For cut belts standard widths see chart below:

Standard widths		
	(")	(mm)
XL	0.25 (1/4)	6.350
	0.3125 (5/16)	7.938
	0.375 (3/8)	9.525
	0.5 (1/2)	12.700
L	0.5 (1/2)	12.700
	0.75 (3/4)	19.050
	1	25.400
	1.5	38.100
H	0.75 (3/4)	19.050
	1	25.400
	1.5	38.100
	2	50.800
	3	76.200

Features and Benefits:

Tension Cords: Glass fiber

- Very high dimensional stability
- High strength
- Good flex durability

Body Compound: chloroprene rubber

- Good shear resistance
- Oil and Heat resistance
- Temperature Range: -20 To +100 °C / -4 To +212 °F

Tooth Fabric Cover: Nylon

- Abrasion resistance
- Wear resistance

Belt dimensions according to ISO 5296



Best Value Cost/Performance

Markets and Applications:

Suitable for all Industrial applications

Pulley Standards: ISO 5294

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
50XL	50XL1890	XL	25	127.0	5.00	480	18.90	0.13	0.01
54XL	54XL1890	XL	27	137.2	5.40	480	18.90	0.15	0.01
56XL	56XL1890	XL	28	142.2	5.60	480	18.90	0.15	0.01
60XL	60XL1890	XL	30	152.4	6.00	480	18.90	0.16	0.01
64XL	64XL1890	XL	32	162.6	6.40	480	18.90	0.17	0.01
66XL	66XL1890	XL	33	167.6	6.60	480	18.90	0.18	0.01
68XL	68XL1890	XL	34	172.7	6.80	480	18.90	0.18	0.01
70XL	70XL1890	XL	35	177.8	7.00	480	18.90	0.19	0.01
72XL	72XL1890	XL	36	182.9	7.20	480	18.90	0.19	0.01
74XL	74XL1890	XL	37	188.0	7.40	480	18.90	0.20	0.01
76XL	76XL1890	XL	38	193.0	7.60	480	18.90	0.20	0.01
78XL	78XL1890	XL	39	198.1	7.80	480	18.90	0.21	0.01
80XL	80XL1890	XL	40	203.2	8.00	480	18.90	0.22	0.01
82XL	82XL1890	XL	41	208.3	8.20	480	18.90	0.22	0.01
84XL	84XL1890	XL	42	213.4	8.40	480	18.90	0.23	0.01
86XL	86XL1890	XL	43	218.4	8.60	480	18.90	0.23	0.01
88XL	88XL1890	XL	44	223.5	8.80	480	18.90	0.24	0.01
90XL	90XL1890	XL	45	228.6	9.00	480	18.90	0.24	0.01
92XL	92XL1890	XL	46	233.7	9.20	480	18.90	0.25	0.01
94XL	94XL1890	XL	47	238.8	9.40	480	18.90	0.25	0.01
96XL	96XL1890	XL	48	243.8	9.60	480	18.90	0.26	0.01
98XL	98XL1890	XL	49	248.9	9.80	480	18.90	0.26	0.01
100XL	100XL1890	XL	50	254.0	10.00	480	18.90	0.27	0.01
102XL	102XL1890	XL	51	259.1	10.20	480	18.90	0.27	0.01
104XL	104XL1890	XL	52	264.2	10.40	480	18.90	0.28	0.01
106XL	106XL1890	XL	53	269.2	10.60	480	18.90	0.29	0.01
108XL	108XL1890	XL	54	274.3	10.80	480	18.90	0.29	0.01
110XL	110XL1890	XL	55	279.4	11.00	480	18.90	0.30	0.01
112XL	112XL1890	XL	56	284.5	11.20	480	18.90	0.30	0.01
114XL	114XL1890	XL	57	289.6	11.40	480	18.90	0.31	0.01
116XL	116XL1890	XL	58	294.6	11.60	480	18.90	0.31	0.01
118XL	118XL1890	XL	59	299.7	11.80	480	18.90	0.32	0.01

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
120XL	120XL1890	XL	60	304.8	12.00	480	18.90	0.32	0.01
122XL	122XL1890	XL	61	309.9	12.20	480	18.90	0.33	0.01
124XL	124XL1890	XL	62	315.0	12.40	480	18.90	0.33	0.01
126XL	126XL1890	XL	63	320.0	12.60	480	18.90	0.34	0.01
128XL	128XL1890	XL	64	325.1	12.80	480	18.90	0.34	0.01
130XL	130XL1890	XL	65	330.2	13.00	480	18.90	0.35	0.01
132XL	132XL1890	XL	66	335.3	13.20	480	18.90	0.36	0.01
134XL	134XL1890	XL	67	340.4	13.40	480	18.90	0.36	0.01
136XL	136XL1890	XL	68	345.4	13.60	480	18.90	0.37	0.01
138XL	138XL1890	XL	69	350.5	13.80	480	18.90	0.37	0.01
140XL	140XL1890	XL	70	355.6	14.00	480	18.90	0.38	0.01
142XL	142XL1890	XL	71	360.7	14.20	480	18.90	0.38	0.02
144XL	144XL1890	XL	72	365.8	14.40	480	18.90	0.39	0.02
146XL	146XL1890	XL	73	370.8	14.60	480	18.90	0.39	0.02
148XL	148XL1890	XL	74	375.9	14.80	480	18.90	0.40	0.02
150XL	150XL1890	XL	75	381.0	15.00	480	18.90	0.40	0.02
152XL	152XL1890	XL	76	386.1	15.20	480	18.90	0.41	0.02
154XL	154XL1890	XL	77	391.2	15.40	480	18.90	0.41	0.02
156XL	156XL1890	XL	78	396.2	15.60	480	18.90	0.42	0.02
158XL	158XL1890	XL	79	401.3	15.80	480	18.90	0.43	0.02
160XL	160XL1890	XL	80	406.4	16.00	480	18.90	0.43	0.02
162XL	162XL1890	XL	81	411.5	16.20	480	18.90	0.44	0.02
164XL	164XL1890	XL	82	416.6	16.40	480	18.90	0.44	0.02
166XL	166XL1890	XL	83	421.6	16.60	480	18.90	0.45	0.02
168XL	168XL1890	XL	84	426.7	16.80	480	18.90	0.45	0.02
170XL	170XL1890	XL	85	431.8	17.00	480	18.90	0.46	0.02
172XL	172XL1890	XL	86	436.9	17.20	480	18.90	0.46	0.02
174XL	174XL1890	XL	87	442.0	17.40	480	18.90	0.47	0.02
176XL	176XL1890	XL	88	447.0	17.60	480	18.90	0.47	0.02
178XL	178XL1890	XL	89	452.1	17.80	480	18.90	0.48	0.02
180XL	180XL1890	XL	90	457.2	18.00	480	18.90	0.48	0.02
182XL	182XL1890	XL	91	462.3	18.20	480	18.90	0.49	0.02

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
184XL	184XL1890	XL	92	467.4	18.40	480	18.90	0.50	0.02
186XL	186XL1890	XL	93	472.4	18.60	480	18.90	0.50	0.02
188XL	188XL1890	XL	94	477.5	18.80	480	18.90	0.51	0.02
190XL	190XL1890	XL	95	482.6	19.00	480	18.90	0.51	0.02
192XL	192XL1890	XL	96	487.7	19.20	480	18.90	0.52	0.02
194XL	194XL1890	XL	97	492.8	19.40	480	18.90	0.52	0.02
196XL	196XL1890	XL	98	497.8	19.60	480	18.90	0.53	0.02
198XL	198XL1890	XL	99	502.9	19.80	480	18.90	0.53	0.02
200XL	200XL1890	XL	100	508.0	20.00	480	18.90	0.54	0.02
202XL	202XL1890	XL	101	513.1	20.20	480	18.90	0.54	0.02
204XL	204XL1890	XL	102	518.2	20.40	480	18.90	0.55	0.02
206XL	206XL1890	XL	103	523.2	20.60	480	18.90	0.56	0.02
210XL	210XL1890	XL	105	533.4	21.00	480	18.90	0.57	0.02
212XL	212XL1890	XL	106	538.5	21.20	480	18.90	0.57	0.02
214XL	214XL1890	XL	107	543.6	21.40	480	18.90	0.58	0.02
218XL	218XL1890	XL	109	553.7	21.80	480	18.90	0.59	0.02
220XL	220XL1890	XL	110	558.8	22.00	480	18.90	0.59	0.02
222XL	222XL1890	XL	111	563.9	22.20	480	18.90	0.60	0.02
228XL	228XL1890	XL	114	579.1	22.80	480	18.90	0.61	0.02
230XL	230XL1890	XL	115	584.2	23.00	480	18.90	0.62	0.02
234XL	234XL1890	XL	117	594.4	23.40	480	18.90	0.63	0.02
236XL	236XL1890	XL	118	599.4	23.60	480	18.90	0.64	0.03
240XL	240XL1890	XL	120	609.6	24.00	480	18.90	0.65	0.03
244XL	244XL1890	XL	122	619.8	24.40	480	18.90	0.66	0.03
248XL	248XL1890	XL	124	629.9	24.80	480	18.90	0.67	0.03
250XL	250XL1890	XL	125	635.0	25.00	480	18.90	0.67	0.03
254XL	254XL1890	XL	127	645.2	25.40	480	18.90	0.68	0.03
260XL	260XL1890	XL	130	660.4	26.00	480	18.90	0.70	0.03
262XL	262XL1890	XL	131	665.5	26.20	480	18.90	0.71	0.03
268XL	268XL1890	XL	134	680.7	26.80	480	18.90	0.72	0.03
270XL	270XL1890	XL	135	685.8	27.00	480	18.90	0.73	0.03
274XL	274XL1890	XL	137	696.0	27.40	480	18.90	0.74	0.03

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
276XL	276XL1890	XL	138	701.0	27.60	480	18.90	0.74	0.03
280XL	280XL1890	XL	140	711.2	28.00	480	18.90	0.75	0.03
286XL	286XL1890	XL	143	726.4	28.60	480	18.90	0.77	0.03
290XL	290XL1890	XL	145	736.6	29.00	480	18.90	0.78	0.03
296XL	296XL1890	XL	148	751.8	29.60	480	18.90	0.80	0.03
300XL	300XL1890	XL	150	762.0	30.00	480	18.90	0.81	0.03
306XL	306XL1890	XL	153	777.2	30.60	480	18.90	0.82	0.03
310XL	310XL1890	XL	155	787.4	31.00	480	18.90	0.84	0.03
316XL	316XL1890	XL	158	802.6	31.60	480	18.90	0.85	0.03
320XL	320XL1890	XL	160	812.8	32.00	480	18.90	0.86	0.03
322XL	322XL1890	XL	161	817.9	32.20	480	18.90	0.87	0.03
330XL	330XL1890	XL	165	838.2	33.00	480	18.90	0.89	0.04
340XL	340XL1890	XL	170	863.6	34.00	480	18.90	0.92	0.04
344XL	344XL1890	XL	172	873.8	34.40	480	18.90	0.93	0.04
348XL	348XL1890	XL	174	883.9	34.80	480	18.90	0.94	0.04
350XL	350XL1890	XL	175	889.0	35.00	480	18.90	0.94	0.04
352XL	352XL1890	XL	176	894.1	35.20	480	18.90	0.95	0.04
360XL	360XL1890	XL	180	914.4	36.00	480	18.90	0.97	0.04
362XL	362XL1890	XL	181	919.5	36.20	480	18.90	0.98	0.04
364XL	364XL1890	XL	182	924.6	36.40	480	18.90	0.98	0.04
370XL	370XL1890	XL	185	939.8	37.00	480	18.90	1.00	0.04
380XL	380XL1890	XL	190	965.2	38.00	480	18.90	1.02	0.04
384XL	384XL1890	XL	192	975.4	38.40	480	18.90	1.03	0.04
388XL	388XL1890	XL	194	985.5	38.80	480	18.90	1.05	0.04
390XL	390XL1890	XL	195	990.6	39.00	480	18.90	1.05	0.04
392XL	392XL1890	XL	196	995.7	39.20	480	18.90	1.06	0.04
400XL	400XL1890	XL	200	1016.0	40.00	480	18.90	1.08	0.04
412XL	412XL1890	XL	206	1046.5	41.20	480	18.90	1.11	0.04
414XL	414XL1890	XL	207	1051.6	41.40	480	18.90	1.12	0.04
420XL	420XL1890	XL	210	1066.8	42.00	480	18.90	1.13	0.04
424XL	424XL1890	XL	212	1077.0	42.40	480	18.90	1.14	0.04
432XL	432XL1890	XL	216	1097.3	43.20	480	18.90	1.16	0.05

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
450XL	450XL1890	XL	225	1143.0	45.00	480	18.90	1.21	0.05
460XL	460XL1890	XL	230	1168.4	46.00	480	18.90	1.24	0.05
480XL	480XL1890	XL	240	1219.2	48.00	480	18.90	1.29	0.05
492XL	492XL1890	XL	246	1249.7	49.20	480	18.90	1.33	0.05
500XL	500XL1890	XL	250	1270.0	50.00	480	18.90	1.35	0.05
514XL	514XL1890	XL	257	1305.6	51.40	480	18.90	1.38	0.05
580XL	580XL1890	XL	290	1473.2	58.00	480	18.90	1.56	0.06
600XL	600XL1890	XL	300	1524.0	60.00	480	18.90	1.62	0.06
612XL	612XL1890	XL	306	1554.5	61.20	480	18.90	1.65	0.06
630XL	630XL1890	XL	315	1600.2	63.00	480	18.90	1.70	0.07
770XL	770XL1890	XL	385	1955.8	77.00	480	18.90	2.07	0.08
124L	124L1850	L	33	314.3	12.38	470	18.50	0.54	0.02
135L	135L1850	L	36	342.9	13.50	470	18.50	0.59	0.02
150L	150L1850	L	40	381.0	15.00	470	18.50	0.65	0.03
154L	154L1850	L	41	390.5	15.38	470	18.50	0.67	0.03
158L	158L1850	L	42	400.1	15.75	470	18.50	0.68	0.03
165L	165L1850	L	44	419.1	16.50	470	18.50	0.72	0.03
173L	173L1850	L	46	438.2	17.25	470	18.50	0.75	0.03
176L	176L1850	L	47	447.7	17.63	470	18.50	0.77	0.03
188L	188L1850	L	50	476.3	18.75	470	18.50	0.81	0.03
195L	195L1850	L	52	495.3	19.50	470	18.50	0.85	0.03
199L	199L1850	L	53	504.8	19.88	470	18.50	0.86	0.03
203L	203L1850	L	54	514.4	20.25	470	18.50	0.88	0.03
210L	210L1850	L	56	533.4	21.00	470	18.50	0.91	0.04
218L	218L1850	L	58	552.5	21.75	470	18.50	0.95	0.04
225L	225L1850	L	60	571.5	22.50	470	18.50	0.98	0.04
240L	240L1850	L	64	609.6	24.00	470	18.50	1.04	0.04
244L	244L1850	L	65	619.1	24.38	470	18.50	1.06	0.04
248L	248L1850	L	66	628.6	24.75	470	18.50	1.08	0.04
255L	255L1850	L	68	647.7	25.50	470	18.50	1.11	0.04
263L	263L1850	L	70	666.8	26.25	470	18.50	1.14	0.04
270L	270L1850	L	72	685.8	27.00	470	18.50	1.17	0.05

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
285L	285L1850	L	76	723.9	28.50	470	18.50	1.24	0.05
300L	300L1850	L	80	762.0	30.00	470	18.50	1.30	0.05
315L	315L1850	L	84	800.1	31.50	470	18.50	1.37	0.05
323L	323L1850	L	86	819.1	32.25	470	18.50	1.40	0.06
334L	334L1850	L	89	847.7	33.38	470	18.50	1.45	0.06
345L	345L1850	L	92	876.3	34.50	470	18.50	1.50	0.06
368L	368L1850	L	98	933.5	36.75	470	18.50	1.60	0.06
375L	375L1850	L	100	952.5	37.50	470	18.50	1.63	0.06
390L	390L1850	L	104	990.6	39.00	470	18.50	1.69	0.07
405L	405L1850	L	108	1028.7	40.50	470	18.50	1.76	0.07
413L	413L1850	L	110	1047.8	41.25	470	18.50	1.79	0.07
420L	420L1850	L	112	1066.8	42.00	470	18.50	1.83	0.07
450L	450L1850	L	120	1143.0	45.00	470	18.50	1.96	0.08
454L	454L1850	L	121	1152.5	45.38	470	18.50	1.97	0.08
480L	480L1850	L	128	1219.2	48.00	470	18.50	2.09	0.08
510L	510L1850	L	136	1295.4	51.00	470	18.50	2.22	0.09
540L	540L1850	L	144	1371.6	54.00	470	18.50	2.35	0.09
570L	570L1850	L	152	1447.8	57.00	470	18.50	2.48	0.10
581L	581L1850	L	155	1476.4	58.13	470	18.50	2.53	0.10
600L	600L1850	L	160	1524.0	60.00	470	18.50	2.61	0.10
630L	630L1850	L	168	1600.2	63.00	470	18.50	2.74	0.11
660L	660L1850	L	176	1676.4	66.00	470	18.50	2.87	0.11
728L	728L1850	L	194	1847.9	72.75	470	18.50	3.16	0.12
731L	731L1850	L	195	1857.4	73.13	470	18.50	3.18	0.13
818L	818L1850	L	218	2076.5	81.75	470	18.50	3.55	0.14
900L	900L1850	L	240	2286.0	90.00	470	18.50	3.91	0.15
915L	915L1654	L	244	2324.1	91.50	420	16.54	3.55	0.14
210H	210H1811	H	42	533.4	21.00	460	18.11	1.16	0.05
220H	220H1811	H	44	558.8	22.00	460	18.11	1.22	0.05
225H	225H1811	H	45	571.5	22.50	460	18.11	1.25	0.05
230H	230H1811	H	46	584.2	23.00	460	18.11	1.27	0.05
240H	240H1811	H	48	609.6	24.00	460	18.11	1.33	0.05

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
255H	255H1811	H	51	647.7	25.50	460	18.11	1.41	0.06
270H	270H1811	H	54	685.8	27.00	460	18.11	1.50	0.06
300H	300H1811	H	60	762.0	30.00	460	18.11	1.66	0.07
310H	310H1811	H	62	787.4	31.00	460	18.11	1.72	0.07
315H	315H1811	H	63	800.1	31.50	460	18.11	1.74	0.07
320H	320H1811	H	64	812.8	32.00	460	18.11	1.77	0.07
330H	330H1811	H	66	838.2	33.00	460	18.11	1.83	0.07
335H	335H1811	H	67	850.9	33.50	460	18.11	1.86	0.07
340H	340H1811	H	68	863.6	34.00	460	18.11	1.88	0.07
350H	350H1811	H	70	889.0	35.00	460	18.11	1.94	0.08
360H	360H1811	H	72	914.4	36.00	460	18.11	1.99	0.08
370H	370H1811	H	74	939.8	37.00	460	18.11	2.05	0.08
390H	390H1811	H	78	990.6	39.00	460	18.11	2.16	0.09
400H	400H1811	H	80	1016.0	40.00	460	18.11	2.22	0.09
410H	410H1811	H	82	1041.4	41.00	460	18.11	2.27	0.09
420H	420H1811	H	84	1066.8	42.00	460	18.11	2.33	0.09
445H	445H1811	H	89	1130.3	44.50	460	18.11	2.46	0.10
450H	450H1811	H	90	1143.0	45.00	460	18.11	2.49	0.10
455H	455H1811	H	91	1155.7	45.50	460	18.11	2.52	0.10
465H	465H1811	H	93	1181.1	46.50	460	18.11	2.58	0.10
480H	480H1811	H	96	1219.2	48.00	460	18.11	2.66	0.10
490H	490H1811	H	98	1244.6	49.00	460	18.11	2.71	0.11
510H	510H1811	H	102	1295.4	51.00	460	18.11	2.82	0.11
525H	525H1811	H	105	1333.5	52.50	460	18.11	2.91	0.11
540H	540H1811	H	108	1371.6	54.00	460	18.11	2.99	0.12
560H	560H1811	H	112	1422.4	56.00	460	18.11	3.10	0.12
570H	570H1811	H	114	1447.8	57.00	460	18.11	3.16	0.12
585H	585H1811	H	117	1485.9	58.50	460	18.11	3.24	0.13
600H	600H1811	H	120	1524.0	60.00	460	18.11	3.32	0.13
605H	605H1811	H	121	1536.7	60.50	460	18.11	3.35	0.13
630H	630H1811	H	126	1600.2	63.00	460	18.11	3.49	0.14
645H	645H1811	H	129	1638.3	64.50	460	18.11	3.57	0.14

HT Power imperial - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
660H	660H1811	H	132	1676.4	66.00	460	18.11	3.66	0.14
700H	700H1811	H	140	1778.0	70.00	460	18.11	3.88	0.15
725H	725H1811	H	145	1841.5	72.50	460	18.11	4.02	0.16
730H	730H1811	H	146	1854.2	73.00	460	18.11	4.04	0.16
750H	750H1811	H	150	1905.0	75.00	460	18.11	4.15	0.16
780H	780H1811	H	156	1981.2	78.00	460	18.11	4.32	0.17
800H	800H1811	H	160	2032.0	80.00	460	18.11	4.43	0.17
810H	810H1811	H	162	2057.4	81.00	460	18.11	4.49	0.18
820H	820H1811	H	164	2082.8	82.00	460	18.11	4.54	0.18
840H	840H1811	H	168	2133.6	84.00	460	18.11	4.65	0.18
850H	850H1811	H	170	2159.0	85.00	460	18.11	4.71	0.19
900H	900H1811	H	180	2286.0	90.00	460	18.11	4.98	0.20
950H	950H1614	H	190	2413.0	95.00	410	16.14	4.69	0.18
960H	960H1614	H	192	2438.4	96.00	410	16.14	4.74	0.19
1000H	1000H1614	H	200	2540.0	100.00	410	16.14	4.94	0.19
1100H	1100H1614	H	220	2794.0	110.00	410	16.14	5.43	0.21
1120H	1120H1614	H	224	2844.8	112.00	410	16.14	5.53	0.22
1140H	1140H1614	H	228	2895.6	114.00	410	16.14	5.63	0.22
1150H	1150H1614	H	230	2921.0	115.00	410	16.14	5.68	0.22
1180H	1180H1614	H	236	2997.2	118.00	410	16.14	5.82	0.23
1250H	1250H1614	H	250	3175.0	125.00	410	16.14	6.17	0.24
1325H	1325H1614	H	265	3365.5	132.50	410	16.14	6.54	0.26
1350H	1350H1614	H	270	3429.0	135.00	410	16.14	6.66	0.26
1400H	1400H1614	H	280	3556.0	140.00	410	16.14	6.91	0.27
1680H	1680H1614	H	336	4267.2	168.00	410	16.14	8.29	0.33
1700H	1700H1614	H	340	4318.0	170.00	410	16.14	8.39	0.33
2100H	2100H1614	H	420	5334.0	210.00	410	16.14	10.37	0.41

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
50XL025	XL	25	127.0	5.00	6.4	0.25	0.002	0.004
54XL025	XL	27	137.2	5.40	6.4	0.25	0.002	0.004
56XL025	XL	28	142.2	5.60	6.4	0.25	0.002	0.004
60XL025	XL	30	152.4	6.00	6.4	0.25	0.002	0.005
64XL025	XL	32	162.6	6.40	6.4	0.25	0.002	0.005
66XL025	XL	33	167.6	6.60	6.4	0.25	0.002	0.005
68XL025	XL	34	172.7	6.80	6.4	0.25	0.002	0.005
70XL025	XL	35	177.8	7.00	6.4	0.25	0.002	0.006
72XL025	XL	36	182.9	7.20	6.4	0.25	0.003	0.006
74XL025	XL	37	188.0	7.40	6.4	0.25	0.003	0.006
76XL025	XL	38	193.0	7.60	6.4	0.25	0.003	0.006
78XL025	XL	39	198.1	7.80	6.4	0.25	0.003	0.006
80XL025	XL	40	203.2	8.00	6.4	0.25	0.003	0.006
82XL025	XL	41	208.3	8.20	6.4	0.25	0.003	0.006
84XL025	XL	42	213.4	8.40	6.4	0.25	0.003	0.007
86XL025	XL	43	218.4	8.60	6.4	0.25	0.003	0.007
88XL025	XL	44	223.5	8.80	6.4	0.25	0.003	0.007
90XL025	XL	45	228.6	9.00	6.4	0.25	0.003	0.007
92XL025	XL	46	233.7	9.20	6.4	0.25	0.003	0.007
94XL025	XL	47	238.8	9.40	6.4	0.25	0.003	0.007
96XL025	XL	48	243.8	9.60	6.4	0.25	0.003	0.008
98XL025	XL	49	248.9	9.80	6.4	0.25	0.003	0.008
100XL025	XL	50	254.0	10.00	6.4	0.25	0.004	0.008
102XL025	XL	51	259.1	10.20	6.4	0.25	0.004	0.008
104XL025	XL	52	264.2	10.40	6.4	0.25	0.004	0.008
106XL025	XL	53	269.2	10.60	6.4	0.25	0.004	0.008
108XL025	XL	54	274.3	10.80	6.4	0.25	0.004	0.008
110XL025	XL	55	279.4	11.00	6.4	0.25	0.004	0.009
112XL025	XL	56	284.5	11.20	6.4	0.25	0.004	0.009
114XL025	XL	57	289.6	11.40	6.4	0.25	0.004	0.009
116XL025	XL	58	294.6	11.60	6.4	0.25	0.004	0.009
118XL025	XL	59	299.7	11.80	6.4	0.25	0.004	0.009

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
120XL025	XL	60	304.8	12.00	6.4	0.25	0.004	0.009
122XL025	XL	61	309.9	12.20	6.4	0.25	0.004	0.010
124XL025	XL	62	315.0	12.40	6.4	0.25	0.004	0.010
126XL025	XL	63	320.0	12.60	6.4	0.25	0.004	0.010
128XL025	XL	64	325.1	12.80	6.4	0.25	0.005	0.010
130XL025	XL	65	330.2	13.00	6.4	0.25	0.005	0.010
132XL025	XL	66	335.3	13.20	6.4	0.25	0.005	0.010
134XL025	XL	67	340.4	13.40	6.4	0.25	0.005	0.011
136XL025	XL	68	345.4	13.60	6.4	0.25	0.005	0.011
138XL025	XL	69	350.5	13.80	6.4	0.25	0.005	0.011
140XL025	XL	70	355.6	14.00	6.4	0.25	0.005	0.011
142XL025	XL	71	360.7	14.20	6.4	0.25	0.005	0.011
144XL025	XL	72	365.8	14.40	6.4	0.25	0.005	0.011
146XL025	XL	73	370.8	14.60	6.4	0.25	0.005	0.011
148XL025	XL	74	375.9	14.80	6.4	0.25	0.005	0.012
150XL025	XL	75	381.0	15.00	6.4	0.25	0.005	0.012
152XL025	XL	76	386.1	15.20	6.4	0.25	0.005	0.012
154XL025	XL	77	391.2	15.40	6.4	0.25	0.005	0.012
156XL025	XL	78	396.2	15.60	6.4	0.25	0.006	0.012
158XL025	XL	79	401.3	15.80	6.4	0.25	0.006	0.012
160XL025	XL	80	406.4	16.00	6.4	0.25	0.006	0.013
162XL025	XL	81	411.5	16.20	6.4	0.25	0.006	0.013
164XL025	XL	82	416.6	16.40	6.4	0.25	0.006	0.013
166XL025	XL	83	421.6	16.60	6.4	0.25	0.006	0.013
168XL025	XL	84	426.7	16.80	6.4	0.25	0.006	0.013
170XL025	XL	85	431.8	17.00	6.4	0.25	0.006	0.013
172XL025	XL	86	436.9	17.20	6.4	0.25	0.006	0.014
174XL025	XL	87	442.0	17.40	6.4	0.25	0.006	0.014
176XL025	XL	88	447.0	17.60	6.4	0.25	0.006	0.014
178XL025	XL	89	452.1	17.80	6.4	0.25	0.006	0.014
180XL025	XL	90	457.2	18.00	6.4	0.25	0.006	0.014

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
182XL025	XL	91	462.3	18.20	6.4	0.25	0.006	0.014
184XL025	XL	92	467.4	18.40	6.4	0.25	0.007	0.014
186XL025	XL	93	472.4	18.60	6.4	0.25	0.007	0.015
188XL025	XL	94	477.5	18.80	6.4	0.25	0.007	0.015
190XL025	XL	95	482.6	19.00	6.4	0.25	0.007	0.015
192XL025	XL	96	487.7	19.20	6.4	0.25	0.007	0.015
194XL025	XL	97	492.8	19.40	6.4	0.25	0.007	0.015
196XL025	XL	98	497.8	19.60	6.4	0.25	0.007	0.015
198XL025	XL	99	502.9	19.80	6.4	0.25	0.007	0.016
200XL025	XL	100	508.0	20.00	6.4	0.25	0.007	0.016
202XL025	XL	101	513.1	20.20	6.4	0.25	0.007	0.016
204XL025	XL	102	518.2	20.40	6.4	0.25	0.007	0.016
206XL025	XL	103	523.2	20.60	6.4	0.25	0.007	0.016
210XL025	XL	105	533.4	21.00	6.4	0.25	0.007	0.017
212XL025	XL	106	538.5	21.20	6.4	0.25	0.008	0.017
214XL025	XL	107	543.6	21.40	6.4	0.25	0.008	0.017
218XL025	XL	109	553.7	21.80	6.4	0.25	0.008	0.017
220XL025	XL	110	558.8	22.00	6.4	0.25	0.008	0.017
222XL025	XL	111	563.9	22.20	6.4	0.25	0.008	0.017
228XL025	XL	114	579.1	22.80	6.4	0.25	0.008	0.018
230XL025	XL	115	584.2	23.00	6.4	0.25	0.008	0.018
234XL025	XL	117	594.4	23.40	6.4	0.25	0.008	0.018
236XL025	XL	118	599.4	23.60	6.4	0.25	0.008	0.019
240XL025	XL	120	609.6	24.00	6.4	0.25	0.009	0.019
244XL025	XL	122	619.8	24.40	6.4	0.25	0.009	0.019
248XL025	XL	124	629.9	24.80	6.4	0.25	0.009	0.019
250XL025	XL	125	635.0	25.00	6.4	0.25	0.009	0.020
254XL025	XL	127	645.2	25.40	6.4	0.25	0.009	0.020
260XL025	XL	130	660.4	26.00	6.4	0.25	0.009	0.020
262XL025	XL	131	665.5	26.20	6.4	0.25	0.009	0.021
268XL025	XL	134	680.7	26.80	6.4	0.25	0.010	0.021
270XL025	XL	135	685.8	27.00	6.4	0.25	0.010	0.021

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
274XL025	XL	137	696.0	27.40	6.4	0.25	0.010	0.022
276XL025	XL	138	701.0	27.60	6.4	0.25	0.010	0.022
280XL025	XL	140	711.2	28.00	6.4	0.25	0.010	0.022
286XL025	XL	143	726.4	28.60	6.4	0.25	0.010	0.022
290XL025	XL	145	736.6	29.00	6.4	0.25	0.010	0.023
296XL025	XL	148	751.8	29.60	6.4	0.25	0.011	0.023
300XL025	XL	150	762.0	30.00	6.4	0.25	0.011	0.024
306XL025	XL	153	777.2	30.60	6.4	0.25	0.011	0.024
310XL025	XL	155	787.4	31.00	6.4	0.25	0.011	0.024
316XL025	XL	158	802.6	31.60	6.4	0.25	0.011	0.025
320XL025	XL	160	812.8	32.00	6.4	0.25	0.011	0.025
322XL025	XL	161	817.9	32.20	6.4	0.25	0.011	0.025
330XL025	XL	165	838.2	33.00	6.4	0.25	0.012	0.026
340XL025	XL	170	863.6	34.00	6.4	0.25	0.012	0.027
344XL025	XL	172	873.8	34.40	6.4	0.25	0.012	0.027
348XL025	XL	174	883.9	34.80	6.4	0.25	0.012	0.027
350XL025	XL	175	889.0	35.00	6.4	0.25	0.012	0.028
352XL025	XL	176	894.1	35.20	6.4	0.25	0.013	0.028
360XL025	XL	180	914.4	36.00	6.4	0.25	0.013	0.028
362XL025	XL	181	919.5	36.20	6.4	0.25	0.013	0.028
364XL025	XL	182	924.6	36.40	6.4	0.25	0.013	0.029
370XL025	XL	185	939.8	37.00	6.4	0.25	0.013	0.029
380XL025	XL	190	965.2	38.00	6.4	0.25	0.014	0.030
384XL025	XL	192	975.4	38.40	6.4	0.25	0.014	0.030
388XL025	XL	194	985.5	38.80	6.4	0.25	0.014	0.030
390XL025	XL	195	990.6	39.00	6.4	0.25	0.014	0.031
392XL025	XL	196	995.7	39.20	6.4	0.25	0.014	0.031
400XL025	XL	200	1016.0	40.00	6.4	0.25	0.014	0.031
412XL025	XL	206	1046.5	41.20	6.4	0.25	0.015	0.032
414XL025	XL	207	1051.6	41.40	6.4	0.25	0.015	0.033
420XL025	XL	210	1066.8	42.00	6.4	0.25	0.015	0.033
424XL025	XL	212	1077.0	42.40	6.4	0.25	0.015	0.033

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
432XL025	XL	216	1097.3	43.20	6.4	0.25	0.015	0.034
450XL025	XL	225	1143.0	45.00	6.4	0.25	0.016	0.035
460XL025	XL	230	1168.4	46.00	6.4	0.25	0.016	0.036
480XL025	XL	240	1219.2	48.00	6.4	0.25	0.017	0.038
492XL025	XL	246	1249.7	49.20	6.4	0.25	0.018	0.039
500XL025	XL	250	1270.0	50.00	6.4	0.25	0.018	0.039
514XL025	XL	257	1305.6	51.40	6.4	0.25	0.018	0.040
580XL025	XL	290	1473.2	58.00	6.4	0.25	0.021	0.046
592XL025	XL	296	1503.7	59.20	6.4	0.25	0.021	0.047
600XL025	XL	300	1524.0	60.00	6.4	0.25	0.021	0.047
612XL025	XL	306	1554.5	61.20	6.4	0.25	0.022	0.048
630XL025	XL	315	1600.2	63.00	6.4	0.25	0.022	0.050
770XL025	XL	385	1955.8	77.00	6.4	0.25	0.027	0.061
50XL031	XL	25	127.0	5.00	7.9	0.31	0.002	0.005
54XL031	XL	27	137.2	5.40	7.9	0.31	0.002	0.005
56XL031	XL	28	142.2	5.60	7.9	0.31	0.002	0.006
60XL031	XL	30	152.4	6.00	7.9	0.31	0.003	0.006
64XL031	XL	32	162.6	6.40	7.9	0.31	0.003	0.006
66XL031	XL	33	167.6	6.60	7.9	0.31	0.003	0.006
68XL031	XL	34	172.7	6.80	7.9	0.31	0.003	0.007
70XL031	XL	35	177.8	7.00	7.9	0.31	0.003	0.007
72XL031	XL	36	182.9	7.20	7.9	0.31	0.003	0.007
74XL031	XL	37	188.0	7.40	7.9	0.31	0.003	0.007
76XL031	XL	38	193.0	7.60	7.9	0.31	0.003	0.007
78XL031	XL	39	198.1	7.80	7.9	0.31	0.003	0.008
80XL031	XL	40	203.2	8.00	7.9	0.31	0.004	0.008
82XL031	XL	41	208.3	8.20	7.9	0.31	0.004	0.008
84XL031	XL	42	213.4	8.40	7.9	0.31	0.004	0.008
86XL031	XL	43	218.4	8.60	7.9	0.31	0.004	0.008
88XL031	XL	44	223.5	8.80	7.9	0.31	0.004	0.009
90XL031	XL	45	228.6	9.00	7.9	0.31	0.004	0.009
92XL031	XL	46	233.7	9.20	7.9	0.31	0.004	0.009

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
94XL031	XL	47	238.8	9.40	7.9	0.31	0.004	0.009
96XL031	XL	48	243.8	9.60	7.9	0.31	0.004	0.009
98XL031	XL	49	248.9	9.80	7.9	0.31	0.004	0.010
100XL031	XL	50	254.0	10.00	7.9	0.31	0.004	0.010
102XL031	XL	51	259.1	10.20	7.9	0.31	0.005	0.010
104XL031	XL	52	264.2	10.40	7.9	0.31	0.005	0.010
106XL031	XL	53	269.2	10.60	7.9	0.31	0.005	0.010
108XL031	XL	54	274.3	10.80	7.9	0.31	0.005	0.011
110XL031	XL	55	279.4	11.00	7.9	0.31	0.005	0.011
112XL031	XL	56	284.5	11.20	7.9	0.31	0.005	0.011
114XL031	XL	57	289.6	11.40	7.9	0.31	0.005	0.011
116XL031	XL	58	294.6	11.60	7.9	0.31	0.005	0.011
118XL031	XL	59	299.7	11.80	7.9	0.31	0.005	0.012
120XL031	XL	60	304.8	12.00	7.9	0.31	0.005	0.012
122XL031	XL	61	309.9	12.20	7.9	0.31	0.005	0.012
124XL031	XL	62	315.0	12.40	7.9	0.31	0.006	0.012
126XL031	XL	63	320.0	12.60	7.9	0.31	0.006	0.012
128XL031	XL	64	325.1	12.80	7.9	0.31	0.006	0.013
130XL031	XL	65	330.2	13.00	7.9	0.31	0.006	0.013
132XL031	XL	66	335.3	13.20	7.9	0.31	0.006	0.013
134XL031	XL	67	340.4	13.40	7.9	0.31	0.006	0.013
136XL031	XL	68	345.4	13.60	7.9	0.31	0.006	0.013
138XL031	XL	69	350.5	13.80	7.9	0.31	0.006	0.014
140XL031	XL	70	355.6	14.00	7.9	0.31	0.006	0.014
142XL031	XL	71	360.7	14.20	7.9	0.31	0.006	0.014
144XL031	XL	72	365.8	14.40	7.9	0.31	0.006	0.014
146XL031	XL	73	370.8	14.60	7.9	0.31	0.007	0.014
148XL031	XL	74	375.9	14.80	7.9	0.31	0.007	0.015
150XL031	XL	75	381.0	15.00	7.9	0.31	0.007	0.015
152XL031	XL	76	386.1	15.20	7.9	0.31	0.007	0.015
154XL031	XL	77	391.2	15.40	7.9	0.31	0.007	0.015
156XL031	XL	78	396.2	15.60	7.9	0.31	0.007	0.015

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
158XL031	XL	79	401.3	15.80	7.9	0.31	0.007	0.016
160XL031	XL	80	406.4	16.00	7.9	0.31	0.007	0.016
162XL031	XL	81	411.5	16.20	7.9	0.31	0.007	0.016
164XL031	XL	82	416.6	16.40	7.9	0.31	0.007	0.016
166XL031	XL	83	421.6	16.60	7.9	0.31	0.007	0.016
168XL031	XL	84	426.7	16.80	7.9	0.31	0.007	0.017
170XL031	XL	85	431.8	17.00	7.9	0.31	0.008	0.017
172XL031	XL	86	436.9	17.20	7.9	0.31	0.008	0.017
174XL031	XL	87	442.0	17.40	7.9	0.31	0.008	0.017
176XL031	XL	88	447.0	17.60	7.9	0.31	0.008	0.017
178XL031	XL	89	452.1	17.80	7.9	0.31	0.008	0.017
180XL031	XL	90	457.2	18.00	7.9	0.31	0.008	0.018
182XL031	XL	91	462.3	18.20	7.9	0.31	0.008	0.018
184XL031	XL	92	467.4	18.40	7.9	0.31	0.008	0.018
186XL031	XL	93	472.4	18.60	7.9	0.31	0.008	0.018
188XL031	XL	94	477.5	18.80	7.9	0.31	0.008	0.018
190XL031	XL	95	482.6	19.00	7.9	0.31	0.008	0.019
192XL031	XL	96	487.7	19.20	7.9	0.31	0.009	0.019
194XL031	XL	97	492.8	19.40	7.9	0.31	0.009	0.019
196XL031	XL	98	497.8	19.60	7.9	0.31	0.009	0.019
198XL031	XL	99	502.9	19.80	7.9	0.31	0.009	0.019
200XL031	XL	100	508.0	20.00	7.9	0.31	0.009	0.020
202XL031	XL	101	513.1	20.20	7.9	0.31	0.009	0.020
204XL031	XL	102	518.2	20.40	7.9	0.31	0.009	0.020
206XL031	XL	103	523.2	20.60	7.9	0.31	0.009	0.020
210XL031	XL	105	533.4	21.00	7.9	0.31	0.009	0.021
212XL031	XL	106	538.5	21.20	7.9	0.31	0.009	0.021
214XL031	XL	107	543.6	21.40	7.9	0.31	0.010	0.021
218XL031	XL	109	553.7	21.80	7.9	0.31	0.010	0.021
220XL031	XL	110	558.8	22.00	7.9	0.31	0.010	0.022
222XL031	XL	111	563.9	22.20	7.9	0.31	0.010	0.022
228XL031	XL	114	579.1	22.80	7.9	0.31	0.010	0.022

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
230XL031	XL	115	584.2	23.00	7.9	0.31	0.010	0.023
234XL031	XL	117	594.4	23.40	7.9	0.31	0.010	0.023
236XL031	XL	118	599.4	23.60	7.9	0.31	0.011	0.023
240XL031	XL	120	609.6	24.00	7.9	0.31	0.011	0.024
244XL031	XL	122	619.8	24.40	7.9	0.31	0.011	0.024
248XL031	XL	124	629.9	24.80	7.9	0.31	0.011	0.024
250XL031	XL	125	635.0	25.00	7.9	0.31	0.011	0.025
254XL031	XL	127	645.2	25.40	7.9	0.31	0.011	0.025
260XL031	XL	130	660.4	26.00	7.9	0.31	0.012	0.026
262XL031	XL	131	665.5	26.20	7.9	0.31	0.012	0.026
268XL031	XL	134	680.7	26.80	7.9	0.31	0.012	0.026
270XL031	XL	135	685.8	27.00	7.9	0.31	0.012	0.027
274XL031	XL	137	696.0	27.40	7.9	0.31	0.012	0.027
276XL031	XL	138	701.0	27.60	7.9	0.31	0.012	0.027
280XL031	XL	140	711.2	28.00	7.9	0.31	0.012	0.028
286XL031	XL	143	726.4	28.60	7.9	0.31	0.013	0.028
290XL031	XL	145	736.6	29.00	7.9	0.31	0.013	0.028
296XL031	XL	148	751.8	29.60	7.9	0.31	0.013	0.029
300XL031	XL	150	762.0	30.00	7.9	0.31	0.013	0.029
306XL031	XL	153	777.2	30.60	7.9	0.31	0.014	0.030
310XL031	XL	155	787.4	31.00	7.9	0.31	0.014	0.030
316XL031	XL	158	802.6	31.60	7.9	0.31	0.014	0.031
320XL031	XL	160	812.8	32.00	7.9	0.31	0.014	0.031
322XL031	XL	161	817.9	32.20	7.9	0.31	0.014	0.032
330XL031	XL	165	838.2	33.00	7.9	0.31	0.015	0.032
340XL031	XL	170	863.6	34.00	7.9	0.31	0.015	0.033
344XL031	XL	172	873.8	34.40	7.9	0.31	0.015	0.034
348XL031	XL	174	883.9	34.80	7.9	0.31	0.016	0.034
350XL031	XL	175	889.0	35.00	7.9	0.31	0.016	0.034
352XL031	XL	176	894.1	35.20	7.9	0.31	0.016	0.035
360XL031	XL	180	914.4	36.00	7.9	0.31	0.016	0.035
362XL031	XL	181	919.5	36.20	7.9	0.31	0.016	0.036

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
364XL031	XL	182	924.6	36.40	7.9	0.31	0.016	0.036
370XL031	XL	185	939.8	37.00	7.9	0.31	0.016	0.036
380XL031	XL	190	965.2	38.00	7.9	0.31	0.017	0.037
384XL031	XL	192	975.4	38.40	7.9	0.31	0.017	0.038
388XL031	XL	194	985.5	38.80	7.9	0.31	0.017	0.038
390XL031	XL	195	990.6	39.00	7.9	0.31	0.017	0.038
392XL031	XL	196	995.7	39.20	7.9	0.31	0.017	0.039
400XL031	XL	200	1016.0	40.00	7.9	0.31	0.018	0.039
412XL031	XL	206	1046.5	41.20	7.9	0.31	0.018	0.040
414XL031	XL	207	1051.6	41.40	7.9	0.31	0.018	0.041
420XL031	XL	210	1066.8	42.00	7.9	0.31	0.019	0.041
424XL031	XL	212	1077.0	42.40	7.9	0.31	0.019	0.042
432XL031	XL	216	1097.3	43.20	7.9	0.31	0.019	0.042
450XL031	XL	225	1143.0	45.00	7.9	0.31	0.020	0.044
460XL031	XL	230	1168.4	46.00	7.9	0.31	0.020	0.045
480XL031	XL	240	1219.2	48.00	7.9	0.31	0.021	0.047
492XL031	XL	246	1249.7	49.20	7.9	0.31	0.022	0.048
500XL031	XL	250	1270.0	50.00	7.9	0.31	0.022	0.049
514XL031	XL	257	1305.6	51.40	7.9	0.31	0.023	0.050
580XL031	XL	290	1473.2	58.00	7.9	0.31	0.026	0.057
592XL031	XL	296	1503.7	59.20	7.9	0.31	0.026	0.058
600XL031	XL	300	1524.0	60.00	7.9	0.31	0.027	0.059
612XL031	XL	306	1554.5	61.20	7.9	0.31	0.027	0.060
630XL031	XL	315	1600.2	63.00	7.9	0.31	0.028	0.062
770XL031	XL	385	1955.8	77.00	7.9	0.31	0.034	0.076
50XL037	XL	25	127.0	5.00	9.5	0.38	0.003	0.006
54XL037	XL	27	137.2	5.40	9.5	0.38	0.003	0.006
56XL037	XL	28	142.2	5.60	9.5	0.38	0.003	0.007
60XL037	XL	30	152.4	6.00	9.5	0.38	0.003	0.007
64XL037	XL	32	162.6	6.40	9.5	0.38	0.003	0.008
66XL037	XL	33	167.6	6.60	9.5	0.38	0.004	0.008
68XL037	XL	34	172.7	6.80	9.5	0.38	0.004	0.008

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
70XL037	XL	35	177.8	7.00	9.5	0.38	0.004	0.008
72XL037	XL	36	182.9	7.20	9.5	0.38	0.004	0.008
74XL037	XL	37	188.0	7.40	9.5	0.38	0.004	0.009
76XL037	XL	38	193.0	7.60	9.5	0.38	0.004	0.009
78XL037	XL	39	198.1	7.80	9.5	0.38	0.004	0.009
80XL037	XL	40	203.2	8.00	9.5	0.38	0.004	0.009
82XL037	XL	41	208.3	8.20	9.5	0.38	0.004	0.010
84XL037	XL	42	213.4	8.40	9.5	0.38	0.004	0.010
86XL037	XL	43	218.4	8.60	9.5	0.38	0.005	0.010
88XL037	XL	44	223.5	8.80	9.5	0.38	0.005	0.010
90XL037	XL	45	228.6	9.00	9.5	0.38	0.005	0.011
92XL037	XL	46	233.7	9.20	9.5	0.38	0.005	0.011
94XL037	XL	47	238.8	9.40	9.5	0.38	0.005	0.011
96XL037	XL	48	243.8	9.60	9.5	0.38	0.005	0.011
98XL037	XL	49	248.9	9.80	9.5	0.38	0.005	0.012
100XL037	XL	50	254.0	10.00	9.5	0.38	0.005	0.012
102XL037	XL	51	259.1	10.20	9.5	0.38	0.005	0.012
104XL037	XL	52	264.2	10.40	9.5	0.38	0.006	0.012
106XL037	XL	53	269.2	10.60	9.5	0.38	0.006	0.012
108XL037	XL	54	274.3	10.80	9.5	0.38	0.006	0.013
110XL037	XL	55	279.4	11.00	9.5	0.38	0.006	0.013
112XL037	XL	56	284.5	11.20	9.5	0.38	0.006	0.013
114XL037	XL	57	289.6	11.40	9.5	0.38	0.006	0.013
116XL037	XL	58	294.6	11.60	9.5	0.38	0.006	0.014
118XL037	XL	59	299.7	11.80	9.5	0.38	0.006	0.014
120XL037	XL	60	304.8	12.00	9.5	0.38	0.006	0.014
122XL037	XL	61	309.9	12.20	9.5	0.38	0.007	0.014
124XL037	XL	62	315.0	12.40	9.5	0.38	0.007	0.015
126XL037	XL	63	320.0	12.60	9.5	0.38	0.007	0.015
128XL037	XL	64	325.1	12.80	9.5	0.38	0.007	0.015
130XL037	XL	65	330.2	13.00	9.5	0.38	0.007	0.015
132XL037	XL	66	335.3	13.20	9.5	0.38	0.007	0.016

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
134XL037	XL	67	340.4	13.40	9.5	0.38	0.007	0.016
136XL037	XL	68	345.4	13.60	9.5	0.38	0.007	0.016
138XL037	XL	69	350.5	13.80	9.5	0.38	0.007	0.016
140XL037	XL	70	355.6	14.00	9.5	0.38	0.007	0.017
142XL037	XL	71	360.7	14.20	9.5	0.38	0.008	0.017
144XL037	XL	72	365.8	14.40	9.5	0.38	0.008	0.017
146XL037	XL	73	370.8	14.60	9.5	0.38	0.008	0.017
148XL037	XL	74	375.9	14.80	9.5	0.38	0.008	0.017
150XL037	XL	75	381.0	15.00	9.5	0.38	0.008	0.018
152XL037	XL	76	386.1	15.20	9.5	0.38	0.008	0.018
154XL037	XL	77	391.2	15.40	9.5	0.38	0.008	0.018
156XL037	XL	78	396.2	15.60	9.5	0.38	0.008	0.018
158XL037	XL	79	401.3	15.80	9.5	0.38	0.008	0.019
160XL037	XL	80	406.4	16.00	9.5	0.38	0.009	0.019
162XL037	XL	81	411.5	16.20	9.5	0.38	0.009	0.019
164XL037	XL	82	416.6	16.40	9.5	0.38	0.009	0.019
166XL037	XL	83	421.6	16.60	9.5	0.38	0.009	0.020
168XL037	XL	84	426.7	16.80	9.5	0.38	0.009	0.020
170XL037	XL	85	431.8	17.00	9.5	0.38	0.009	0.020
172XL037	XL	86	436.9	17.20	9.5	0.38	0.009	0.020
174XL037	XL	87	442.0	17.40	9.5	0.38	0.009	0.021
176XL037	XL	88	447.0	17.60	9.5	0.38	0.009	0.021
178XL037	XL	89	452.1	17.80	9.5	0.38	0.010	0.021
180XL037	XL	90	457.2	18.00	9.5	0.38	0.010	0.021
182XL037	XL	91	462.3	18.20	9.5	0.38	0.010	0.021
184XL037	XL	92	467.4	18.40	9.5	0.38	0.010	0.022
186XL037	XL	93	472.4	18.60	9.5	0.38	0.010	0.022
188XL037	XL	94	477.5	18.80	9.5	0.38	0.010	0.022
190XL037	XL	95	482.6	19.00	9.5	0.38	0.010	0.022
192XL037	XL	96	487.7	19.20	9.5	0.38	0.010	0.023
194XL037	XL	97	492.8	19.40	9.5	0.38	0.010	0.023
196XL037	XL	98	497.8	19.60	9.5	0.38	0.010	0.023

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
198XL037	XL	99	502.9	19.80	9.5	0.38	0.011	0.023
200XL037	XL	100	508.0	20.00	9.5	0.38	0.011	0.024
202XL037	XL	101	513.1	20.20	9.5	0.38	0.011	0.024
204XL037	XL	102	518.2	20.40	9.5	0.38	0.011	0.024
206XL037	XL	103	523.2	20.60	9.5	0.38	0.011	0.024
210XL037	XL	105	533.4	21.00	9.5	0.38	0.011	0.025
212XL037	XL	106	538.5	21.20	9.5	0.38	0.011	0.025
214XL037	XL	107	543.6	21.40	9.5	0.38	0.011	0.025
218XL037	XL	109	553.7	21.80	9.5	0.38	0.012	0.026
220XL037	XL	110	558.8	22.00	9.5	0.38	0.012	0.026
222XL037	XL	111	563.9	22.20	9.5	0.38	0.012	0.026
228XL037	XL	114	579.1	22.80	9.5	0.38	0.012	0.027
230XL037	XL	115	584.2	23.00	9.5	0.38	0.012	0.027
234XL037	XL	117	594.4	23.40	9.5	0.38	0.013	0.028
236XL037	XL	118	599.4	23.60	9.5	0.38	0.013	0.028
240XL037	XL	120	609.6	24.00	9.5	0.38	0.013	0.028
244XL037	XL	122	619.8	24.40	9.5	0.38	0.013	0.029
248XL037	XL	124	629.9	24.80	9.5	0.38	0.013	0.029
250XL037	XL	125	635.0	25.00	9.5	0.38	0.013	0.029
254XL037	XL	127	645.2	25.40	9.5	0.38	0.014	0.030
260XL037	XL	130	660.4	26.00	9.5	0.38	0.014	0.031
262XL037	XL	131	665.5	26.20	9.5	0.38	0.014	0.031
268XL037	XL	134	680.7	26.80	9.5	0.38	0.014	0.032
270XL037	XL	135	685.8	27.00	9.5	0.38	0.014	0.032
274XL037	XL	137	696.0	27.40	9.5	0.38	0.015	0.032
276XL037	XL	138	701.0	27.60	9.5	0.38	0.015	0.033
280XL037	XL	140	711.2	28.00	9.5	0.38	0.015	0.033
286XL037	XL	143	726.4	28.60	9.5	0.38	0.015	0.034
290XL037	XL	145	736.6	29.00	9.5	0.38	0.016	0.034
296XL037	XL	148	751.8	29.60	9.5	0.38	0.016	0.035
300XL037	XL	150	762.0	30.00	9.5	0.38	0.016	0.035
306XL037	XL	153	777.2	30.60	9.5	0.38	0.016	0.036

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
310XL037	XL	155	787.4	31.00	9.5	0.38	0.017	0.037
316XL037	XL	158	802.6	31.60	9.5	0.38	0.017	0.037
320XL037	XL	160	812.8	32.00	9.5	0.38	0.017	0.038
322XL037	XL	161	817.9	32.20	9.5	0.38	0.017	0.038
330XL037	XL	165	838.2	33.00	9.5	0.38	0.018	0.039
340XL037	XL	170	863.6	34.00	9.5	0.38	0.018	0.040
344XL037	XL	172	873.8	34.40	9.5	0.38	0.018	0.041
348XL037	XL	174	883.9	34.80	9.5	0.38	0.019	0.041
350XL037	XL	175	889.0	35.00	9.5	0.38	0.019	0.041
352XL037	XL	176	894.1	35.20	9.5	0.38	0.019	0.041
360XL037	XL	180	914.4	36.00	9.5	0.38	0.019	0.042
362XL037	XL	181	919.5	36.20	9.5	0.38	0.019	0.043
364XL037	XL	182	924.6	36.40	9.5	0.38	0.019	0.043
370XL037	XL	185	939.8	37.00	9.5	0.38	0.020	0.044
380XL037	XL	190	965.2	38.00	9.5	0.38	0.020	0.045
384XL037	XL	192	975.4	38.40	9.5	0.38	0.021	0.045
388XL037	XL	194	985.5	38.80	9.5	0.38	0.021	0.046
390XL037	XL	195	990.6	39.00	9.5	0.38	0.021	0.046
392XL037	XL	196	995.7	39.20	9.5	0.38	0.021	0.046
400XL037	XL	200	1016.0	40.00	9.5	0.38	0.021	0.047
412XL037	XL	206	1046.5	41.20	9.5	0.38	0.022	0.049
414XL037	XL	207	1051.6	41.40	9.5	0.38	0.022	0.049
420XL037	XL	210	1066.8	42.00	9.5	0.38	0.022	0.050
424XL037	XL	212	1077.0	42.40	9.5	0.38	0.023	0.050
432XL037	XL	216	1097.3	43.20	9.5	0.38	0.023	0.051
450XL037	XL	225	1143.0	45.00	9.5	0.38	0.024	0.053
460XL037	XL	230	1168.4	46.00	9.5	0.38	0.025	0.054
480XL037	XL	240	1219.2	48.00	9.5	0.38	0.026	0.057
492XL037	XL	246	1249.7	49.20	9.5	0.38	0.026	0.058
500XL037	XL	250	1270.0	50.00	9.5	0.38	0.027	0.059
514XL037	XL	257	1305.6	51.40	9.5	0.38	0.027	0.061
580XL037	XL	290	1473.2	58.00	9.5	0.38	0.031	0.068

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
592XL037	XL	296	1503.7	59.20	9.5	0.38	0.032	0.070
600XL037	XL	300	1524.0	60.00	9.5	0.38	0.032	0.071
612XL037	XL	306	1554.5	61.20	9.5	0.38	0.033	0.072
630XL037	XL	315	1600.2	63.00	9.5	0.38	0.034	0.074
770XL037	XL	385	1955.8	77.00	9.5	0.38	0.041	0.091
50XL050	XL	25	127.0	5.00	12.7	0.50	0.004	0.008
54XL050	XL	27	137.2	5.40	12.7	0.50	0.004	0.008
56XL050	XL	28	142.2	5.60	12.7	0.50	0.004	0.009
60XL050	XL	30	152.4	6.00	12.7	0.50	0.004	0.009
64XL050	XL	32	162.6	6.40	12.7	0.50	0.005	0.010
66XL050	XL	33	167.6	6.60	12.7	0.50	0.005	0.010
68XL050	XL	34	172.7	6.80	12.7	0.50	0.005	0.011
70XL050	XL	35	177.8	7.00	12.7	0.50	0.005	0.011
72XL050	XL	36	182.9	7.20	12.7	0.50	0.005	0.011
74XL050	XL	37	188.0	7.40	12.7	0.50	0.005	0.012
76XL050	XL	38	193.0	7.60	12.7	0.50	0.005	0.012
78XL050	XL	39	198.1	7.80	12.7	0.50	0.006	0.012
80XL050	XL	40	203.2	8.00	12.7	0.50	0.006	0.013
82XL050	XL	41	208.3	8.20	12.7	0.50	0.006	0.013
84XL050	XL	42	213.4	8.40	12.7	0.50	0.006	0.013
86XL050	XL	43	218.4	8.60	12.7	0.50	0.006	0.014
88XL050	XL	44	223.5	8.80	12.7	0.50	0.006	0.014
90XL050	XL	45	228.6	9.00	12.7	0.50	0.006	0.014
92XL050	XL	46	233.7	9.20	12.7	0.50	0.007	0.014
94XL050	XL	47	238.8	9.40	12.7	0.50	0.007	0.015
96XL050	XL	48	243.8	9.60	12.7	0.50	0.007	0.015
98XL050	XL	49	248.9	9.80	12.7	0.50	0.007	0.015
100XL050	XL	50	254.0	10.00	12.7	0.50	0.007	0.016
102XL050	XL	51	259.1	10.20	12.7	0.50	0.007	0.016
104XL050	XL	52	264.2	10.40	12.7	0.50	0.007	0.016
106XL050	XL	53	269.2	10.60	12.7	0.50	0.008	0.017
108XL050	XL	54	274.3	10.80	12.7	0.50	0.008	0.017

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
110XL050	XL	55	279.4	11.00	12.7	0.50	0.008	0.017
112XL050	XL	56	284.5	11.20	12.7	0.50	0.008	0.018
114XL050	XL	57	289.6	11.40	12.7	0.50	0.008	0.018
116XL050	XL	58	294.6	11.60	12.7	0.50	0.008	0.018
118XL050	XL	59	299.7	11.80	12.7	0.50	0.008	0.019
120XL050	XL	60	304.8	12.00	12.7	0.50	0.009	0.019
122XL050	XL	61	309.9	12.20	12.7	0.50	0.009	0.019
124XL050	XL	62	315.0	12.40	12.7	0.50	0.009	0.019
126XL050	XL	63	320.0	12.60	12.7	0.50	0.009	0.020
128XL050	XL	64	325.1	12.80	12.7	0.50	0.009	0.020
130XL050	XL	65	330.2	13.00	12.7	0.50	0.009	0.020
132XL050	XL	66	335.3	13.20	12.7	0.50	0.009	0.021
134XL050	XL	67	340.4	13.40	12.7	0.50	0.010	0.021
136XL050	XL	68	345.4	13.60	12.7	0.50	0.010	0.021
138XL050	XL	69	350.5	13.80	12.7	0.50	0.010	0.022
140XL050	XL	70	355.6	14.00	12.7	0.50	0.010	0.022
142XL050	XL	71	360.7	14.20	12.7	0.50	0.010	0.022
144XL050	XL	72	365.8	14.40	12.7	0.50	0.010	0.023
146XL050	XL	73	370.8	14.60	12.7	0.50	0.010	0.023
148XL050	XL	74	375.9	14.80	12.7	0.50	0.011	0.023
150XL050	XL	75	381.0	15.00	12.7	0.50	0.011	0.024
152XL050	XL	76	386.1	15.20	12.7	0.50	0.011	0.024
154XL050	XL	77	391.2	15.40	12.7	0.50	0.011	0.024
156XL050	XL	78	396.2	15.60	12.7	0.50	0.011	0.025
158XL050	XL	79	401.3	15.80	12.7	0.50	0.011	0.025
160XL050	XL	80	406.4	16.00	12.7	0.50	0.011	0.025
162XL050	XL	81	411.5	16.20	12.7	0.50	0.012	0.025
164XL050	XL	82	416.6	16.40	12.7	0.50	0.012	0.026
166XL050	XL	83	421.6	16.60	12.7	0.50	0.012	0.026
168XL050	XL	84	426.7	16.80	12.7	0.50	0.012	0.026
170XL050	XL	85	431.8	17.00	12.7	0.50	0.012	0.027
172XL050	XL	86	436.9	17.20	12.7	0.50	0.012	0.027

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
174XL050	XL	87	442.0	17.40	12.7	0.50	0.012	0.027
176XL050	XL	88	447.0	17.60	12.7	0.50	0.013	0.028
178XL050	XL	89	452.1	17.80	12.7	0.50	0.013	0.028
180XL050	XL	90	457.2	18.00	12.7	0.50	0.013	0.028
182XL050	XL	91	462.3	18.20	12.7	0.50	0.013	0.029
184XL050	XL	92	467.4	18.40	12.7	0.50	0.013	0.029
186XL050	XL	93	472.4	18.60	12.7	0.50	0.013	0.029
188XL050	XL	94	477.5	18.80	12.7	0.50	0.013	0.030
190XL050	XL	95	482.6	19.00	12.7	0.50	0.014	0.030
192XL050	XL	96	487.7	19.20	12.7	0.50	0.014	0.030
194XL050	XL	97	492.8	19.40	12.7	0.50	0.014	0.030
196XL050	XL	98	497.8	19.60	12.7	0.50	0.014	0.031
198XL050	XL	99	502.9	19.80	12.7	0.50	0.014	0.031
200XL050	XL	100	508.0	20.00	12.7	0.50	0.014	0.031
202XL050	XL	101	513.1	20.20	12.7	0.50	0.014	0.032
204XL050	XL	102	518.2	20.40	12.7	0.50	0.015	0.032
206XL050	XL	103	523.2	20.60	12.7	0.50	0.015	0.032
210XL050	XL	105	533.4	21.00	12.7	0.50	0.015	0.033
212XL050	XL	106	538.5	21.20	12.7	0.50	0.015	0.033
214XL050	XL	107	543.6	21.40	12.7	0.50	0.015	0.034
218XL050	XL	109	553.7	21.80	12.7	0.50	0.016	0.034
220XL050	XL	110	558.8	22.00	12.7	0.50	0.016	0.035
222XL050	XL	111	563.9	22.20	12.7	0.50	0.016	0.035
228XL050	XL	114	579.1	22.80	12.7	0.50	0.016	0.036
230XL050	XL	115	584.2	23.00	12.7	0.50	0.016	0.036
234XL050	XL	117	594.4	23.40	12.7	0.50	0.017	0.037
236XL050	XL	118	599.4	23.60	12.7	0.50	0.017	0.037
240XL050	XL	120	609.6	24.00	12.7	0.50	0.017	0.038
244XL050	XL	122	619.8	24.40	12.7	0.50	0.017	0.038
248XL050	XL	124	629.9	24.80	12.7	0.50	0.018	0.039
250XL050	XL	125	635.0	25.00	12.7	0.50	0.018	0.039
254XL050	XL	127	645.2	25.40	12.7	0.50	0.018	0.040

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
260XL050	XL	130	660.4	26.00	12.7	0.50	0.019	0.041
262XL050	XL	131	665.5	26.20	12.7	0.50	0.019	0.041
268XL050	XL	134	680.7	26.80	12.7	0.50	0.019	0.042
270XL050	XL	135	685.8	27.00	12.7	0.50	0.019	0.042
274XL050	XL	137	696.0	27.40	12.7	0.50	0.020	0.043
276XL050	XL	138	701.0	27.60	12.7	0.50	0.020	0.043
280XL050	XL	140	711.2	28.00	12.7	0.50	0.020	0.044
286XL050	XL	143	726.4	28.60	12.7	0.50	0.020	0.045
290XL050	XL	145	736.6	29.00	12.7	0.50	0.021	0.046
296XL050	XL	148	751.8	29.60	12.7	0.50	0.021	0.047
300XL050	XL	150	762.0	30.00	12.7	0.50	0.021	0.047
306XL050	XL	153	777.2	30.60	12.7	0.50	0.022	0.048
310XL050	XL	155	787.4	31.00	12.7	0.50	0.022	0.049
316XL050	XL	158	802.6	31.60	12.7	0.50	0.023	0.050
320XL050	XL	160	812.8	32.00	12.7	0.50	0.023	0.050
322XL050	XL	161	817.9	32.20	12.7	0.50	0.023	0.051
330XL050	XL	165	838.2	33.00	12.7	0.50	0.024	0.052
340XL050	XL	170	863.6	34.00	12.7	0.50	0.024	0.053
344XL050	XL	172	873.8	34.40	12.7	0.50	0.025	0.054
348XL050	XL	174	883.9	34.80	12.7	0.50	0.025	0.055
350XL050	XL	175	889.0	35.00	12.7	0.50	0.025	0.055
352XL050	XL	176	894.1	35.20	12.7	0.50	0.025	0.055
360XL050	XL	180	914.4	36.00	12.7	0.50	0.026	0.057
362XL050	XL	181	919.5	36.20	12.7	0.50	0.026	0.057
364XL050	XL	182	924.6	36.40	12.7	0.50	0.026	0.057
370XL050	XL	185	939.8	37.00	12.7	0.50	0.026	0.058
380XL050	XL	190	965.2	38.00	12.7	0.50	0.027	0.060
384XL050	XL	192	975.4	38.40	12.7	0.50	0.027	0.060
388XL050	XL	194	985.5	38.80	12.7	0.50	0.028	0.061
390XL050	XL	195	990.6	39.00	12.7	0.50	0.028	0.061
392XL050	XL	196	995.7	39.20	12.7	0.50	0.028	0.062
400XL050	XL	200	1016.0	40.00	12.7	0.50	0.029	0.063

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
412XL050	XL	206	1046.5	41.20	12.7	0.50	0.029	0.065
414XL050	XL	207	1051.6	41.40	12.7	0.50	0.030	0.065
420XL050	XL	210	1066.8	42.00	12.7	0.50	0.030	0.066
424XL050	XL	212	1077.0	42.40	12.7	0.50	0.030	0.067
432XL050	XL	216	1097.3	43.20	12.7	0.50	0.031	0.068
450XL050	XL	225	1143.0	45.00	12.7	0.50	0.032	0.071
460XL050	XL	230	1168.4	46.00	12.7	0.50	0.033	0.072
480XL050	XL	240	1219.2	48.00	12.7	0.50	0.034	0.075
492XL050	XL	246	1249.7	49.20	12.7	0.50	0.035	0.077
500XL050	XL	250	1270.0	50.00	12.7	0.50	0.036	0.079
514XL050	XL	257	1305.6	51.40	12.7	0.50	0.037	0.081
580XL050	XL	290	1473.2	58.00	12.7	0.50	0.041	0.091
592XL050	XL	296	1503.7	59.20	12.7	0.50	0.042	0.093
600XL050	XL	300	1524.0	60.00	12.7	0.50	0.043	0.094
612XL050	XL	306	1554.5	61.20	12.7	0.50	0.044	0.096
630XL050	XL	315	1600.2	63.00	12.7	0.50	0.045	0.099
770XL050	XL	385	1955.8	77.00	12.7	0.50	0.055	0.121
124L050	L	33	314.3	12.38	12.7	0.50	0.015	0.032
135L050	L	36	342.9	13.50	12.7	0.50	0.016	0.035
150L050	L	40	381.0	15.00	12.7	0.50	0.018	0.039
154L050	L	41	390.5	15.38	12.7	0.50	0.018	0.040
158L050	L	42	400.1	15.75	12.7	0.50	0.018	0.041
165L050	L	44	419.1	16.50	12.7	0.50	0.019	0.043
173L050	L	46	438.2	17.25	12.7	0.50	0.020	0.045
176L050	L	47	447.7	17.63	12.7	0.50	0.021	0.046
188L050	L	50	476.3	18.75	12.7	0.50	0.022	0.049
195L050	L	52	495.3	19.50	12.7	0.50	0.023	0.050
199L050	L	53	504.8	19.88	12.7	0.50	0.023	0.051
203L050	L	54	514.4	20.25	12.7	0.50	0.024	0.052
210L050	L	56	533.4	21.00	12.7	0.50	0.025	0.054
218L050	L	58	552.5	21.75	12.7	0.50	0.026	0.056
225L050	L	60	571.5	22.50	12.7	0.50	0.026	0.058

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
240L050	L	64	609.6	24.00	12.7	0.50	0.028	0.062
244L050	L	65	619.1	24.38	12.7	0.50	0.029	0.063
248L050	L	66	628.7	24.75	12.7	0.50	0.029	0.064
255L050	L	68	647.7	25.50	12.7	0.50	0.030	0.066
263L050	L	70	666.8	26.25	12.7	0.50	0.031	0.068
270L050	L	72	685.8	27.00	12.7	0.50	0.032	0.070
285L050	L	76	723.9	28.50	12.7	0.50	0.033	0.074
300L050	L	80	762.0	30.00	12.7	0.50	0.035	0.078
315L050	L	84	800.1	31.50	12.7	0.50	0.037	0.082
323L050	L	86	819.2	32.25	12.7	0.50	0.038	0.083
334L050	L	89	847.7	33.38	12.7	0.50	0.039	0.086
345L050	L	92	876.3	34.50	12.7	0.50	0.041	0.089
368L050	L	98	933.5	36.75	12.7	0.50	0.043	0.095
375L050	L	100	952.5	37.50	12.7	0.50	0.044	0.097
390L050	L	104	990.6	39.00	12.7	0.50	0.046	0.101
405L050	L	108	1028.7	40.50	12.7	0.50	0.048	0.105
413L050	L	110	1047.8	41.25	12.7	0.50	0.048	0.107
420L050	L	112	1066.8	42.00	12.7	0.50	0.049	0.109
450L050	L	120	1143.0	45.00	12.7	0.50	0.053	0.116
454L050	L	121	1152.5	45.38	12.7	0.50	0.053	0.117
480L050	L	128	1219.2	48.00	12.7	0.50	0.056	0.124
510L050	L	136	1295.4	51.00	12.7	0.50	0.060	0.132
540L050	L	144	1371.6	54.00	12.7	0.50	0.063	0.140
570L050	L	152	1447.8	57.00	12.7	0.50	0.067	0.148
581L050	L	155	1476.4	58.13	12.7	0.50	0.068	0.150
600L050	L	160	1524.0	60.00	12.7	0.50	0.070	0.155
630L050	L	168	1600.2	63.00	12.7	0.50	0.074	0.163
660L050	L	176	1676.4	66.00	12.7	0.50	0.077	0.171
728L050	L	194	1847.9	72.75	12.7	0.50	0.085	0.188
731L050	L	195	1857.4	73.13	12.7	0.50	0.086	0.189
818L050	L	218	2076.5	81.75	12.7	0.50	0.096	0.212
900L050	L	240	2286.0	90.00	12.7	0.50	0.106	0.233

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
915L050	L	244	2324.1	91.50	12.7	0.50	0.107	0.237
124L075	L	33	314.3	12.38	19.1	0.75	0.022	0.048
135L075	L	36	342.9	13.50	19.1	0.75	0.024	0.052
150L075	L	40	381.0	15.00	19.1	0.75	0.026	0.058
154L075	L	41	390.5	15.38	19.1	0.75	0.027	0.060
158L075	L	42	400.1	15.75	19.1	0.75	0.028	0.061
165L075	L	44	419.1	16.50	19.1	0.75	0.029	0.064
173L075	L	46	438.2	17.25	19.1	0.75	0.030	0.067
176L075	L	47	447.7	17.63	19.1	0.75	0.031	0.068
188L075	L	50	476.3	18.75	19.1	0.75	0.033	0.073
195L075	L	52	495.3	19.50	19.1	0.75	0.034	0.076
199L075	L	53	504.8	19.88	19.1	0.75	0.035	0.077
203L075	L	54	514.4	20.25	19.1	0.75	0.036	0.079
210L075	L	56	533.4	21.00	19.1	0.75	0.037	0.082
218L075	L	58	552.5	21.75	19.1	0.75	0.038	0.084
225L075	L	60	571.5	22.50	19.1	0.75	0.040	0.087
240L075	L	64	609.6	24.00	19.1	0.75	0.042	0.093
244L075	L	65	619.1	24.38	19.1	0.75	0.043	0.095
248L075	L	66	628.7	24.75	19.1	0.75	0.044	0.096
255L075	L	68	647.7	25.50	19.1	0.75	0.045	0.099
263L075	L	70	666.8	26.25	19.1	0.75	0.046	0.102
270L075	L	72	685.8	27.00	19.1	0.75	0.048	0.105
285L075	L	76	723.9	28.50	19.1	0.75	0.050	0.111
300L075	L	80	762.0	30.00	19.1	0.75	0.053	0.116
315L075	L	84	800.1	31.50	19.1	0.75	0.055	0.122
323L075	L	86	819.2	32.25	19.1	0.75	0.057	0.125
334L075	L	89	847.7	33.38	19.1	0.75	0.059	0.130
345L075	L	92	876.3	34.50	19.1	0.75	0.061	0.134
368L075	L	98	933.5	36.75	19.1	0.75	0.065	0.143
375L075	L	100	952.5	37.50	19.1	0.75	0.066	0.146
390L075	L	104	990.6	39.00	19.1	0.75	0.069	0.151
405L075	L	108	1028.7	40.50	19.1	0.75	0.071	0.157

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
413L075	L	110	1047.8	41.25	19.1	0.75	0.073	0.160
420L075	L	112	1066.8	42.00	19.1	0.75	0.074	0.163
450L075	L	120	1143.0	45.00	19.1	0.75	0.079	0.175
454L075	L	121	1152.5	45.38	19.1	0.75	0.080	0.176
480L075	L	128	1219.2	48.00	19.1	0.75	0.085	0.186
510L075	L	136	1295.4	51.00	19.1	0.75	0.090	0.198
540L075	L	144	1371.6	54.00	19.1	0.75	0.095	0.210
570L075	L	152	1447.8	57.00	19.1	0.75	0.100	0.221
581L075	L	155	1476.4	58.13	19.1	0.75	0.102	0.226
600L075	L	160	1524.0	60.00	19.1	0.75	0.106	0.233
630L075	L	168	1600.2	63.00	19.1	0.75	0.111	0.245
660L075	L	176	1676.4	66.00	19.1	0.75	0.116	0.256
728L075	L	194	1847.9	72.75	19.1	0.75	0.128	0.282
731L075	L	195	1857.4	73.13	19.1	0.75	0.129	0.284
818L075	L	218	2076.5	81.75	19.1	0.75	0.144	0.317
900L075	L	240	2286.0	90.00	19.1	0.75	0.159	0.349
915L075	L	244	2324.1	91.50	19.1	0.75	0.161	0.355
124L100	L	33	314.3	12.38	25.4	1.00	0.029	0.064
135L100	L	36	342.9	13.50	25.4	1.00	0.032	0.070
150L100	L	40	381.0	15.00	25.4	1.00	0.035	0.078
154L100	L	41	390.5	15.38	25.4	1.00	0.036	0.080
158L100	L	42	400.1	15.75	25.4	1.00	0.037	0.082
165L100	L	44	419.1	16.50	25.4	1.00	0.039	0.085
173L100	L	46	438.2	17.25	25.4	1.00	0.041	0.089
176L100	L	47	447.7	17.63	25.4	1.00	0.041	0.091
188L100	L	50	476.3	18.75	25.4	1.00	0.044	0.097
195L100	L	52	495.3	19.50	25.4	1.00	0.046	0.101
199L100	L	53	504.8	19.88	25.4	1.00	0.047	0.103
203L100	L	54	514.4	20.25	25.4	1.00	0.048	0.105
210L100	L	56	533.4	21.00	25.4	1.00	0.049	0.109
218L100	L	58	552.5	21.75	25.4	1.00	0.051	0.113
225L100	L	60	571.5	22.50	25.4	1.00	0.053	0.116

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
240L100	L	64	609.6	24.00	25.4	1.00	0.056	0.124
244L100	L	65	619.1	24.38	25.4	1.00	0.057	0.126
248L100	L	66	628.7	24.75	25.4	1.00	0.058	0.128
255L100	L	68	647.7	25.50	25.4	1.00	0.060	0.132
263L100	L	70	666.8	26.25	25.4	1.00	0.062	0.136
270L100	L	72	685.8	27.00	25.4	1.00	0.063	0.140
285L100	L	76	723.9	28.50	25.4	1.00	0.067	0.148
300L100	L	80	762.0	30.00	25.4	1.00	0.070	0.155
315L100	L	84	800.1	31.50	25.4	1.00	0.074	0.163
323L100	L	86	819.2	32.25	25.4	1.00	0.076	0.167
334L100	L	89	847.7	33.38	25.4	1.00	0.078	0.173
345L100	L	92	876.3	34.50	25.4	1.00	0.081	0.179
368L100	L	98	933.5	36.75	25.4	1.00	0.086	0.190
375L100	L	100	952.5	37.50	25.4	1.00	0.088	0.194
390L100	L	104	990.6	39.00	25.4	1.00	0.092	0.202
405L100	L	108	1028.7	40.50	25.4	1.00	0.095	0.210
413L100	L	110	1047.8	41.25	25.4	1.00	0.097	0.214
420L100	L	112	1066.8	42.00	25.4	1.00	0.099	0.217
450L100	L	120	1143.0	45.00	25.4	1.00	0.106	0.233
454L100	L	121	1152.5	45.38	25.4	1.00	0.107	0.235
480L100	L	128	1219.2	48.00	25.4	1.00	0.113	0.249
510L100	L	136	1295.4	51.00	25.4	1.00	0.120	0.264
540L100	L	144	1371.6	54.00	25.4	1.00	0.127	0.280
570L100	L	152	1447.8	57.00	25.4	1.00	0.134	0.295
581L100	L	155	1476.4	58.13	25.4	1.00	0.136	0.301
600L100	L	160	1524.0	60.00	25.4	1.00	0.141	0.311
630L100	L	168	1600.2	63.00	25.4	1.00	0.148	0.326
660L100	L	176	1676.4	66.00	25.4	1.00	0.155	0.342
728L100	L	194	1847.9	72.75	25.4	1.00	0.171	0.377
731L100	L	195	1857.4	73.13	25.4	1.00	0.172	0.379
818L100	L	218	2076.5	81.75	25.4	1.00	0.192	0.423
900L100	L	240	2286.0	90.00	25.4	1.00	0.211	0.466

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
915L100	L	244	2324.1	91.50	25.4	1.00	0.215	0.474
124L150	L	33	314.3	12.38	38.1	1.50	0.044	0.096
135L150	L	36	342.9	13.50	38.1	1.50	0.048	0.105
150L150	L	40	381.0	15.00	38.1	1.50	0.053	0.116
154L150	L	41	390.5	15.38	38.1	1.50	0.054	0.119
158L150	L	42	400.1	15.75	38.1	1.50	0.055	0.122
165L150	L	44	419.1	16.50	38.1	1.50	0.058	0.128
173L150	L	46	438.2	17.25	38.1	1.50	0.061	0.134
176L150	L	47	447.7	17.63	38.1	1.50	0.062	0.137
188L150	L	50	476.3	18.75	38.1	1.50	0.066	0.146
195L150	L	52	495.3	19.50	38.1	1.50	0.069	0.151
199L150	L	53	504.8	19.88	38.1	1.50	0.070	0.154
203L150	L	54	514.4	20.25	38.1	1.50	0.071	0.157
210L150	L	56	533.4	21.00	38.1	1.50	0.074	0.163
218L150	L	58	552.5	21.75	38.1	1.50	0.077	0.169
225L150	L	60	571.5	22.50	38.1	1.50	0.079	0.175
240L150	L	64	609.6	24.00	38.1	1.50	0.085	0.186
244L150	L	65	619.1	24.38	38.1	1.50	0.086	0.189
248L150	L	66	628.7	24.75	38.1	1.50	0.087	0.192
255L150	L	68	647.7	25.50	38.1	1.50	0.090	0.198
263L150	L	70	666.8	26.25	38.1	1.50	0.092	0.204
270L150	L	72	685.8	27.00	38.1	1.50	0.095	0.210
285L150	L	76	723.9	28.50	38.1	1.50	0.100	0.221
300L150	L	80	762.0	30.00	38.1	1.50	0.106	0.233
315L150	L	84	800.1	31.50	38.1	1.50	0.111	0.245
323L150	L	86	819.2	32.25	38.1	1.50	0.114	0.250
334L150	L	89	847.7	33.38	38.1	1.50	0.118	0.259
345L150	L	92	876.3	34.50	38.1	1.50	0.122	0.268
368L150	L	98	933.5	36.75	38.1	1.50	0.129	0.285
375L150	L	100	952.5	37.50	38.1	1.50	0.132	0.291
390L150	L	104	990.6	39.00	38.1	1.50	0.137	0.303
405L150	L	108	1028.7	40.50	38.1	1.50	0.143	0.315

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
413L150	L	110	1047.8	41.25	38.1	1.50	0.145	0.320
420L150	L	112	1066.8	42.00	38.1	1.50	0.148	0.326
450L150	L	120	1143.0	45.00	38.1	1.50	0.159	0.349
454L150	L	121	1152.5	45.38	38.1	1.50	0.160	0.352
480L150	L	128	1219.2	48.00	38.1	1.50	0.169	0.373
510L150	L	136	1295.4	51.00	38.1	1.50	0.180	0.396
540L150	L	144	1371.6	54.00	38.1	1.50	0.190	0.419
570L150	L	152	1447.8	57.00	38.1	1.50	0.201	0.443
581L150	L	155	1476.4	58.13	38.1	1.50	0.205	0.451
600L150	L	160	1524.0	60.00	38.1	1.50	0.211	0.466
630L150	L	168	1600.2	63.00	38.1	1.50	0.222	0.489
660L150	L	176	1676.4	66.00	38.1	1.50	0.232	0.513
728L150	L	194	1847.9	72.75	38.1	1.50	0.256	0.565
731L150	L	195	1857.4	73.13	38.1	1.50	0.258	0.568
818L150	L	218	2076.5	81.75	38.1	1.50	0.288	0.635
900L150	L	240	2286.0	90.00	38.1	1.50	0.317	0.699
915L150	L	244	2324.1	91.50	38.1	1.50	0.322	0.711
210H075	H	42	533.4	21.00	19.1	0.75	0.048	0.106
220H075	H	44	558.8	22.00	19.1	0.75	0.050	0.111
225H075	H	45	571.5	22.50	19.1	0.75	0.052	0.114
230H075	H	46	584.2	23.00	19.1	0.75	0.053	0.116
240H075	H	48	609.6	24.00	19.1	0.75	0.055	0.121
255H075	H	51	647.7	25.50	19.1	0.75	0.058	0.129
270H075	H	54	685.8	27.00	19.1	0.75	0.062	0.137
300H075	H	60	762.0	30.00	19.1	0.75	0.069	0.152
310H075	H	62	787.4	31.00	19.1	0.75	0.071	0.157
315H075	H	63	800.1	31.50	19.1	0.75	0.072	0.159
320H075	H	64	812.8	32.00	19.1	0.75	0.073	0.162
330H075	H	66	838.2	33.00	19.1	0.75	0.076	0.167
335H075	H	67	850.9	33.50	19.1	0.75	0.077	0.169
340H075	H	68	863.6	34.00	19.1	0.75	0.078	0.172
350H075	H	70	889.0	35.00	19.1	0.75	0.080	0.177

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
360H075	H	72	914.4	36.00	19.1	0.75	0.083	0.182
370H075	H	74	939.8	37.00	19.1	0.75	0.085	0.187
390H075	H	78	990.6	39.00	19.1	0.75	0.089	0.197
400H075	H	80	1016.0	40.00	19.1	0.75	0.092	0.202
410H075	H	82	1041.4	41.00	19.1	0.75	0.094	0.207
415H075	H	83	1054.1	41.50	19.1	0.75	0.095	0.210
420H075	H	84	1066.8	42.00	19.1	0.75	0.096	0.212
445H075	H	89	1130.3	44.50	19.1	0.75	0.102	0.225
450H075	H	90	1143.0	45.00	19.1	0.75	0.103	0.228
455H075	H	91	1155.7	45.50	19.1	0.75	0.104	0.230
465H075	H	93	1181.1	46.50	19.1	0.75	0.107	0.235
480H075	H	96	1219.2	48.00	19.1	0.75	0.110	0.243
490H075	H	98	1244.6	49.00	19.1	0.75	0.112	0.248
510H075	H	102	1295.4	51.00	19.1	0.75	0.117	0.258
525H075	H	105	1333.5	52.50	19.1	0.75	0.120	0.265
540H075	H	108	1371.6	54.00	19.1	0.75	0.124	0.273
560H075	H	112	1422.4	56.00	19.1	0.75	0.128	0.283
570H075	H	114	1447.8	57.00	19.1	0.75	0.131	0.288
585H075	H	117	1485.9	58.50	19.1	0.75	0.134	0.296
600H075	H	120	1524.0	60.00	19.1	0.75	0.138	0.303
605H075	H	121	1536.7	60.50	19.1	0.75	0.139	0.306
630H075	H	126	1600.2	63.00	19.1	0.75	0.144	0.319
645H075	H	129	1638.3	64.50	19.1	0.75	0.148	0.326
660H075	H	132	1676.4	66.00	19.1	0.75	0.151	0.334
670H075	H	134	1701.8	67.00	19.1	0.75	0.154	0.339
700H075	H	140	1778.0	70.00	19.1	0.75	0.161	0.354
725H075	H	145	1841.5	72.50	19.1	0.75	0.166	0.367
730H075	H	146	1854.2	73.00	19.1	0.75	0.167	0.369
750H075	H	150	1905.0	75.00	19.1	0.75	0.172	0.379
780H075	H	156	1981.2	78.00	19.1	0.75	0.179	0.394
800H075	H	160	2032.0	80.00	19.1	0.75	0.183	0.405
810H075	H	162	2057.4	81.00	19.1	0.75	0.186	0.410

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
820H075	H	164	2082.8	82.00	19.1	0.75	0.188	0.415
840H075	H	168	2133.6	84.00	19.1	0.75	0.193	0.425
850H075	H	170	2159.0	85.00	19.1	0.75	0.195	0.430
900H075	H	180	2286.0	90.00	19.1	0.75	0.206	0.455
950H075	H	190	2413.0	95.00	19.1	0.75	0.218	0.480
960H075	H	192	2438.4	96.00	19.1	0.75	0.220	0.485
1000H075	H	200	2540.0	100.00	19.1	0.75	0.229	0.506
1100H075	H	220	2794.0	110.00	19.1	0.75	0.252	0.556
1120H075	H	224	2844.8	112.00	19.1	0.75	0.257	0.566
1140H075	H	228	2895.6	114.00	19.1	0.75	0.261	0.576
1150H075	H	230	2921.0	115.00	19.1	0.75	0.264	0.581
1180H075	H	236	2997.2	118.00	19.1	0.75	0.271	0.597
1250H075	H	250	3175.0	125.00	19.1	0.75	0.287	0.632
1325H075	H	265	3365.5	132.50	19.1	0.75	0.304	0.670
1350H075	H	270	3429.0	135.00	19.1	0.75	0.310	0.683
1400H075	H	280	3556.0	140.00	19.1	0.75	0.321	0.708
1680H075	H	336	4267.2	168.00	19.1	0.75	0.385	0.849
1700H075	H	340	4318.0	170.00	19.1	0.75	0.390	0.860
2100H075	H	420	5334.0	210.00	19.1	0.75	0.482	1.062
210H100	H	42	533.4	21.00	25.4	1.00	0.064	0.142
220H100	H	44	558.8	22.00	25.4	1.00	0.067	0.148
225H100	H	45	571.5	22.50	25.4	1.00	0.069	0.152
230H100	H	46	584.2	23.00	25.4	1.00	0.070	0.155
240H100	H	48	609.6	24.00	25.4	1.00	0.073	0.162
255H100	H	51	647.7	25.50	25.4	1.00	0.078	0.172
270H100	H	54	685.8	27.00	25.4	1.00	0.083	0.182
300H100	H	60	762.0	30.00	25.4	1.00	0.092	0.202
310H100	H	62	787.4	31.00	25.4	1.00	0.095	0.209
315H100	H	63	800.1	31.50	25.4	1.00	0.096	0.212
320H100	H	64	812.8	32.00	25.4	1.00	0.098	0.216
330H100	H	66	838.2	33.00	25.4	1.00	0.101	0.222
335H100	H	67	850.9	33.50	25.4	1.00	0.102	0.226

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
340H100	H	68	863.6	34.00	25.4	1.00	0.104	0.229
350H100	H	70	889.0	35.00	25.4	1.00	0.107	0.236
360H100	H	72	914.4	36.00	25.4	1.00	0.110	0.243
370H100	H	74	939.8	37.00	25.4	1.00	0.113	0.249
390H100	H	78	990.6	39.00	25.4	1.00	0.119	0.263
400H100	H	80	1016.0	40.00	25.4	1.00	0.122	0.270
410H100	H	82	1041.4	41.00	25.4	1.00	0.125	0.276
415H100	H	83	1054.1	41.50	25.4	1.00	0.127	0.280
420H100	H	84	1066.8	42.00	25.4	1.00	0.128	0.283
445H100	H	89	1130.3	44.50	25.4	1.00	0.136	0.300
450H100	H	90	1143.0	45.00	25.4	1.00	0.138	0.303
455H100	H	91	1155.7	45.50	25.4	1.00	0.139	0.307
465H100	H	93	1181.1	46.50	25.4	1.00	0.142	0.313
480H100	H	96	1219.2	48.00	25.4	1.00	0.147	0.324
490H100	H	98	1244.6	49.00	25.4	1.00	0.150	0.330
510H100	H	102	1295.4	51.00	25.4	1.00	0.156	0.344
525H100	H	105	1333.5	52.50	25.4	1.00	0.161	0.354
540H100	H	108	1371.6	54.00	25.4	1.00	0.165	0.364
560H100	H	112	1422.4	56.00	25.4	1.00	0.171	0.378
570H100	H	114	1447.8	57.00	25.4	1.00	0.174	0.384
585H100	H	117	1485.9	58.50	25.4	1.00	0.179	0.394
600H100	H	120	1524.0	60.00	25.4	1.00	0.183	0.405
605H100	H	121	1536.7	60.50	25.4	1.00	0.185	0.408
630H100	H	126	1600.2	63.00	25.4	1.00	0.193	0.425
645H100	H	129	1638.3	64.50	25.4	1.00	0.197	0.435
660H100	H	132	1676.4	66.00	25.4	1.00	0.202	0.445
670H100	H	134	1701.8	67.00	25.4	1.00	0.205	0.452
700H100	H	140	1778.0	70.00	25.4	1.00	0.214	0.472
725H100	H	145	1841.5	72.50	25.4	1.00	0.222	0.489
730H100	H	146	1854.2	73.00	25.4	1.00	0.223	0.492
750H100	H	150	1905.0	75.00	25.4	1.00	0.229	0.506
780H100	H	156	1981.2	78.00	25.4	1.00	0.239	0.526

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
800H100	H	160	2032.0	80.00	25.4	1.00	0.245	0.539
810H100	H	162	2057.4	81.00	25.4	1.00	0.248	0.546
820H100	H	164	2082.8	82.00	25.4	1.00	0.251	0.553
840H100	H	168	2133.6	84.00	25.4	1.00	0.257	0.566
850H100	H	170	2159.0	85.00	25.4	1.00	0.260	0.573
900H100	H	180	2286.0	90.00	25.4	1.00	0.275	0.607
950H100	H	190	2413.0	95.00	25.4	1.00	0.291	0.640
960H100	H	192	2438.4	96.00	25.4	1.00	0.294	0.647
1000H100	H	200	2540.0	100.00	25.4	1.00	0.306	0.674
1100H100	H	220	2794.0	110.00	25.4	1.00	0.336	0.742
1120H100	H	224	2844.8	112.00	25.4	1.00	0.343	0.755
1140H100	H	228	2895.6	114.00	25.4	1.00	0.349	0.769
1150H100	H	230	2921.0	115.00	25.4	1.00	0.352	0.775
1180H100	H	236	2997.2	118.00	25.4	1.00	0.361	0.796
1250H100	H	250	3175.0	125.00	25.4	1.00	0.382	0.843
1325H100	H	265	3365.5	132.50	25.4	1.00	0.405	0.893
1350H100	H	270	3429.0	135.00	25.4	1.00	0.413	0.910
1400H100	H	280	3556.0	140.00	25.4	1.00	0.428	0.944
1680H100	H	336	4267.2	168.00	25.4	1.00	0.514	1.133
1700H100	H	340	4318.0	170.00	25.4	1.00	0.520	1.146
2100H100	H	420	5334.0	210.00	25.4	1.00	0.642	1.416
210H150	H	42	533.4	21.00	38.1	1.50	0.096	0.212
220H150	H	44	558.8	22.00	38.1	1.50	0.101	0.222
225H150	H	45	571.5	22.50	38.1	1.50	0.103	0.228
230H150	H	46	584.2	23.00	38.1	1.50	0.106	0.233
240H150	H	48	609.6	24.00	38.1	1.50	0.110	0.243
255H150	H	51	647.7	25.50	38.1	1.50	0.117	0.258
270H150	H	54	685.8	27.00	38.1	1.50	0.124	0.273
300H150	H	60	762.0	30.00	38.1	1.50	0.138	0.303
310H150	H	62	787.4	31.00	38.1	1.50	0.142	0.313
315H150	H	63	800.1	31.50	38.1	1.50	0.144	0.319
320H150	H	64	812.8	32.00	38.1	1.50	0.147	0.324

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
330H150	H	66	838.2	33.00	38.1	1.50	0.151	0.334
335H150	H	67	850.9	33.50	38.1	1.50	0.154	0.339
340H150	H	68	863.6	34.00	38.1	1.50	0.156	0.344
350H150	H	70	889.0	35.00	38.1	1.50	0.161	0.354
360H150	H	72	914.4	36.00	38.1	1.50	0.165	0.364
370H150	H	74	939.8	37.00	38.1	1.50	0.170	0.374
390H150	H	78	990.6	39.00	38.1	1.50	0.179	0.394
400H150	H	80	1016.0	40.00	38.1	1.50	0.183	0.405
410H150	H	82	1041.4	41.00	38.1	1.50	0.188	0.415
415H150	H	83	1054.1	41.50	38.1	1.50	0.190	0.420
420H150	H	84	1066.8	42.00	38.1	1.50	0.193	0.425
445H150	H	89	1130.3	44.50	38.1	1.50	0.204	0.450
450H150	H	90	1143.0	45.00	38.1	1.50	0.206	0.455
455H150	H	91	1155.7	45.50	38.1	1.50	0.209	0.460
465H150	H	93	1181.1	46.50	38.1	1.50	0.213	0.470
480H150	H	96	1219.2	48.00	38.1	1.50	0.220	0.485
490H150	H	98	1244.6	49.00	38.1	1.50	0.225	0.496
510H150	H	102	1295.4	51.00	38.1	1.50	0.234	0.516
525H150	H	105	1333.5	52.50	38.1	1.50	0.241	0.531
540H150	H	108	1371.6	54.00	38.1	1.50	0.248	0.546
560H150	H	112	1422.4	56.00	38.1	1.50	0.257	0.566
570H150	H	114	1447.8	57.00	38.1	1.50	0.261	0.576
585H150	H	117	1485.9	58.50	38.1	1.50	0.268	0.592
600H150	H	120	1524.0	60.00	38.1	1.50	0.275	0.607
605H150	H	121	1536.7	60.50	38.1	1.50	0.278	0.612
630H150	H	126	1600.2	63.00	38.1	1.50	0.289	0.637
645H150	H	129	1638.3	64.50	38.1	1.50	0.296	0.652
660H150	H	132	1676.4	66.00	38.1	1.50	0.303	0.667
670H150	H	134	1701.8	67.00	38.1	1.50	0.307	0.678
700H150	H	140	1778.0	70.00	38.1	1.50	0.321	0.708
725H150	H	145	1841.5	72.50	38.1	1.50	0.333	0.733
730H150	H	146	1854.2	73.00	38.1	1.50	0.335	0.738

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
750H150	H	150	1905.0	75.00	38.1	1.50	0.344	0.758
780H150	H	156	1981.2	78.00	38.1	1.50	0.358	0.789
800H150	H	160	2032.0	80.00	38.1	1.50	0.367	0.809
810H150	H	162	2057.4	81.00	38.1	1.50	0.372	0.819
820H150	H	164	2082.8	82.00	38.1	1.50	0.376	0.829
840H150	H	168	2133.6	84.00	38.1	1.50	0.385	0.849
850H150	H	170	2159.0	85.00	38.1	1.50	0.390	0.860
900H150	H	180	2286.0	90.00	38.1	1.50	0.413	0.910
950H150	H	190	2413.0	95.00	38.1	1.50	0.436	0.961
960H150	H	192	2438.4	96.00	38.1	1.50	0.440	0.971
1000H150	H	200	2540.0	100.00	38.1	1.50	0.459	1.011
1100H150	H	220	2794.0	110.00	38.1	1.50	0.505	1.112
1120H150	H	224	2844.8	112.00	38.1	1.50	0.514	1.133
1140H150	H	228	2895.6	114.00	38.1	1.50	0.523	1.153
1150H150	H	230	2921.0	115.00	38.1	1.50	0.528	1.163
1180H150	H	236	2997.2	118.00	38.1	1.50	0.541	1.193
1250H150	H	250	3175.0	125.00	38.1	1.50	0.573	1.264
1325H150	H	265	3365.5	132.50	38.1	1.50	0.608	1.340
1350H150	H	270	3429.0	135.00	38.1	1.50	0.619	1.365
1400H150	H	280	3556.0	140.00	38.1	1.50	0.642	1.416
1680H150	H	336	4267.2	168.00	38.1	1.50	0.771	1.699
1700H150	H	340	4318.0	170.00	38.1	1.50	0.780	1.719
2100H150	H	420	5334.0	210.00	38.1	1.50	0.963	2.124
210H200	H	42	533.4	21.00	50.8	2.00	0.128	0.283
220H200	H	44	558.8	22.00	50.8	2.00	0.135	0.297
225H200	H	45	571.5	22.50	50.8	2.00	0.138	0.303
230H200	H	46	584.2	23.00	50.8	2.00	0.141	0.310
240H200	H	48	609.6	24.00	50.8	2.00	0.147	0.324
255H200	H	51	647.7	25.50	50.8	2.00	0.156	0.344
270H200	H	54	685.8	27.00	50.8	2.00	0.165	0.364
300H200	H	60	762.0	30.00	50.8	2.00	0.183	0.405
310H200	H	62	787.4	31.00	50.8	2.00	0.190	0.418

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
315H200	H	63	800.1	31.50	50.8	2.00	0.193	0.425
320H200	H	64	812.8	32.00	50.8	2.00	0.196	0.431
330H200	H	66	838.2	33.00	50.8	2.00	0.202	0.445
335H200	H	67	850.9	33.50	50.8	2.00	0.205	0.452
340H200	H	68	863.6	34.00	50.8	2.00	0.208	0.458
350H200	H	70	889.0	35.00	50.8	2.00	0.214	0.472
360H200	H	72	914.4	36.00	50.8	2.00	0.220	0.485
370H200	H	74	939.8	37.00	50.8	2.00	0.226	0.499
390H200	H	78	990.6	39.00	50.8	2.00	0.239	0.526
400H200	H	80	1016.0	40.00	50.8	2.00	0.245	0.539
410H200	H	82	1041.4	41.00	50.8	2.00	0.251	0.553
415H200	H	83	1054.1	41.50	50.8	2.00	0.254	0.560
420H200	H	84	1066.8	42.00	50.8	2.00	0.257	0.566
445H200	H	89	1130.3	44.50	50.8	2.00	0.272	0.600
450H200	H	90	1143.0	45.00	50.8	2.00	0.275	0.607
455H200	H	91	1155.7	45.50	50.8	2.00	0.278	0.614
465H200	H	93	1181.1	46.50	50.8	2.00	0.284	0.627
480H200	H	96	1219.2	48.00	50.8	2.00	0.294	0.647
490H200	H	98	1244.6	49.00	50.8	2.00	0.300	0.661
510H200	H	102	1295.4	51.00	50.8	2.00	0.312	0.688
525H200	H	105	1333.5	52.50	50.8	2.00	0.321	0.708
540H200	H	108	1371.6	54.00	50.8	2.00	0.330	0.728
560H200	H	112	1422.4	56.00	50.8	2.00	0.343	0.755
570H200	H	114	1447.8	57.00	50.8	2.00	0.349	0.769
585H200	H	117	1485.9	58.50	50.8	2.00	0.358	0.789
600H200	H	120	1524.0	60.00	50.8	2.00	0.367	0.809
605H200	H	121	1536.7	60.50	50.8	2.00	0.370	0.816
630H200	H	126	1600.2	63.00	50.8	2.00	0.385	0.849
645H200	H	129	1638.3	64.50	50.8	2.00	0.394	0.870
660H200	H	132	1676.4	66.00	50.8	2.00	0.404	0.890
670H200	H	134	1701.8	67.00	50.8	2.00	0.410	0.903
700H200	H	140	1778.0	70.00	50.8	2.00	0.428	0.944

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
725H200	H	145	1841.5	72.50	50.8	2.00	0.443	0.978
730H200	H	146	1854.2	73.00	50.8	2.00	0.446	0.984
750H200	H	150	1905.0	75.00	50.8	2.00	0.459	1.011
780H200	H	156	1981.2	78.00	50.8	2.00	0.477	1.052
800H200	H	160	2032.0	80.00	50.8	2.00	0.489	1.079
810H200	H	162	2057.4	81.00	50.8	2.00	0.495	1.092
820H200	H	164	2082.8	82.00	50.8	2.00	0.502	1.106
840H200	H	168	2133.6	84.00	50.8	2.00	0.514	1.133
850H200	H	170	2159.0	85.00	50.8	2.00	0.520	1.146
900H200	H	180	2286.0	90.00	50.8	2.00	0.550	1.214
950H200	H	190	2413.0	95.00	50.8	2.00	0.581	1.281
960H200	H	192	2438.4	96.00	50.8	2.00	0.587	1.294
1000H200	H	200	2540.0	100.00	50.8	2.00	0.612	1.348
1100H200	H	220	2794.0	110.00	50.8	2.00	0.673	1.483
1120H200	H	224	2844.8	112.00	50.8	2.00	0.685	1.510
1140H200	H	228	2895.6	114.00	50.8	2.00	0.697	1.537
1150H200	H	230	2921.0	115.00	50.8	2.00	0.703	1.551
1180H200	H	236	2997.2	118.00	50.8	2.00	0.722	1.591
1250H200	H	250	3175.0	125.00	50.8	2.00	0.765	1.685
1325H200	H	265	3365.5	132.50	50.8	2.00	0.810	1.787
1350H200	H	270	3429.0	135.00	50.8	2.00	0.826	1.820
1400H200	H	280	3556.0	140.00	50.8	2.00	0.856	1.888
1680H200	H	336	4267.2	168.00	50.8	2.00	1.028	2.265
1700H200	H	340	4318.0	170.00	50.8	2.00	1.040	2.292
2100H200	H	420	5334.0	210.00	50.8	2.00	1.284	2.832
210H300	H	42	533.4	21.00	76.2	3.00	0.193	0.425
220H300	H	44	558.8	22.00	76.2	3.00	0.202	0.445
225H300	H	45	571.5	22.50	76.2	3.00	0.206	0.455
230H300	H	46	584.2	23.00	76.2	3.00	0.211	0.465
240H300	H	48	609.6	24.00	76.2	3.00	0.220	0.485
255H300	H	51	647.7	25.50	76.2	3.00	0.234	0.516
270H300	H	54	685.8	27.00	76.2	3.00	0.248	0.546

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
300H300	H	60	762.0	30.00	76.2	3.00	0.275	0.607
310H300	H	62	787.4	31.00	76.2	3.00	0.284	0.627
315H300	H	63	800.1	31.50	76.2	3.00	0.289	0.637
320H300	H	64	812.8	32.00	76.2	3.00	0.294	0.647
330H300	H	66	838.2	33.00	76.2	3.00	0.303	0.667
335H300	H	67	850.9	33.50	76.2	3.00	0.307	0.678
340H300	H	68	863.6	34.00	76.2	3.00	0.312	0.688
350H300	H	70	889.0	35.00	76.2	3.00	0.321	0.708
360H300	H	72	914.4	36.00	76.2	3.00	0.330	0.728
370H300	H	74	939.8	37.00	76.2	3.00	0.339	0.748
390H300	H	78	990.6	39.00	76.2	3.00	0.358	0.789
400H300	H	80	1016.0	40.00	76.2	3.00	0.367	0.809
410H300	H	82	1041.4	41.00	76.2	3.00	0.376	0.829
415H300	H	83	1054.1	41.50	76.2	3.00	0.381	0.839
420H300	H	84	1066.8	42.00	76.2	3.00	0.385	0.849
445H300	H	89	1130.3	44.50	76.2	3.00	0.408	0.900
450H300	H	90	1143.0	45.00	76.2	3.00	0.413	0.910
455H300	H	91	1155.7	45.50	76.2	3.00	0.417	0.920
465H300	H	93	1181.1	46.50	76.2	3.00	0.427	0.940
480H300	H	96	1219.2	48.00	76.2	3.00	0.440	0.971
490H300	H	98	1244.6	49.00	76.2	3.00	0.450	0.991
510H300	H	102	1295.4	51.00	76.2	3.00	0.468	1.032
525H300	H	105	1333.5	52.50	76.2	3.00	0.482	1.062
540H300	H	108	1371.6	54.00	76.2	3.00	0.495	1.092
560H300	H	112	1422.4	56.00	76.2	3.00	0.514	1.133
570H300	H	114	1447.8	57.00	76.2	3.00	0.523	1.153
585H300	H	117	1485.9	58.50	76.2	3.00	0.537	1.183
600H300	H	120	1524.0	60.00	76.2	3.00	0.550	1.214
605H300	H	121	1536.7	60.50	76.2	3.00	0.555	1.224
630H300	H	126	1600.2	63.00	76.2	3.00	0.578	1.274
645H300	H	129	1638.3	64.50	76.2	3.00	0.592	1.305
660H300	H	132	1676.4	66.00	76.2	3.00	0.605	1.335

HT Power imperial - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
XL	5.08	1.27	2.3
L	9.525	1.91	3.6
H	12.7	2.29	4.3

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
XL	1/5	0.050	0.09
L	3/8	0.075	0.14
H	1/2	0.090	0.17

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
670H300	H	134	1701.8	67.00	76.2	3.00	0.615	1.355
700H300	H	140	1778.0	70.00	76.2	3.00	0.642	1.416
725H300	H	145	1841.5	72.50	76.2	3.00	0.665	1.466
730H300	H	146	1854.2	73.00	76.2	3.00	0.670	1.476
750H300	H	150	1905.0	75.00	76.2	3.00	0.688	1.517
780H300	H	156	1981.2	78.00	76.2	3.00	0.716	1.578
800H300	H	160	2032.0	80.00	76.2	3.00	0.734	1.618
810H300	H	162	2057.4	81.00	76.2	3.00	0.743	1.638
820H300	H	164	2082.8	82.00	76.2	3.00	0.752	1.658
840H300	H	168	2133.6	84.00	76.2	3.00	0.771	1.699
850H300	H	170	2159.0	85.00	76.2	3.00	0.780	1.719
900H300	H	180	2286.0	90.00	76.2	3.00	0.826	1.820
950H300	H	190	2413.0	95.00	76.2	3.00	0.872	1.921
960H300	H	192	2438.4	96.00	76.2	3.00	0.881	1.942
1000H300	H	200	2540.0	100.00	76.2	3.00	0.917	2.023
1100H300	H	220	2794.0	110.00	76.2	3.00	1.009	2.225
1120H300	H	224	2844.8	112.00	76.2	3.00	1.028	2.265
1140H300	H	228	2895.6	114.00	76.2	3.00	1.046	2.306
1150H300	H	230	2921.0	115.00	76.2	3.00	1.055	2.326
1180H300	H	236	2997.2	118.00	76.2	3.00	1.083	2.387
1250H300	H	250	3175.0	125.00	76.2	3.00	1.147	2.528
1325H300	H	265	3365.5	132.50	76.2	3.00	1.216	2.680
1350H300	H	270	3429.0	135.00	76.2	3.00	1.239	2.730
1400H300	H	280	3556.0	140.00	76.2	3.00	1.284	2.832
1680H300	H	336	4267.2	168.00	76.2	3.00	1.541	3.398
1700H300	H	340	4318.0	170.00	76.2	3.00	1.560	3.438
2100H300	H	420	5334.0	210.00	76.2	3.00	1.927	4.247

HT Power metric - Product Description



Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

HT Power metric

Part Number Description: **1000H8M450**

1000: Pitch length in mm

H: Profile (**H=curvilinear High Torque Drive**)

8M: Metric pitch (8 mm)

450: Width in mm *

* For sleeves, width is the max possible width (nominal reference), actual width could be less.

For cut belts standard widths see chart below:

	Standard widths	
	(")	(mm)
HTD 5M	0.354	9
	0.591	15
	0.984	25
HTD 8M	0.787	20
	1.181	30
	1.969	50
	3.346	85
HTD 14M	1.575	40
	2.165	55
	3.346	85
	4.528	115
	6.693	170

Features and Benefits:

Tension Cords: Glass fiber

- Very high dimensional stability
- High strength
- Good flex durability

Body Compound: chloroprene rubber

- Good shear resistance
- Oil and Heat resistance
- Temperature Range: -20 To +100 °C / -4 To +212 °F

Tooth Fabric Cover: Nylon

- Abrasion resistance
- Wear resistance

Belt dimensions according to ISO 13050



Good Value Cost/Performance

Markets and Applications:

Suitable for all Industrial applications where increased power capacity is required compared to HT Power imperial

Pulley Standards: High Torque Drive curvilinear profile

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
180H5M	180H5M470	HTD 5M	36	180	7.09	470	18.50	0.34	0.01
225H5M	225H5M470	HTD 5M	45	225	8.86	470	18.50	0.43	0.02
240H5M	240H5M470	HTD 5M	48	240	9.45	470	18.50	0.46	0.02
255H5M	255H5M470	HTD 5M	51	255	10.04	470	18.50	0.49	0.02
260H5M	260H5M470	HTD 5M	52	260	10.24	470	18.50	0.50	0.02
265H5M	265H5M470	HTD 5M	53	265	10.43	470	18.50	0.51	0.02
270H5M	270H5M470	HTD 5M	54	270	10.63	470	18.50	0.52	0.02
275H5M	275H5M470	HTD 5M	55	275	10.83	470	18.50	0.53	0.02
280H5M	280H5M470	HTD 5M	56	280	11.02	470	18.50	0.54	0.02
285H5M	285H5M470	HTD 5M	57	285	11.22	470	18.50	0.55	0.02
295H5M	295H5M470	HTD 5M	59	295	11.61	470	18.50	0.56	0.02
300H5M	300H5M470	HTD 5M	60	300	11.81	470	18.50	0.57	0.02
305H5M	305H5M470	HTD 5M	61	305	12.01	470	18.50	0.58	0.02
310H5M	310H5M470	HTD 5M	62	310	12.20	470	18.50	0.59	0.02
320H5M	320H5M470	HTD 5M	64	320	12.60	470	18.50	0.61	0.02
325H5M	325H5M470	HTD 5M	65	325	12.80	470	18.50	0.62	0.02
330H5M	330H5M470	HTD 5M	66	330	12.99	470	18.50	0.63	0.02
335H5M	335H5M470	HTD 5M	67	335	13.19	470	18.50	0.64	0.03
340H5M	340H5M470	HTD 5M	68	340	13.39	470	18.50	0.65	0.03
345H5M	345H5M470	HTD 5M	69	345	13.58	470	18.50	0.66	0.03
350H5M	350H5M470	HTD 5M	70	350	13.78	470	18.50	0.67	0.03
360H5M	360H5M470	HTD 5M	72	360	14.17	470	18.50	0.69	0.03
365H5M	365H5M470	HTD 5M	73	365	14.37	470	18.50	0.70	0.03
370H5M	370H5M470	HTD 5M	74	370	14.57	470	18.50	0.71	0.03
375H5M	375H5M470	HTD 5M	75	375	14.76	470	18.50	0.72	0.03
385H5M	385H5M470	HTD 5M	77	385	15.16	470	18.50	0.74	0.03
390H5M	390H5M470	HTD 5M	78	390	15.35	470	18.50	0.75	0.03
400H5M	400H5M470	HTD 5M	80	400	15.75	470	18.50	0.77	0.03
405H5M	405H5M470	HTD 5M	81	405	15.94	470	18.50	0.77	0.03
415H5M	415H5M470	HTD 5M	83	415	16.34	470	18.50	0.79	0.03
420H5M	420H5M470	HTD 5M	84	420	16.54	470	18.50	0.80	0.03
425H5M	425H5M470	HTD 5M	85	425	16.73	470	18.50	0.81	0.03

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
450H5M	450H5M470	HTD 5M	90	450	17.72	470	18.50	0.86	0.03
460H5M	460H5M470	HTD 5M	92	460	18.11	470	18.50	0.88	0.03
475H5M	475H5M470	HTD 5M	95	475	18.70	470	18.50	0.91	0.04
480H5M	480H5M470	HTD 5M	96	480	18.90	470	18.50	0.92	0.04
490H5M	490H5M470	HTD 5M	98	490	19.29	470	18.50	0.94	0.04
495H5M	495H5M470	HTD 5M	99	495	19.49	470	18.50	0.95	0.04
500H5M	500H5M470	HTD 5M	100	500	19.69	470	18.50	0.96	0.04
520H5M	520H5M470	HTD 5M	104	520	20.47	470	18.50	0.99	0.04
525H5M	525H5M470	HTD 5M	105	525	20.67	470	18.50	1.00	0.04
535H5M	535H5M470	HTD 5M	107	535	21.06	470	18.50	1.02	0.04
540H5M	540H5M470	HTD 5M	108	540	21.26	470	18.50	1.03	0.04
550H5M	550H5M470	HTD 5M	110	550	21.65	470	18.50	1.05	0.04
560H5M	560H5M470	HTD 5M	112	560	22.05	470	18.50	1.07	0.04
565H5M	565H5M470	HTD 5M	113	565	22.24	470	18.50	1.08	0.04
575H5M	575H5M470	HTD 5M	115	575	22.64	470	18.50	1.10	0.04
580H5M	580H5M470	HTD 5M	116	580	22.83	470	18.50	1.11	0.04
585H5M	585H5M470	HTD 5M	117	585	23.03	470	18.50	1.12	0.04
600H5M	600H5M470	HTD 5M	120	600	23.62	470	18.50	1.15	0.05
610H5M	610H5M470	HTD 5M	122	610	24.02	470	18.50	1.17	0.05
615H5M	615H5M470	HTD 5M	123	615	24.21	470	18.50	1.18	0.05
620H5M	620H5M470	HTD 5M	124	620	24.41	470	18.50	1.19	0.05
625H5M	625H5M470	HTD 5M	125	625	24.61	470	18.50	1.20	0.05
630H5M	630H5M470	HTD 5M	126	630	24.80	470	18.50	1.21	0.05
635H5M	635H5M470	HTD 5M	127	635	25.00	470	18.50	1.21	0.05
640H5M	640H5M470	HTD 5M	128	640	25.20	470	18.50	1.22	0.05
645H5M	645H5M470	HTD 5M	129	645	25.39	470	18.50	1.23	0.05
650H5M	650H5M470	HTD 5M	130	650	25.59	470	18.50	1.24	0.05
655H5M	655H5M470	HTD 5M	131	655	25.79	470	18.50	1.25	0.05
665H5M	665H5M470	HTD 5M	133	665	26.18	470	18.50	1.27	0.05
670H5M	670H5M470	HTD 5M	134	670	26.38	470	18.50	1.28	0.05
680H5M	680H5M470	HTD 5M	136	680	26.77	470	18.50	1.30	0.05
695H5M	695H5M470	HTD 5M	139	695	27.36	470	18.50	1.33	0.05

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
700H5M	700H5M470	HTD 5M	140	700	27.56	470	18.50	1.34	0.05
710H5M	710H5M470	HTD 5M	142	710	27.95	470	18.50	1.36	0.05
720H5M	720H5M470	HTD 5M	144	720	28.35	470	18.50	1.38	0.05
740H5M	740H5M470	HTD 5M	148	740	29.13	470	18.50	1.42	0.06
745H5M	745H5M470	HTD 5M	149	745	29.33	470	18.50	1.43	0.06
750H5M	750H5M470	HTD 5M	150	750	29.53	470	18.50	1.43	0.06
755H5M	755H5M470	HTD 5M	151	755	29.72	470	18.50	1.44	0.06
765H5M	765H5M470	HTD 5M	153	765	30.12	470	18.50	1.46	0.06
770H5M	770H5M470	HTD 5M	154	770	30.31	470	18.50	1.47	0.06
775H5M	775H5M470	HTD 5M	155	775	30.51	470	18.50	1.48	0.06
790H5M	790H5M470	HTD 5M	158	790	31.10	470	18.50	1.51	0.06
800H5M	800H5M470	HTD 5M	160	800	31.50	470	18.50	1.53	0.06
810H5M	810H5M470	HTD 5M	162	810	31.89	470	18.50	1.55	0.06
825H5M	825H5M470	HTD 5M	165	825	32.48	470	18.50	1.58	0.06
830H5M	830H5M470	HTD 5M	166	830	32.68	470	18.50	1.59	0.06
835H5M	835H5M470	HTD 5M	167	835	32.87	470	18.50	1.60	0.06
840H5M	840H5M470	HTD 5M	168	840	33.07	470	18.50	1.61	0.06
845H5M	845H5M470	HTD 5M	169	845	33.27	470	18.50	1.62	0.06
850H5M	850H5M470	HTD 5M	170	850	33.46	470	18.50	1.63	0.06
860H5M	860H5M470	HTD 5M	172	860	33.86	470	18.50	1.65	0.06
870H5M	870H5M470	HTD 5M	174	870	34.25	470	18.50	1.66	0.07
890H5M	890H5M470	HTD 5M	178	890	35.04	470	18.50	1.70	0.07
900H5M	900H5M470	HTD 5M	180	900	35.43	470	18.50	1.72	0.07
920H5M	920H5M470	HTD 5M	184	920	36.22	470	18.50	1.76	0.07
925H5M	925H5M470	HTD 5M	185	925	36.42	470	18.50	1.77	0.07
935H5M	935H5M470	HTD 5M	187	935	36.81	470	18.50	1.79	0.07
940H5M	940H5M470	HTD 5M	188	940	37.01	470	18.50	1.80	0.07
950H5M	950H5M470	HTD 5M	190	950	37.40	470	18.50	1.82	0.07
960H5M	960H5M470	HTD 5M	192	960	37.80	470	18.50	1.84	0.07
975H5M	975H5M470	HTD 5M	195	975	38.39	470	18.50	1.87	0.07
980H5M	980H5M470	HTD 5M	196	980	38.58	470	18.50	1.87	0.07
1000H5M	1000H5M470	HTD 5M	200	1000	39.37	470	18.50	1.91	0.08

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
1025H5M	1025H5M470	HTD 5M	205	1025	40.35	470	18.50	1.96	0.08
1035H5M	1035H5M470	HTD 5M	207	1035	40.75	470	18.50	1.98	0.08
1050H5M	1050H5M470	HTD 5M	210	1050	41.34	470	18.50	2.01	0.08
1080H5M	1080H5M470	HTD 5M	216	1080	42.52	470	18.50	2.07	0.08
1100H5M	1100H5M470	HTD 5M	220	1100	43.31	470	18.50	2.10	0.08
1115H5M	1115H5M470	HTD 5M	223	1115	43.90	470	18.50	2.13	0.08
1125H5M	1125H5M470	HTD 5M	225	1125	44.29	470	18.50	2.15	0.08
1135H5M	1135H5M470	HTD 5M	227	1135	44.69	470	18.50	2.17	0.09
1175H5M	1175H5M470	HTD 5M	235	1175	46.26	470	18.50	2.25	0.09
1195H5M	1195H5M470	HTD 5M	239	1195	47.05	470	18.50	2.29	0.09
1200H5M	1200H5M470	HTD 5M	240	1200	47.24	470	18.50	2.30	0.09
1225H5M	1225H5M470	HTD 5M	245	1225	48.23	470	18.50	2.34	0.09
1250H5M	1250H5M470	HTD 5M	250	1250	49.21	470	18.50	2.39	0.09
1270H5M	1270H5M470	HTD 5M	254	1270	50.00	470	18.50	2.43	0.10
1300H5M	1300H5M470	HTD 5M	260	1300	51.18	470	18.50	2.49	0.10
1350H5M	1350H5M470	HTD 5M	270	1350	53.15	470	18.50	2.58	0.10
1400H5M	1400H5M470	HTD 5M	280	1400	55.12	470	18.50	2.68	0.11
1420H5M	1420H5M470	HTD 5M	284	1420	55.91	470	18.50	2.72	0.11
1500H5M	1500H5M470	HTD 5M	300	1500	59.06	470	18.50	2.87	0.11
1575H5M	1575H5M470	HTD 5M	315	1575	62.01	470	18.50	3.01	0.12
1595H5M	1595H5M470	HTD 5M	319	1595	62.80	470	18.50	3.05	0.12
1690H5M	1690H5M470	HTD 5M	338	1690	66.54	470	18.50	3.23	0.13
1790H5M	1790H5M470	HTD 5M	358	1790	70.47	470	18.50	3.42	0.13
1800H5M	1800H5M470	HTD 5M	360	1800	70.87	470	18.50	3.44	0.14
1870H5M	1870H5M470	HTD 5M	374	1870	73.62	470	18.50	3.58	0.14
1895H5M	1895H5M470	HTD 5M	379	1895	74.61	470	18.50	3.62	0.14
1945H5M	1945H5M470	HTD 5M	389	1945	76.57	470	18.50	3.72	0.15
2000H5M	2000H5M470	HTD 5M	400	2000	78.74	470	18.50	3.83	0.15
2100H5M	2100H5M470	HTD 5M	420	2100	82.68	470	18.50	4.02	0.16
2250H5M	2250H5M470	HTD 5M	450	2250	88.58	470	18.50	4.30	0.17
2350H5M	2350H5M420	HTD 5M	470	2350	92.52	420	16.54	4.02	0.16
2525H5M	2525H5M420	HTD 5M	505	2525	99.41	420	16.54	4.32	0.17

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
3800H5M	3800H5M420	HTD 5M	760	3800	149.61	420	16.54	6.50	0.26
320H8M	320H8M450	HTD 8M	40	320	12.60	450	17.72	0.97	0.04
352H8M	352H8M450	HTD 8M	44	352	13.86	450	17.72	1.07	0.04
376H8M	376H8M450	HTD 8M	47	376	14.80	450	17.72	1.14	0.04
384H8M	384H8M450	HTD 8M	48	384	15.12	450	17.72	1.16	0.05
400H8M	400H8M450	HTD 8M	50	400	15.75	450	17.72	1.21	0.05
416H8M	416H8M450	HTD 8M	52	416	16.38	450	17.72	1.26	0.05
424H8M	424H8M450	HTD 8M	53	424	16.69	450	17.72	1.29	0.05
480H8M	480H8M450	HTD 8M	60	480	18.90	450	17.72	1.46	0.06
512H8M	512H8M450	HTD 8M	64	512	20.16	450	17.72	1.55	0.06
520H8M	520H8M450	HTD 8M	65	520	20.47	450	17.72	1.58	0.06
536H8M	536H8M450	HTD 8M	67	536	21.10	450	17.72	1.63	0.06
560H8M	560H8M450	HTD 8M	70	560	22.05	450	17.72	1.70	0.07
576H8M	576H8M450	HTD 8M	72	576	22.68	450	17.72	1.75	0.07
584H8M	584H8M450	HTD 8M	73	584	22.99	450	17.72	1.77	0.07
600H8M	600H8M450	HTD 8M	75	600	23.62	450	17.72	1.82	0.07
608H8M	608H8M450	HTD 8M	76	608	23.94	450	17.72	1.84	0.07
624H8M	624H8M450	HTD 8M	78	624	24.57	450	17.72	1.89	0.07
632H8M	632H8M450	HTD 8M	79	632	24.88	450	17.72	1.92	0.08
640H8M	640H8M450	HTD 8M	80	640	25.20	450	17.72	1.94	0.08
656H8M	656H8M450	HTD 8M	82	656	25.83	450	17.72	1.99	0.08
672H8M	672H8M450	HTD 8M	84	672	26.46	450	17.72	2.04	0.08
680H8M	680H8M450	HTD 8M	85	680	26.77	450	17.72	2.06	0.08
688H8M	688H8M450	HTD 8M	86	688	27.09	450	17.72	2.09	0.08
712H8M	712H8M450	HTD 8M	89	712	28.03	450	17.72	2.16	0.09
720H8M	720H8M450	HTD 8M	90	720	28.35	450	17.72	2.18	0.09
760H8M	760H8M450	HTD 8M	95	760	29.92	450	17.72	2.31	0.09
776H8M	776H8M450	HTD 8M	97	776	30.55	450	17.72	2.35	0.09
784H8M	784H8M450	HTD 8M	98	784	30.87	450	17.72	2.38	0.09
792H8M	792H8M450	HTD 8M	99	792	31.18	450	17.72	2.40	0.09
800H8M	800H8M450	HTD 8M	100	800	31.50	450	17.72	2.43	0.10
824H8M	824H8M450	HTD 8M	103	824	32.44	450	17.72	2.50	0.10

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
840H8M	840H8M450	HTD 8M	105	840	33.07	450	17.72	2.55	0.10
848H8M	848H8M450	HTD 8M	106	848	33.39	450	17.72	2.57	0.10
856H8M	856H8M450	HTD 8M	107	856	33.70	450	17.72	2.60	0.10
880H8M	880H8M450	HTD 8M	110	880	34.65	450	17.72	2.67	0.11
896H8M	896H8M450	HTD 8M	112	896	35.28	450	17.72	2.72	0.11
912H8M	912H8M450	HTD 8M	114	912	35.91	450	17.72	2.77	0.11
920H8M	920H8M450	HTD 8M	115	920	36.22	450	17.72	2.79	0.11
936H8M	936H8M450	HTD 8M	117	936	36.85	450	17.72	2.84	0.11
960H8M	960H8M450	HTD 8M	120	960	37.80	450	17.72	2.91	0.11
968H8M	968H8M450	HTD 8M	121	968	38.11	450	17.72	2.94	0.12
976H8M	976H8M450	HTD 8M	122	976	38.43	450	17.72	2.96	0.12
1000H8M	1000H8M450	HTD 8M	125	1000	39.37	450	17.72	3.03	0.12
1016H8M	1016H8M450	HTD 8M	127	1016	40.00	450	17.72	3.08	0.12
1040H8M	1040H8M450	HTD 8M	130	1040	40.94	450	17.72	3.15	0.12
1056H8M	1056H8M450	HTD 8M	132	1056	41.57	450	17.72	3.20	0.13
1064H8M	1064H8M450	HTD 8M	133	1064	41.89	450	17.72	3.23	0.13
1080H8M	1080H8M450	HTD 8M	135	1080	42.52	450	17.72	3.28	0.13
1096H8M	1096H8M450	HTD 8M	137	1096	43.15	450	17.72	3.32	0.13
1120H8M	1120H8M450	HTD 8M	140	1120	44.09	450	17.72	3.40	0.13
1128H8M	1128H8M450	HTD 8M	141	1128	44.41	450	17.72	3.42	0.13
1152H8M	1152H8M450	HTD 8M	144	1152	45.35	450	17.72	3.49	0.14
1160H8M	1160H8M450	HTD 8M	145	1160	45.67	450	17.72	3.52	0.14
1168H8M	1168H8M450	HTD 8M	146	1168	45.98	450	17.72	3.54	0.14
1176H8M	1176H8M450	HTD 8M	147	1176	46.30	450	17.72	3.57	0.14
1184H8M	1184H8M450	HTD 8M	148	1184	46.61	450	17.72	3.59	0.14
1200H8M	1200H8M450	HTD 8M	150	1200	47.24	450	17.72	3.64	0.14
1216H8M	1216H8M450	HTD 8M	152	1216	47.87	450	17.72	3.69	0.15
1224H8M	1224H8M450	HTD 8M	153	1224	48.19	450	17.72	3.71	0.15
1248H8M	1248H8M450	HTD 8M	156	1248	49.13	450	17.72	3.79	0.15
1256H8M	1256H8M450	HTD 8M	157	1256	49.45	450	17.72	3.81	0.15
1264H8M	1264H8M450	HTD 8M	158	1264	49.76	450	17.72	3.83	0.15
1280H8M	1280H8M450	HTD 8M	160	1280	50.39	450	17.72	3.88	0.15

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
1296H8M	1296H8M450	HTD 8M	162	1296	51.02	450	17.72	3.93	0.15
1304H8M	1304H8M450	HTD 8M	163	1304	51.34	450	17.72	3.96	0.16
1320H8M	1320H8M450	HTD 8M	165	1320	51.97	450	17.72	4.00	0.16
1328H8M	1328H8M450	HTD 8M	166	1328	52.28	450	17.72	4.03	0.16
1344H8M	1344H8M450	HTD 8M	168	1344	52.91	450	17.72	4.08	0.16
1360H8M	1360H8M450	HTD 8M	170	1360	53.54	450	17.72	4.12	0.16
1392H8M	1392H8M450	HTD 8M	174	1392	54.80	450	17.72	4.22	0.17
1400H8M	1400H8M450	HTD 8M	175	1400	55.12	450	17.72	4.25	0.17
1424H8M	1424H8M450	HTD 8M	178	1424	56.06	450	17.72	4.32	0.17
1432H8M	1432H8M450	HTD 8M	179	1432	56.38	450	17.72	4.34	0.17
1440H8M	1440H8M450	HTD 8M	180	1440	56.69	450	17.72	4.37	0.17
1480H8M	1480H8M450	HTD 8M	185	1480	58.27	450	17.72	4.49	0.18
1520H8M	1520H8M450	HTD 8M	190	1520	59.84	450	17.72	4.61	0.18
1552H8M	1552H8M450	HTD 8M	194	1552	61.10	450	17.72	4.71	0.19
1600H8M	1600H8M450	HTD 8M	200	1600	62.99	450	17.72	4.85	0.19
1680H8M	1680H8M450	HTD 8M	210	1680	66.14	450	17.72	5.10	0.20
1696H8M	1696H8M450	HTD 8M	212	1696	66.77	450	17.72	5.14	0.20
1728H8M	1728H8M450	HTD 8M	216	1728	68.03	450	17.72	5.24	0.21
1760H8M	1760H8M450	HTD 8M	220	1760	69.29	450	17.72	5.34	0.21
1800H8M	1800H8M450	HTD 8M	225	1800	70.87	450	17.72	5.46	0.21
1896H8M	1896H8M450	HTD 8M	237	1896	74.65	450	17.72	5.75	0.23
1904H8M	1904H8M450	HTD 8M	238	1904	74.96	450	17.72	5.77	0.23
1936H8M	1936H8M450	HTD 8M	242	1936	76.22	450	17.72	5.87	0.23
2000H8M	2000H8M450	HTD 8M	250	2000	78.74	450	17.72	6.07	0.24
2080H8M	2080H8M450	HTD 8M	260	2080	81.89	450	17.72	6.31	0.25
2104H8M	2104H8M450	HTD 8M	263	2104	82.83	450	17.72	6.38	0.25
2200H8M	2200H8M450	HTD 8M	275	2200	86.61	450	17.72	6.67	0.26
2240H8M	2240H8M450	HTD 8M	280	2240	88.19	450	17.72	6.79	0.27
2248H8M	2248H8M450	HTD 8M	281	2248	88.50	450	17.72	6.82	0.27
2272H8M	2272H8M450	HTD 8M	284	2272	89.45	450	17.72	6.89	0.27
2400H8M	2400H8M400	HTD 8M	300	2400	94.49	400	15.75	6.47	0.25
2504H8M	2504H8M400	HTD 8M	313	2504	98.58	400	15.75	6.75	0.27

HT Power metric - Sleeves Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths and pitches available on request

Reference code	DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Sleeve nominal width (mm)	Sleeve nominal width (in)	Sleeve nominal weight (kg)	Sleeve nominal weight (lb)
2600H8M	2600H8M400	HTD 8M	325	2600	102.36	400	15.75	7.01	0.28
2800H8M	2800H8M400	HTD 8M	350	2800	110.24	400	15.75	7.55	0.30
3048H8M	3048H8M400	HTD 8M	381	3048	120.00	400	15.75	8.22	0.32
3280H8M	3280H8M400	HTD 8M	410	3280	129.13	400	15.75	8.84	0.35
3600H8M	3600H8M400	HTD 8M	450	3600	141.73	400	15.75	9.71	0.38
3808H8M	3808H8M400	HTD 8M	476	3808	149.92	400	15.75	10.27	0.40
4400H8M	4400H8M400	HTD 8M	550	4400	173.23	400	15.75	11.86	0.47
924H14M	924H14M430	HTD 14M	66	924	36.38	430	16.93	4.30	0.17
966H14M	966H14M430	HTD 14M	69	966	38.03	430	16.93	4.49	0.18
1050H14M	1050H14M430	HTD 14M	75	1050	41.34	430	16.93	4.88	0.19
1092H14M	1092H14M430	HTD 14M	78	1092	42.99	430	16.93	5.08	0.20
1190H14M	1190H14M430	HTD 14M	85	1190	46.85	430	16.93	5.53	0.22
1344H14M	1344H14M430	HTD 14M	96	1344	52.91	430	16.93	6.25	0.25
1400H14M	1400H14M430	HTD 14M	100	1400	55.12	430	16.93	6.51	0.26
1456H14M	1456H14M430	HTD 14M	104	1456	57.32	430	16.93	6.77	0.27
1512H14M	1512H14M430	HTD 14M	108	1512	59.53	430	16.93	7.03	0.28
1540H14M	1540H14M430	HTD 14M	110	1540	60.63	430	16.93	7.16	0.28
1638H14M	1638H14M430	HTD 14M	117	1638	64.49	430	16.93	7.61	0.30
1680H14M	1680H14M430	HTD 14M	120	1680	66.14	430	16.93	7.81	0.31
1778H14M	1778H14M430	HTD 14M	127	1778	70.00	430	16.93	8.26	0.33
1890H14M	1890H14M430	HTD 14M	135	1890	74.41	430	16.93	8.79	0.35
2100H14M	2100H14M430	HTD 14M	150	2100	82.68	430	16.93	9.76	0.38
2310H14M	2310H14M430	HTD 14M	165	2310	90.94	430	16.93	10.74	0.42
2450H14M	2450H14M380	HTD 14M	175	2450	96.46	380	14.96	10.06	0.40
2590H14M	2590H14M380	HTD 14M	185	2590	101.97	380	14.96	10.64	0.42
2800H14M	2800H14M380	HTD 14M	200	2800	110.24	380	14.96	11.50	0.45
3150H14M	3150H14M380	HTD 14M	225	3150	124.02	380	14.96	12.94	0.51
3360H14M	3360H14M380	HTD 14M	240	3360	132.28	380	14.96	13.80	0.54
3500H14M	3500H14M380	HTD 14M	250	3500	137.80	380	14.96	14.38	0.57
3850H14M	3850H14M380	HTD 14M	275	3850	151.57	380	14.96	15.82	0.62
4004H14M	4004H14M380	HTD 14M	286	4004	157.64	380	14.96	16.45	0.65
4326H14M	4326H14M380	HTD 14M	309	4326	170.31	380	14.96	17.77	0.70
4578H14M	4578H14M380	HTD 14M	327	4578	180.24	380	14.96	18.81	0.74

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
180H5M9	HTD	36	180	7.09	9	0.35	0.007	0.015
225H5M9	HTD	45	225	8.86	9	0.35	0.008	0.018
240H5M9	HTD	48	240	9.45	9	0.35	0.009	0.019
255H5M9	HTD	51	255	10.04	9	0.35	0.009	0.021
260H5M9	HTD	52	260	10.24	9	0.35	0.010	0.021
265H5M9	HTD	53	265	10.43	9	0.35	0.010	0.021
270H5M9	HTD	54	270	10.63	9	0.35	0.010	0.022
275H5M9	HTD	55	275	10.83	9	0.35	0.010	0.022
280H5M9	HTD	56	280	11.02	9	0.35	0.010	0.023
285H5M9	HTD	57	285	11.22	9	0.35	0.010	0.023
295H5M9	HTD	59	295	11.61	9	0.35	0.011	0.024
300H5M9	HTD	60	300	11.81	9	0.35	0.011	0.024
305H5M9	HTD	61	305	12.01	9	0.35	0.011	0.025
310H5M9	HTD	62	310	12.20	9	0.35	0.011	0.025
320H5M9	HTD	64	320	12.60	9	0.35	0.012	0.026
325H5M9	HTD	65	325	12.80	9	0.35	0.012	0.026
330H5M9	HTD	66	330	12.99	9	0.35	0.012	0.027
335H5M9	HTD	67	335	13.19	9	0.35	0.012	0.027
340H5M9	HTD	68	340	13.39	9	0.35	0.012	0.027
345H5M9	HTD	69	345	13.58	9	0.35	0.013	0.028
350H5M9	HTD	70	350	13.78	9	0.35	0.013	0.028
360H5M9	HTD	72	360	14.17	9	0.35	0.013	0.029
365H5M9	HTD	73	365	14.37	9	0.35	0.013	0.029
370H5M9	HTD	74	370	14.57	9	0.35	0.014	0.030
375H5M9	HTD	75	375	14.76	9	0.35	0.014	0.030
385H5M9	HTD	77	385	15.16	9	0.35	0.014	0.031
390H5M9	HTD	78	390	15.35	9	0.35	0.014	0.031
400H5M9	HTD	80	400	15.75	9	0.35	0.015	0.032
405H5M9	HTD	81	405	15.94	9	0.35	0.015	0.033
415H5M9	HTD	83	415	16.34	9	0.35	0.015	0.034
420H5M9	HTD	84	420	16.54	9	0.35	0.015	0.034
425H5M9	HTD	85	425	16.73	9	0.35	0.016	0.034

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
450H5M9	HTD	90	450	17.72	9	0.35	0.016	0.036
460H5M9	HTD	92	460	18.11	9	0.35	0.017	0.037
475H5M9	HTD	95	475	18.70	9	0.35	0.017	0.038
480H5M9	HTD	96	480	18.90	9	0.35	0.018	0.039
490H5M9	HTD	98	490	19.29	9	0.35	0.018	0.040
495H5M9	HTD	99	495	19.49	9	0.35	0.018	0.040
500H5M9	HTD	100	500	19.69	9	0.35	0.018	0.040
520H5M9	HTD	104	520	20.47	9	0.35	0.019	0.042
525H5M9	HTD	105	525	20.67	9	0.35	0.019	0.042
535H5M9	HTD	107	535	21.06	9	0.35	0.020	0.043
540H5M9	HTD	108	540	21.26	9	0.35	0.020	0.044
550H5M9	HTD	110	550	21.65	9	0.35	0.020	0.044
560H5M9	HTD	112	560	22.05	9	0.35	0.021	0.045
565H5M9	HTD	113	565	22.24	9	0.35	0.021	0.046
575H5M9	HTD	115	575	22.64	9	0.35	0.021	0.046
580H5M9	HTD	116	580	22.83	9	0.35	0.021	0.047
585H5M9	HTD	117	585	23.03	9	0.35	0.021	0.047
600H5M9	HTD	120	600	23.62	9	0.35	0.022	0.048
610H5M9	HTD	122	610	24.02	9	0.35	0.022	0.049
615H5M9	HTD	123	615	24.21	9	0.35	0.023	0.050
620H5M9	HTD	124	620	24.41	9	0.35	0.023	0.050
625H5M9	HTD	125	625	24.61	9	0.35	0.023	0.050
630H5M9	HTD	126	630	24.80	9	0.35	0.023	0.051
635H5M9	HTD	127	635	25.00	9	0.35	0.023	0.051
640H5M9	HTD	128	640	25.20	9	0.35	0.023	0.052
645H5M9	HTD	129	645	25.39	9	0.35	0.024	0.052
650H5M9	HTD	130	650	25.59	9	0.35	0.024	0.052
655H5M9	HTD	131	655	25.79	9	0.35	0.024	0.053
665H5M9	HTD	133	665	26.18	9	0.35	0.024	0.054
670H5M9	HTD	134	670	26.38	9	0.35	0.025	0.054
680H5M9	HTD	136	680	26.77	9	0.35	0.025	0.055
695H5M9	HTD	139	695	27.36	9	0.35	0.025	0.056

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
700H5M9	HTD	140	700	27.56	9	0.35	0.026	0.057
710H5M9	HTD	142	710	27.95	9	0.35	0.026	0.057
720H5M9	HTD	144	720	28.35	9	0.35	0.026	0.058
740H5M9	HTD	148	740	29.13	9	0.35	0.027	0.060
745H5M9	HTD	149	745	29.33	9	0.35	0.027	0.060
750H5M9	HTD	150	750	29.53	9	0.35	0.027	0.061
755H5M9	HTD	151	755	29.72	9	0.35	0.028	0.061
765H5M9	HTD	153	765	30.12	9	0.35	0.028	0.062
770H5M9	HTD	154	770	30.31	9	0.35	0.028	0.062
775H5M9	HTD	155	775	30.51	9	0.35	0.028	0.063
790H5M9	HTD	158	790	31.10	9	0.35	0.029	0.064
800H5M9	HTD	160	800	31.50	9	0.35	0.029	0.065
810H5M9	HTD	162	810	31.89	9	0.35	0.030	0.065
825H5M9	HTD	165	825	32.48	9	0.35	0.030	0.067
830H5M9	HTD	166	830	32.68	9	0.35	0.030	0.067
835H5M9	HTD	167	835	32.87	9	0.35	0.031	0.067
840H5M9	HTD	168	840	33.07	9	0.35	0.031	0.068
845H5M9	HTD	169	845	33.27	9	0.35	0.031	0.068
850H5M9	HTD	170	850	33.46	9	0.35	0.031	0.069
860H5M9	HTD	172	860	33.86	9	0.35	0.032	0.069
870H5M9	HTD	174	870	34.25	9	0.35	0.032	0.070
890H5M9	HTD	178	890	35.04	9	0.35	0.033	0.072
900H5M9	HTD	180	900	35.43	9	0.35	0.033	0.073
920H5M9	HTD	184	920	36.22	9	0.35	0.034	0.074
925H5M9	HTD	185	925	36.42	9	0.35	0.034	0.075
935H5M9	HTD	187	935	36.81	9	0.35	0.034	0.076
940H5M9	HTD	188	940	37.01	9	0.35	0.034	0.076
950H5M9	HTD	190	950	37.40	9	0.35	0.035	0.077
960H5M9	HTD	192	960	37.80	9	0.35	0.035	0.078
975H5M9	HTD	195	975	38.39	9	0.35	0.036	0.079
980H5M9	HTD	196	980	38.58	9	0.35	0.036	0.079
1000H5M9	HTD	200	1000	39.37	9	0.35	0.037	0.081

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1025H5M9	HTD	205	1025	40.35	9	0.35	0.038	0.083
1035H5M9	HTD	207	1035	40.75	9	0.35	0.038	0.084
1050H5M9	HTD	210	1050	41.34	9	0.35	0.038	0.085
1080H5M9	HTD	216	1080	42.52	9	0.35	0.040	0.087
1100H5M9	HTD	220	1100	43.31	9	0.35	0.040	0.089
1115H5M9	HTD	223	1115	43.90	9	0.35	0.041	0.090
1125H5M9	HTD	225	1125	44.29	9	0.35	0.041	0.091
1135H5M9	HTD	227	1135	44.69	9	0.35	0.042	0.092
1175H5M9	HTD	235	1175	46.26	9	0.35	0.043	0.095
1195H5M9	HTD	239	1195	47.05	9	0.35	0.044	0.097
1200H5M9	HTD	240	1200	47.24	9	0.35	0.044	0.097
1225H5M9	HTD	245	1225	48.23	9	0.35	0.045	0.099
1250H5M9	HTD	250	1250	49.21	9	0.35	0.046	0.101
1270H5M9	HTD	254	1270	50.00	9	0.35	0.047	0.103
1300H5M9	HTD	260	1300	51.18	9	0.35	0.048	0.105
1350H5M9	HTD	270	1350	53.15	9	0.35	0.049	0.109
1400H5M9	HTD	280	1400	55.12	9	0.35	0.051	0.113
1420H5M9	HTD	284	1420	55.91	9	0.35	0.052	0.115
1500H5M9	HTD	300	1500	59.06	9	0.35	0.055	0.121
1575H5M9	HTD	315	1575	62.01	9	0.35	0.058	0.127
1595H5M9	HTD	319	1595	62.80	9	0.35	0.058	0.129
1690H5M9	HTD	338	1690	66.54	9	0.35	0.062	0.136
1790H5M9	HTD	358	1790	70.47	9	0.35	0.066	0.145
1800H5M9	HTD	360	1800	70.87	9	0.35	0.066	0.145
1870H5M9	HTD	374	1870	73.62	9	0.35	0.068	0.151
1895H5M9	HTD	379	1895	74.61	9	0.35	0.069	0.153
1945H5M9	HTD	389	1945	76.57	9	0.35	0.071	0.157
2000H5M9	HTD	400	2000	78.74	9	0.35	0.073	0.162
2100H5M9	HTD	420	2100	82.68	9	0.35	0.077	0.170
2250H5M9	HTD	450	2250	88.58	9	0.35	0.082	0.182
2350H5M9	HTD	470	2350	92.52	9	0.35	0.086	0.190
2525H5M9	HTD	505	2525	99.41	9	0.35	0.092	0.204

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
3800H5M9	HTD	760	3800	149.61	9	0.35	0.139	0.307
180H5M15	HTD	36	180	7.09	15	0.59	0.011	0.024
225H5M15	HTD	45	225	8.86	15	0.59	0.014	0.030
240H5M15	HTD	48	240	9.45	15	0.59	0.015	0.032
255H5M15	HTD	51	255	10.04	15	0.59	0.016	0.034
260H5M15	HTD	52	260	10.24	15	0.59	0.016	0.035
265H5M15	HTD	53	265	10.43	15	0.59	0.016	0.036
270H5M15	HTD	54	270	10.63	15	0.59	0.016	0.036
275H5M15	HTD	55	275	10.83	15	0.59	0.017	0.037
280H5M15	HTD	56	280	11.02	15	0.59	0.017	0.038
285H5M15	HTD	57	285	11.22	15	0.59	0.017	0.038
295H5M15	HTD	59	295	11.61	15	0.59	0.018	0.040
300H5M15	HTD	60	300	11.81	15	0.59	0.018	0.040
305H5M15	HTD	61	305	12.01	15	0.59	0.019	0.041
310H5M15	HTD	62	310	12.20	15	0.59	0.019	0.042
320H5M15	HTD	64	320	12.60	15	0.59	0.020	0.043
325H5M15	HTD	65	325	12.80	15	0.59	0.020	0.044
330H5M15	HTD	66	330	12.99	15	0.59	0.020	0.044
335H5M15	HTD	67	335	13.19	15	0.59	0.020	0.045
340H5M15	HTD	68	340	13.39	15	0.59	0.021	0.046
345H5M15	HTD	69	345	13.58	15	0.59	0.021	0.046
350H5M15	HTD	70	350	13.78	15	0.59	0.021	0.047
360H5M15	HTD	72	360	14.17	15	0.59	0.022	0.048
365H5M15	HTD	73	365	14.37	15	0.59	0.022	0.049
370H5M15	HTD	74	370	14.57	15	0.59	0.023	0.050
375H5M15	HTD	75	375	14.76	15	0.59	0.023	0.050
385H5M15	HTD	77	385	15.16	15	0.59	0.024	0.052
390H5M15	HTD	78	390	15.35	15	0.59	0.024	0.052
400H5M15	HTD	80	400	15.75	15	0.59	0.024	0.054
405H5M15	HTD	81	405	15.94	15	0.59	0.025	0.055
415H5M15	HTD	83	415	16.34	15	0.59	0.025	0.056
420H5M15	HTD	84	420	16.54	15	0.59	0.026	0.057

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
425H5M15	HTD	85	425	16.73	15	0.59	0.026	0.057
450H5M15	HTD	90	450	17.72	15	0.59	0.027	0.061
460H5M15	HTD	92	460	18.11	15	0.59	0.028	0.062
475H5M15	HTD	95	475	18.70	15	0.59	0.029	0.064
480H5M15	HTD	96	480	18.90	15	0.59	0.029	0.065
490H5M15	HTD	98	490	19.29	15	0.59	0.030	0.066
495H5M15	HTD	99	495	19.49	15	0.59	0.030	0.067
500H5M15	HTD	100	500	19.69	15	0.59	0.031	0.067
520H5M15	HTD	104	520	20.47	15	0.59	0.032	0.070
525H5M15	HTD	105	525	20.67	15	0.59	0.032	0.071
535H5M15	HTD	107	535	21.06	15	0.59	0.033	0.072
540H5M15	HTD	108	540	21.26	15	0.59	0.033	0.073
550H5M15	HTD	110	550	21.65	15	0.59	0.034	0.074
560H5M15	HTD	112	560	22.05	15	0.59	0.034	0.075
565H5M15	HTD	113	565	22.24	15	0.59	0.034	0.076
575H5M15	HTD	115	575	22.64	15	0.59	0.035	0.077
580H5M15	HTD	116	580	22.83	15	0.59	0.035	0.078
585H5M15	HTD	117	585	23.03	15	0.59	0.036	0.079
600H5M15	HTD	120	600	23.62	15	0.59	0.037	0.081
610H5M15	HTD	122	610	24.02	15	0.59	0.037	0.082
615H5M15	HTD	123	615	24.21	15	0.59	0.038	0.083
620H5M15	HTD	124	620	24.41	15	0.59	0.038	0.083
625H5M15	HTD	125	625	24.61	15	0.59	0.038	0.084
630H5M15	HTD	126	630	24.80	15	0.59	0.038	0.085
635H5M15	HTD	127	635	25.00	15	0.59	0.039	0.085
640H5M15	HTD	128	640	25.20	15	0.59	0.039	0.086
645H5M15	HTD	129	645	25.39	15	0.59	0.039	0.087
650H5M15	HTD	130	650	25.59	15	0.59	0.040	0.087
655H5M15	HTD	131	655	25.79	15	0.59	0.040	0.088
665H5M15	HTD	133	665	26.18	15	0.59	0.041	0.090
670H5M15	HTD	134	670	26.38	15	0.59	0.041	0.090
680H5M15	HTD	136	680	26.77	15	0.59	0.042	0.092

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
695H5M15	HTD	139	695	27.36	15	0.59	0.042	0.094
700H5M15	HTD	140	700	27.56	15	0.59	0.043	0.094
710H5M15	HTD	142	710	27.95	15	0.59	0.043	0.096
720H5M15	HTD	144	720	28.35	15	0.59	0.044	0.097
740H5M15	HTD	148	740	29.13	15	0.59	0.045	0.100
745H5M15	HTD	149	745	29.33	15	0.59	0.045	0.100
750H5M15	HTD	150	750	29.53	15	0.59	0.046	0.101
755H5M15	HTD	151	755	29.72	15	0.59	0.046	0.102
765H5M15	HTD	153	765	30.12	15	0.59	0.047	0.103
770H5M15	HTD	154	770	30.31	15	0.59	0.047	0.104
775H5M15	HTD	155	775	30.51	15	0.59	0.047	0.104
790H5M15	HTD	158	790	31.10	15	0.59	0.048	0.106
800H5M15	HTD	160	800	31.50	15	0.59	0.049	0.108
810H5M15	HTD	162	810	31.89	15	0.59	0.049	0.109
825H5M15	HTD	165	825	32.48	15	0.59	0.050	0.111
830H5M15	HTD	166	830	32.68	15	0.59	0.051	0.112
835H5M15	HTD	167	835	32.87	15	0.59	0.051	0.112
840H5M15	HTD	168	840	33.07	15	0.59	0.051	0.113
845H5M15	HTD	169	845	33.27	15	0.59	0.052	0.114
850H5M15	HTD	170	850	33.46	15	0.59	0.052	0.114
860H5M15	HTD	172	860	33.86	15	0.59	0.053	0.116
870H5M15	HTD	174	870	34.25	15	0.59	0.053	0.117
890H5M15	HTD	178	890	35.04	15	0.59	0.054	0.120
900H5M15	HTD	180	900	35.43	15	0.59	0.055	0.121
920H5M15	HTD	184	920	36.22	15	0.59	0.056	0.124
925H5M15	HTD	185	925	36.42	15	0.59	0.056	0.124
935H5M15	HTD	187	935	36.81	15	0.59	0.057	0.126
940H5M15	HTD	188	940	37.01	15	0.59	0.057	0.127
950H5M15	HTD	190	950	37.40	15	0.59	0.058	0.128
960H5M15	HTD	192	960	37.80	15	0.59	0.059	0.129
975H5M15	HTD	195	975	38.39	15	0.59	0.060	0.131
980H5M15	HTD	196	980	38.58	15	0.59	0.060	0.132

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1000H5M15	HTD	200	1000	39.37	15	0.59	0.061	0.135
1025H5M15	HTD	205	1025	40.35	15	0.59	0.063	0.138
1035H5M15	HTD	207	1035	40.75	15	0.59	0.063	0.139
1050H5M15	HTD	210	1050	41.34	15	0.59	0.064	0.141
1080H5M15	HTD	216	1080	42.52	15	0.59	0.066	0.145
1100H5M15	HTD	220	1100	43.31	15	0.59	0.067	0.148
1115H5M15	HTD	223	1115	43.90	15	0.59	0.068	0.150
1125H5M15	HTD	225	1125	44.29	15	0.59	0.069	0.151
1135H5M15	HTD	227	1135	44.69	15	0.59	0.069	0.153
1175H5M15	HTD	235	1175	46.26	15	0.59	0.072	0.158
1195H5M15	HTD	239	1195	47.05	15	0.59	0.073	0.161
1200H5M15	HTD	240	1200	47.24	15	0.59	0.073	0.162
1225H5M15	HTD	245	1225	48.23	15	0.59	0.075	0.165
1250H5M15	HTD	250	1250	49.21	15	0.59	0.076	0.168
1270H5M15	HTD	254	1270	50.00	15	0.59	0.078	0.171
1300H5M15	HTD	260	1300	51.18	15	0.59	0.079	0.175
1350H5M15	HTD	270	1350	53.15	15	0.59	0.082	0.182
1400H5M15	HTD	280	1400	55.12	15	0.59	0.085	0.188
1420H5M15	HTD	284	1420	55.91	15	0.59	0.087	0.191
1500H5M15	HTD	300	1500	59.06	15	0.59	0.092	0.202
1575H5M15	HTD	315	1575	62.01	15	0.59	0.096	0.212
1595H5M15	HTD	319	1595	62.80	15	0.59	0.097	0.215
1690H5M15	HTD	338	1690	66.54	15	0.59	0.103	0.227
1790H5M15	HTD	358	1790	70.47	15	0.59	0.109	0.241
1800H5M15	HTD	360	1800	70.87	15	0.59	0.110	0.242
1870H5M15	HTD	374	1870	73.62	15	0.59	0.114	0.252
1895H5M15	HTD	379	1895	74.61	15	0.59	0.116	0.255
1945H5M15	HTD	389	1945	76.57	15	0.59	0.119	0.262
2000H5M15	HTD	400	2000	78.74	15	0.59	0.122	0.269
2100H5M15	HTD	420	2100	82.68	15	0.59	0.128	0.283
2250H5M15	HTD	450	2250	88.58	15	0.59	0.137	0.303
2350H5M15	HTD	470	2350	92.52	15	0.59	0.143	0.316

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
2525H5M15	HTD	505	2525	99.41	15	0.59	0.154	0.340
3800H5M15	HTD	760	3800	149.61	15	0.59	0.232	0.511
180H5M25	HTD	36	180	7.09	25	0.98	0.018	0.040
225H5M25	HTD	45	225	8.86	25	0.98	0.023	0.050
240H5M25	HTD	48	240	9.45	25	0.98	0.024	0.054
255H5M25	HTD	51	255	10.04	25	0.98	0.026	0.057
260H5M25	HTD	52	260	10.24	25	0.98	0.026	0.058
265H5M25	HTD	53	265	10.43	25	0.98	0.027	0.059
270H5M25	HTD	54	270	10.63	25	0.98	0.027	0.061
275H5M25	HTD	55	275	10.83	25	0.98	0.028	0.062
280H5M25	HTD	56	280	11.02	25	0.98	0.028	0.063
285H5M25	HTD	57	285	11.22	25	0.98	0.029	0.064
295H5M25	HTD	59	295	11.61	25	0.98	0.030	0.066
300H5M25	HTD	60	300	11.81	25	0.98	0.031	0.067
305H5M25	HTD	61	305	12.01	25	0.98	0.031	0.068
310H5M25	HTD	62	310	12.20	25	0.98	0.032	0.070
320H5M25	HTD	64	320	12.60	25	0.98	0.033	0.072
325H5M25	HTD	65	325	12.80	25	0.98	0.033	0.073
330H5M25	HTD	66	330	12.99	25	0.98	0.034	0.074
335H5M25	HTD	67	335	13.19	25	0.98	0.034	0.075
340H5M25	HTD	68	340	13.39	25	0.98	0.035	0.076
345H5M25	HTD	69	345	13.58	25	0.98	0.035	0.077
350H5M25	HTD	70	350	13.78	25	0.98	0.036	0.079
360H5M25	HTD	72	360	14.17	25	0.98	0.037	0.081
365H5M25	HTD	73	365	14.37	25	0.98	0.037	0.082
370H5M25	HTD	74	370	14.57	25	0.98	0.038	0.083
375H5M25	HTD	75	375	14.76	25	0.98	0.038	0.084
385H5M25	HTD	77	385	15.16	25	0.98	0.039	0.086
390H5M25	HTD	78	390	15.35	25	0.98	0.040	0.087
400H5M25	HTD	80	400	15.75	25	0.98	0.041	0.090
405H5M25	HTD	81	405	15.94	25	0.98	0.041	0.091
415H5M25	HTD	83	415	16.34	25	0.98	0.042	0.093

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
420H5M25	HTD	84	420	16.54	25	0.98	0.043	0.094
425H5M25	HTD	85	425	16.73	25	0.98	0.043	0.095
450H5M25	HTD	90	450	17.72	25	0.98	0.046	0.101
460H5M25	HTD	92	460	18.11	25	0.98	0.047	0.103
475H5M25	HTD	95	475	18.70	25	0.98	0.048	0.107
480H5M25	HTD	96	480	18.90	25	0.98	0.049	0.108
490H5M25	HTD	98	490	19.29	25	0.98	0.050	0.110
495H5M25	HTD	99	495	19.49	25	0.98	0.050	0.111
500H5M25	HTD	100	500	19.69	25	0.98	0.051	0.112
520H5M25	HTD	104	520	20.47	25	0.98	0.053	0.117
525H5M25	HTD	105	525	20.67	25	0.98	0.053	0.118
535H5M25	HTD	107	535	21.06	25	0.98	0.054	0.120
540H5M25	HTD	108	540	21.26	25	0.98	0.055	0.121
550H5M25	HTD	110	550	21.65	25	0.98	0.056	0.123
560H5M25	HTD	112	560	22.05	25	0.98	0.057	0.126
565H5M25	HTD	113	565	22.24	25	0.98	0.057	0.127
575H5M25	HTD	115	575	22.64	25	0.98	0.059	0.129
580H5M25	HTD	116	580	22.83	25	0.98	0.059	0.130
585H5M25	HTD	117	585	23.03	25	0.98	0.060	0.131
600H5M25	HTD	120	600	23.62	25	0.98	0.061	0.135
610H5M25	HTD	122	610	24.02	25	0.98	0.062	0.137
615H5M25	HTD	123	615	24.21	25	0.98	0.063	0.138
620H5M25	HTD	124	620	24.41	25	0.98	0.063	0.139
625H5M25	HTD	125	625	24.61	25	0.98	0.064	0.140
630H5M25	HTD	126	630	24.80	25	0.98	0.064	0.141
635H5M25	HTD	127	635	25.00	25	0.98	0.065	0.142
640H5M25	HTD	128	640	25.20	25	0.98	0.065	0.144
645H5M25	HTD	129	645	25.39	25	0.98	0.066	0.145
650H5M25	HTD	130	650	25.59	25	0.98	0.066	0.146
655H5M25	HTD	131	655	25.79	25	0.98	0.067	0.147
665H5M25	HTD	133	665	26.18	25	0.98	0.068	0.149
670H5M25	HTD	134	670	26.38	25	0.98	0.068	0.150

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
680H5M25	HTD	136	680	26.77	25	0.98	0.069	0.153
695H5M25	HTD	139	695	27.36	25	0.98	0.071	0.156
700H5M25	HTD	140	700	27.56	25	0.98	0.071	0.157
710H5M25	HTD	142	710	27.95	25	0.98	0.072	0.159
720H5M25	HTD	144	720	28.35	25	0.98	0.073	0.162
740H5M25	HTD	148	740	29.13	25	0.98	0.075	0.166
745H5M25	HTD	149	745	29.33	25	0.98	0.076	0.167
750H5M25	HTD	150	750	29.53	25	0.98	0.076	0.168
755H5M25	HTD	151	755	29.72	25	0.98	0.077	0.169
765H5M25	HTD	153	765	30.12	25	0.98	0.078	0.172
770H5M25	HTD	154	770	30.31	25	0.98	0.078	0.173
775H5M25	HTD	155	775	30.51	25	0.98	0.079	0.174
790H5M25	HTD	158	790	31.10	25	0.98	0.080	0.177
800H5M25	HTD	160	800	31.50	25	0.98	0.081	0.179
810H5M25	HTD	162	810	31.89	25	0.98	0.082	0.182
825H5M25	HTD	165	825	32.48	25	0.98	0.084	0.185
830H5M25	HTD	166	830	32.68	25	0.98	0.084	0.186
835H5M25	HTD	167	835	32.87	25	0.98	0.085	0.187
840H5M25	HTD	168	840	33.07	25	0.98	0.085	0.188
845H5M25	HTD	169	845	33.27	25	0.98	0.086	0.190
850H5M25	HTD	170	850	33.46	25	0.98	0.086	0.191
860H5M25	HTD	172	860	33.86	25	0.98	0.088	0.193
870H5M25	HTD	174	870	34.25	25	0.98	0.089	0.195
890H5M25	HTD	178	890	35.04	25	0.98	0.091	0.200
900H5M25	HTD	180	900	35.43	25	0.98	0.092	0.202
920H5M25	HTD	184	920	36.22	25	0.98	0.094	0.206
925H5M25	HTD	185	925	36.42	25	0.98	0.094	0.207
935H5M25	HTD	187	935	36.81	25	0.98	0.095	0.210
940H5M25	HTD	188	940	37.01	25	0.98	0.096	0.211
950H5M25	HTD	190	950	37.40	25	0.98	0.097	0.213
960H5M25	HTD	192	960	37.80	25	0.98	0.098	0.215
975H5M25	HTD	195	975	38.39	25	0.98	0.099	0.219

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
980H5M25	HTD	196	980	38.58	25	0.98	0.100	0.220
1000H5M25	HTD	200	1000	39.37	25	0.98	0.102	0.224
1025H5M25	HTD	205	1025	40.35	25	0.98	0.104	0.230
1035H5M25	HTD	207	1035	40.75	25	0.98	0.105	0.232
1050H5M25	HTD	210	1050	41.34	25	0.98	0.107	0.236
1080H5M25	HTD	216	1080	42.52	25	0.98	0.110	0.242
1100H5M25	HTD	220	1100	43.31	25	0.98	0.112	0.247
1115H5M25	HTD	223	1115	43.90	25	0.98	0.113	0.250
1125H5M25	HTD	225	1125	44.29	25	0.98	0.114	0.252
1135H5M25	HTD	227	1135	44.69	25	0.98	0.115	0.255
1175H5M25	HTD	235	1175	46.26	25	0.98	0.120	0.264
1195H5M25	HTD	239	1195	47.05	25	0.98	0.122	0.268
1200H5M25	HTD	240	1200	47.24	25	0.98	0.122	0.269
1225H5M25	HTD	245	1225	48.23	25	0.98	0.125	0.275
1250H5M25	HTD	250	1250	49.21	25	0.98	0.127	0.280
1270H5M25	HTD	254	1270	50.00	25	0.98	0.129	0.285
1300H5M25	HTD	260	1300	51.18	25	0.98	0.132	0.292
1350H5M25	HTD	270	1350	53.15	25	0.98	0.137	0.303
1400H5M25	HTD	280	1400	55.12	25	0.98	0.142	0.314
1420H5M25	HTD	284	1420	55.91	25	0.98	0.144	0.319
1500H5M25	HTD	300	1500	59.06	25	0.98	0.153	0.336
1575H5M25	HTD	315	1575	62.01	25	0.98	0.160	0.353
1595H5M25	HTD	319	1595	62.80	25	0.98	0.162	0.358
1690H5M25	HTD	338	1690	66.54	25	0.98	0.172	0.379
1790H5M25	HTD	358	1790	70.47	25	0.98	0.182	0.402
1800H5M25	HTD	360	1800	70.87	25	0.98	0.183	0.404
1870H5M25	HTD	374	1870	73.62	25	0.98	0.190	0.419
1895H5M25	HTD	379	1895	74.61	25	0.98	0.193	0.425
1945H5M25	HTD	389	1945	76.57	25	0.98	0.198	0.436
2000H5M25	HTD	400	2000	78.74	25	0.98	0.204	0.449
2100H5M25	HTD	420	2100	82.68	25	0.98	0.214	0.471
2250H5M25	HTD	450	2250	88.58	25	0.98	0.229	0.505

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
2350H5M25	HTD	470	2350	92.52	25	0.98	0.239	0.527
2525H5M25	HTD	505	2525	99.41	25	0.98	0.257	0.566
3800H5M25	HTD	760	3800	149.61	25	0.98	0.387	0.852
320H8M20	HTD	40	320	12.60	20	0.79	0.043	0.095
352H8M20	HTD	44	352	13.86	20	0.79	0.047	0.105
376H8M20	HTD	47	376	14.80	20	0.79	0.051	0.112
384H8M20	HTD	48	384	15.12	20	0.79	0.052	0.114
400H8M20	HTD	50	400	15.75	20	0.79	0.054	0.119
416H8M20	HTD	52	416	16.38	20	0.79	0.056	0.124
424H8M20	HTD	53	424	16.69	20	0.79	0.057	0.126
480H8M20	HTD	60	480	18.90	20	0.79	0.065	0.143
512H8M20	HTD	64	512	20.16	20	0.79	0.069	0.152
520H8M20	HTD	65	520	20.47	20	0.79	0.070	0.155
536H8M20	HTD	67	536	21.10	20	0.79	0.072	0.159
560H8M20	HTD	70	560	22.05	20	0.79	0.075	0.166
576H8M20	HTD	72	576	22.68	20	0.79	0.078	0.171
584H8M20	HTD	73	584	22.99	20	0.79	0.079	0.174
600H8M20	HTD	75	600	23.62	20	0.79	0.081	0.178
608H8M20	HTD	76	608	23.94	20	0.79	0.082	0.181
624H8M20	HTD	78	624	24.57	20	0.79	0.084	0.185
632H8M20	HTD	79	632	24.88	20	0.79	0.085	0.188
640H8M20	HTD	80	640	25.20	20	0.79	0.086	0.190
656H8M20	HTD	82	656	25.83	20	0.79	0.088	0.195
672H8M20	HTD	84	672	26.46	20	0.79	0.091	0.200
680H8M20	HTD	85	680	26.77	20	0.79	0.092	0.202
688H8M20	HTD	86	688	27.09	20	0.79	0.093	0.204
712H8M20	HTD	89	712	28.03	20	0.79	0.096	0.212
720H8M20	HTD	90	720	28.35	20	0.79	0.097	0.214
760H8M20	HTD	95	760	29.92	20	0.79	0.102	0.226
776H8M20	HTD	97	776	30.55	20	0.79	0.105	0.231
784H8M20	HTD	98	784	30.87	20	0.79	0.106	0.233
792H8M20	HTD	99	792	31.18	20	0.79	0.107	0.235

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
800H8M20	HTD	100	800	31.50	20	0.79	0.108	0.238
824H8M20	HTD	103	824	32.44	20	0.79	0.111	0.245
840H8M20	HTD	105	840	33.07	20	0.79	0.113	0.250
848H8M20	HTD	106	848	33.39	20	0.79	0.114	0.252
856H8M20	HTD	107	856	33.70	20	0.79	0.115	0.254
880H8M20	HTD	110	880	34.65	20	0.79	0.119	0.262
896H8M20	HTD	112	896	35.28	20	0.79	0.121	0.266
912H8M20	HTD	114	912	35.91	20	0.79	0.123	0.271
920H8M20	HTD	115	920	36.22	20	0.79	0.124	0.273
936H8M20	HTD	117	936	36.85	20	0.79	0.126	0.278
960H8M20	HTD	120	960	37.80	20	0.79	0.129	0.285
968H8M20	HTD	121	968	38.11	20	0.79	0.130	0.288
976H8M20	HTD	122	976	38.43	20	0.79	0.132	0.290
1000H8M20	HTD	125	1000	39.37	20	0.79	0.135	0.297
1016H8M20	HTD	127	1016	40.00	20	0.79	0.137	0.302
1040H8M20	HTD	130	1040	40.94	20	0.79	0.140	0.309
1056H8M20	HTD	132	1056	41.57	20	0.79	0.142	0.314
1064H8M20	HTD	133	1064	41.89	20	0.79	0.143	0.316
1080H8M20	HTD	135	1080	42.52	20	0.79	0.146	0.321
1096H8M20	HTD	137	1096	43.15	20	0.79	0.148	0.326
1120H8M20	HTD	140	1120	44.09	20	0.79	0.151	0.333
1128H8M20	HTD	141	1128	44.41	20	0.79	0.152	0.335
1152H8M20	HTD	144	1152	45.35	20	0.79	0.155	0.342
1160H8M20	HTD	145	1160	45.67	20	0.79	0.156	0.345
1168H8M20	HTD	146	1168	45.98	20	0.79	0.157	0.347
1176H8M20	HTD	147	1176	46.30	20	0.79	0.159	0.349
1184H8M20	HTD	148	1184	46.61	20	0.79	0.160	0.352
1200H8M20	HTD	150	1200	47.24	20	0.79	0.162	0.357
1216H8M20	HTD	152	1216	47.87	20	0.79	0.164	0.361
1224H8M20	HTD	153	1224	48.19	20	0.79	0.165	0.364
1248H8M20	HTD	156	1248	49.13	20	0.79	0.168	0.371
1256H8M20	HTD	157	1256	49.45	20	0.79	0.169	0.373

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1264H8M20	HTD	158	1264	49.76	20	0.79	0.170	0.376
1280H8M20	HTD	160	1280	50.39	20	0.79	0.173	0.380
1296H8M20	HTD	162	1296	51.02	20	0.79	0.175	0.385
1304H8M20	HTD	163	1304	51.34	20	0.79	0.176	0.388
1320H8M20	HTD	165	1320	51.97	20	0.79	0.178	0.392
1328H8M20	HTD	166	1328	52.28	20	0.79	0.179	0.395
1344H8M20	HTD	168	1344	52.91	20	0.79	0.181	0.399
1360H8M20	HTD	170	1360	53.54	20	0.79	0.183	0.404
1392H8M20	HTD	174	1392	54.80	20	0.79	0.188	0.414
1400H8M20	HTD	175	1400	55.12	20	0.79	0.189	0.416
1424H8M20	HTD	178	1424	56.06	20	0.79	0.192	0.423
1432H8M20	HTD	179	1432	56.38	20	0.79	0.193	0.426
1440H8M20	HTD	180	1440	56.69	20	0.79	0.194	0.428
1480H8M20	HTD	185	1480	58.27	20	0.79	0.200	0.440
1520H8M20	HTD	190	1520	59.84	20	0.79	0.205	0.452
1552H8M20	HTD	194	1552	61.10	20	0.79	0.209	0.461
1600H8M20	HTD	200	1600	62.99	20	0.79	0.216	0.475
1680H8M20	HTD	210	1680	66.14	20	0.79	0.226	0.499
1696H8M20	HTD	212	1696	66.77	20	0.79	0.229	0.504
1728H8M20	HTD	216	1728	68.03	20	0.79	0.233	0.514
1760H8M20	HTD	220	1760	69.29	20	0.79	0.237	0.523
1800H8M20	HTD	225	1800	70.87	20	0.79	0.243	0.535
1896H8M20	HTD	237	1896	74.65	20	0.79	0.256	0.563
1904H8M20	HTD	238	1904	74.96	20	0.79	0.257	0.566
1936H8M20	HTD	242	1936	76.22	20	0.79	0.261	0.575
2000H8M20	HTD	250	2000	78.74	20	0.79	0.270	0.594
2080H8M20	HTD	260	2080	81.89	20	0.79	0.280	0.618
2104H8M20	HTD	263	2104	82.83	20	0.79	0.284	0.625
2200H8M20	HTD	275	2200	86.61	20	0.79	0.297	0.654
2240H8M20	HTD	280	2240	88.19	20	0.79	0.302	0.666
2248H8M20	HTD	281	2248	88.50	20	0.79	0.303	0.668
2272H8M20	HTD	284	2272	89.45	20	0.79	0.306	0.675

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
2400H8M20	HTD	300	2400	94.49	20	0.79	0.324	0.713
2504H8M20	HTD	313	2504	98.58	20	0.79	0.338	0.744
2600H8M20	HTD	325	2600	102.36	20	0.79	0.350	0.773
2800H8M20	HTD	350	2800	110.24	20	0.79	0.377	0.832
3048H8M20	HTD	381	3048	120.00	20	0.79	0.411	0.906
3280H8M20	HTD	410	3280	129.13	20	0.79	0.442	0.975
3600H8M20	HTD	450	3600	141.73	20	0.79	0.485	1.070
3808H8M20	HTD	476	3808	149.92	20	0.79	0.513	1.132
4400H8M20	HTD	550	4400	173.23	20	0.79	0.593	1.308
320H8M30	HTD	40	320	12.60	30	1.18	0.065	0.143
352H8M30	HTD	44	352	13.86	30	1.18	0.071	0.157
376H8M30	HTD	47	376	14.80	30	1.18	0.076	0.168
384H8M30	HTD	48	384	15.12	30	1.18	0.078	0.171
400H8M30	HTD	50	400	15.75	30	1.18	0.081	0.178
416H8M30	HTD	52	416	16.38	30	1.18	0.084	0.185
424H8M30	HTD	53	424	16.69	30	1.18	0.086	0.189
480H8M30	HTD	60	480	18.90	30	1.18	0.097	0.214
512H8M30	HTD	64	512	20.16	30	1.18	0.104	0.228
520H8M30	HTD	65	520	20.47	30	1.18	0.105	0.232
536H8M30	HTD	67	536	21.10	30	1.18	0.108	0.239
560H8M30	HTD	70	560	22.05	30	1.18	0.113	0.250
576H8M30	HTD	72	576	22.68	30	1.18	0.116	0.257
584H8M30	HTD	73	584	22.99	30	1.18	0.118	0.260
600H8M30	HTD	75	600	23.62	30	1.18	0.121	0.267
608H8M30	HTD	76	608	23.94	30	1.18	0.123	0.271
624H8M30	HTD	78	624	24.57	30	1.18	0.126	0.278
632H8M30	HTD	79	632	24.88	30	1.18	0.128	0.282
640H8M30	HTD	80	640	25.20	30	1.18	0.129	0.285
656H8M30	HTD	82	656	25.83	30	1.18	0.133	0.292
672H8M30	HTD	84	672	26.46	30	1.18	0.136	0.300
680H8M30	HTD	85	680	26.77	30	1.18	0.137	0.303
688H8M30	HTD	86	688	27.09	30	1.18	0.139	0.307

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
712H8M30	HTD	89	712	28.03	30	1.18	0.144	0.317
720H8M30	HTD	90	720	28.35	30	1.18	0.146	0.321
760H8M30	HTD	95	760	29.92	30	1.18	0.154	0.339
776H8M30	HTD	97	776	30.55	30	1.18	0.157	0.346
784H8M30	HTD	98	784	30.87	30	1.18	0.159	0.349
792H8M30	HTD	99	792	31.18	30	1.18	0.160	0.353
800H8M30	HTD	100	800	31.50	30	1.18	0.162	0.357
824H8M30	HTD	103	824	32.44	30	1.18	0.167	0.367
840H8M30	HTD	105	840	33.07	30	1.18	0.170	0.374
848H8M30	HTD	106	848	33.39	30	1.18	0.171	0.378
856H8M30	HTD	107	856	33.70	30	1.18	0.173	0.382
880H8M30	HTD	110	880	34.65	30	1.18	0.178	0.392
896H8M30	HTD	112	896	35.28	30	1.18	0.181	0.399
912H8M30	HTD	114	912	35.91	30	1.18	0.184	0.407
920H8M30	HTD	115	920	36.22	30	1.18	0.186	0.410
936H8M30	HTD	117	936	36.85	30	1.18	0.189	0.417
960H8M30	HTD	120	960	37.80	30	1.18	0.194	0.428
968H8M30	HTD	121	968	38.11	30	1.18	0.196	0.432
976H8M30	HTD	122	976	38.43	30	1.18	0.197	0.435
1000H8M30	HTD	125	1000	39.37	30	1.18	0.202	0.446
1016H8M30	HTD	127	1016	40.00	30	1.18	0.205	0.453
1040H8M30	HTD	130	1040	40.94	30	1.18	0.210	0.464
1056H8M30	HTD	132	1056	41.57	30	1.18	0.214	0.471
1064H8M30	HTD	133	1064	41.89	30	1.18	0.215	0.474
1080H8M30	HTD	135	1080	42.52	30	1.18	0.218	0.481
1096H8M30	HTD	137	1096	43.15	30	1.18	0.222	0.489
1120H8M30	HTD	140	1120	44.09	30	1.18	0.226	0.499
1128H8M30	HTD	141	1128	44.41	30	1.18	0.228	0.503
1152H8M30	HTD	144	1152	45.35	30	1.18	0.233	0.514
1160H8M30	HTD	145	1160	45.67	30	1.18	0.235	0.517
1168H8M30	HTD	146	1168	45.98	30	1.18	0.236	0.521
1176H8M30	HTD	147	1176	46.30	30	1.18	0.238	0.524

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1184H8M30	HTD	148	1184	46.61	30	1.18	0.239	0.528
1200H8M30	HTD	150	1200	47.24	30	1.18	0.243	0.535
1216H8M30	HTD	152	1216	47.87	30	1.18	0.246	0.542
1224H8M30	HTD	153	1224	48.19	30	1.18	0.247	0.546
1248H8M30	HTD	156	1248	49.13	30	1.18	0.252	0.556
1256H8M30	HTD	157	1256	49.45	30	1.18	0.254	0.560
1264H8M30	HTD	158	1264	49.76	30	1.18	0.256	0.563
1280H8M30	HTD	160	1280	50.39	30	1.18	0.259	0.571
1296H8M30	HTD	162	1296	51.02	30	1.18	0.262	0.578
1304H8M30	HTD	163	1304	51.34	30	1.18	0.264	0.581
1320H8M30	HTD	165	1320	51.97	30	1.18	0.267	0.588
1328H8M30	HTD	166	1328	52.28	30	1.18	0.269	0.592
1344H8M30	HTD	168	1344	52.91	30	1.18	0.272	0.599
1360H8M30	HTD	170	1360	53.54	30	1.18	0.275	0.606
1392H8M30	HTD	174	1392	54.80	30	1.18	0.281	0.621
1400H8M30	HTD	175	1400	55.12	30	1.18	0.283	0.624
1424H8M30	HTD	178	1424	56.06	30	1.18	0.288	0.635
1432H8M30	HTD	179	1432	56.38	30	1.18	0.290	0.638
1440H8M30	HTD	180	1440	56.69	30	1.18	0.291	0.642
1480H8M30	HTD	185	1480	58.27	30	1.18	0.299	0.660
1520H8M30	HTD	190	1520	59.84	30	1.18	0.307	0.678
1552H8M30	HTD	194	1552	61.10	30	1.18	0.314	0.692
1600H8M30	HTD	200	1600	62.99	30	1.18	0.324	0.713
1680H8M30	HTD	210	1680	66.14	30	1.18	0.340	0.749
1696H8M30	HTD	212	1696	66.77	30	1.18	0.343	0.756
1728H8M30	HTD	216	1728	68.03	30	1.18	0.349	0.770
1760H8M30	HTD	220	1760	69.29	30	1.18	0.356	0.785
1800H8M30	HTD	225	1800	70.87	30	1.18	0.364	0.802
1896H8M30	HTD	237	1896	74.65	30	1.18	0.383	0.845
1904H8M30	HTD	238	1904	74.96	30	1.18	0.385	0.849
1936H8M30	HTD	242	1936	76.22	30	1.18	0.391	0.863
2000H8M30	HTD	250	2000	78.74	30	1.18	0.404	0.892

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
2080H8M30	HTD	260	2080	81.89	30	1.18	0.421	0.927
2104H8M30	HTD	263	2104	82.83	30	1.18	0.425	0.938
2200H8M30	HTD	275	2200	86.61	30	1.18	0.445	0.981
2240H8M30	HTD	280	2240	88.19	30	1.18	0.453	0.999
2248H8M30	HTD	281	2248	88.50	30	1.18	0.455	1.002
2272H8M30	HTD	284	2272	89.45	30	1.18	0.459	1.013
2400H8M30	HTD	300	2400	94.49	30	1.18	0.485	1.070
2504H8M30	HTD	313	2504	98.58	30	1.18	0.506	1.116
2600H8M30	HTD	325	2600	102.36	30	1.18	0.526	1.159
2800H8M30	HTD	350	2800	110.24	30	1.18	0.566	1.248
3048H8M30	HTD	381	3048	120.00	30	1.18	0.616	1.359
3280H8M30	HTD	410	3280	129.13	30	1.18	0.663	1.462
3600H8M30	HTD	450	3600	141.73	30	1.18	0.728	1.605
3808H8M30	HTD	476	3808	149.92	30	1.18	0.770	1.698
4400H8M30	HTD	550	4400	173.23	30	1.18	0.890	1.961
320H8M50	HTD	40	320	12.60	50	1.97	0.108	0.238
352H8M50	HTD	44	352	13.86	50	1.97	0.119	0.262
376H8M50	HTD	47	376	14.80	50	1.97	0.127	0.279
384H8M50	HTD	48	384	15.12	50	1.97	0.129	0.285
400H8M50	HTD	50	400	15.75	50	1.97	0.135	0.297
416H8M50	HTD	52	416	16.38	50	1.97	0.140	0.309
424H8M50	HTD	53	424	16.69	50	1.97	0.143	0.315
480H8M50	HTD	60	480	18.90	50	1.97	0.162	0.357
512H8M50	HTD	64	512	20.16	50	1.97	0.173	0.380
520H8M50	HTD	65	520	20.47	50	1.97	0.175	0.386
536H8M50	HTD	67	536	21.10	50	1.97	0.181	0.398
560H8M50	HTD	70	560	22.05	50	1.97	0.189	0.416
576H8M50	HTD	72	576	22.68	50	1.97	0.194	0.428
584H8M50	HTD	73	584	22.99	50	1.97	0.197	0.434
600H8M50	HTD	75	600	23.62	50	1.97	0.202	0.446
608H8M50	HTD	76	608	23.94	50	1.97	0.205	0.452
624H8M50	HTD	78	624	24.57	50	1.97	0.210	0.464

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
632H8M50	HTD	79	632	24.88	50	1.97	0.213	0.470
640H8M50	HTD	80	640	25.20	50	1.97	0.216	0.475
656H8M50	HTD	82	656	25.83	50	1.97	0.221	0.487
672H8M50	HTD	84	672	26.46	50	1.97	0.226	0.499
680H8M50	HTD	85	680	26.77	50	1.97	0.229	0.505
688H8M50	HTD	86	688	27.09	50	1.97	0.232	0.511
712H8M50	HTD	89	712	28.03	50	1.97	0.240	0.529
720H8M50	HTD	90	720	28.35	50	1.97	0.243	0.535
760H8M50	HTD	95	760	29.92	50	1.97	0.256	0.565
776H8M50	HTD	97	776	30.55	50	1.97	0.262	0.577
784H8M50	HTD	98	784	30.87	50	1.97	0.264	0.582
792H8M50	HTD	99	792	31.18	50	1.97	0.267	0.588
800H8M50	HTD	100	800	31.50	50	1.97	0.270	0.594
824H8M50	HTD	103	824	32.44	50	1.97	0.278	0.612
840H8M50	HTD	105	840	33.07	50	1.97	0.283	0.624
848H8M50	HTD	106	848	33.39	50	1.97	0.286	0.630
856H8M50	HTD	107	856	33.70	50	1.97	0.288	0.636
880H8M50	HTD	110	880	34.65	50	1.97	0.297	0.654
896H8M50	HTD	112	896	35.28	50	1.97	0.302	0.666
912H8M50	HTD	114	912	35.91	50	1.97	0.307	0.678
920H8M50	HTD	115	920	36.22	50	1.97	0.310	0.684
936H8M50	HTD	117	936	36.85	50	1.97	0.315	0.695
960H8M50	HTD	120	960	37.80	50	1.97	0.324	0.713
968H8M50	HTD	121	968	38.11	50	1.97	0.326	0.719
976H8M50	HTD	122	976	38.43	50	1.97	0.329	0.725
1000H8M50	HTD	125	1000	39.37	50	1.97	0.337	0.743
1016H8M50	HTD	127	1016	40.00	50	1.97	0.342	0.755
1040H8M50	HTD	130	1040	40.94	50	1.97	0.350	0.773
1056H8M50	HTD	132	1056	41.57	50	1.97	0.356	0.785
1064H8M50	HTD	133	1064	41.89	50	1.97	0.359	0.791
1080H8M50	HTD	135	1080	42.52	50	1.97	0.364	0.802
1096H8M50	HTD	137	1096	43.15	50	1.97	0.369	0.814

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1120H8M50	HTD	140	1120	44.09	50	1.97	0.377	0.832
1128H8M50	HTD	141	1128	44.41	50	1.97	0.380	0.838
1152H8M50	HTD	144	1152	45.35	50	1.97	0.388	0.856
1160H8M50	HTD	145	1160	45.67	50	1.97	0.391	0.862
1168H8M50	HTD	146	1168	45.98	50	1.97	0.394	0.868
1176H8M50	HTD	147	1176	46.30	50	1.97	0.396	0.874
1184H8M50	HTD	148	1184	46.61	50	1.97	0.399	0.880
1200H8M50	HTD	150	1200	47.24	50	1.97	0.404	0.892
1216H8M50	HTD	152	1216	47.87	50	1.97	0.410	0.903
1224H8M50	HTD	153	1224	48.19	50	1.97	0.412	0.909
1248H8M50	HTD	156	1248	49.13	50	1.97	0.421	0.927
1256H8M50	HTD	157	1256	49.45	50	1.97	0.423	0.933
1264H8M50	HTD	158	1264	49.76	50	1.97	0.426	0.939
1280H8M50	HTD	160	1280	50.39	50	1.97	0.431	0.951
1296H8M50	HTD	162	1296	51.02	50	1.97	0.437	0.963
1304H8M50	HTD	163	1304	51.34	50	1.97	0.439	0.969
1320H8M50	HTD	165	1320	51.97	50	1.97	0.445	0.981
1328H8M50	HTD	166	1328	52.28	50	1.97	0.448	0.987
1344H8M50	HTD	168	1344	52.91	50	1.97	0.453	0.999
1360H8M50	HTD	170	1360	53.54	50	1.97	0.458	1.010
1392H8M50	HTD	174	1392	54.80	50	1.97	0.469	1.034
1400H8M50	HTD	175	1400	55.12	50	1.97	0.472	1.040
1424H8M50	HTD	178	1424	56.06	50	1.97	0.480	1.058
1432H8M50	HTD	179	1432	56.38	50	1.97	0.483	1.064
1440H8M50	HTD	180	1440	56.69	50	1.97	0.485	1.070
1480H8M50	HTD	185	1480	58.27	50	1.97	0.499	1.100
1520H8M50	HTD	190	1520	59.84	50	1.97	0.512	1.129
1552H8M50	HTD	194	1552	61.10	50	1.97	0.523	1.153
1600H8M50	HTD	200	1600	62.99	50	1.97	0.539	1.189
1680H8M50	HTD	210	1680	66.14	50	1.97	0.566	1.248
1696H8M50	HTD	212	1696	66.77	50	1.97	0.572	1.260
1728H8M50	HTD	216	1728	68.03	50	1.97	0.582	1.284

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1760H8M50	HTD	220	1760	69.29	50	1.97	0.593	1.308
1800H8M50	HTD	225	1800	70.87	50	1.97	0.607	1.337
1896H8M50	HTD	237	1896	74.65	50	1.97	0.639	1.409
1904H8M50	HTD	238	1904	74.96	50	1.97	0.642	1.415
1936H8M50	HTD	242	1936	76.22	50	1.97	0.652	1.438
2000H8M50	HTD	250	2000	78.74	50	1.97	0.674	1.486
2080H8M50	HTD	260	2080	81.89	50	1.97	0.701	1.545
2104H8M50	HTD	263	2104	82.83	50	1.97	0.709	1.563
2200H8M50	HTD	275	2200	86.61	50	1.97	0.741	1.635
2240H8M50	HTD	280	2240	88.19	50	1.97	0.755	1.664
2248H8M50	HTD	281	2248	88.50	50	1.97	0.758	1.670
2272H8M50	HTD	284	2272	89.45	50	1.97	0.766	1.688
2400H8M50	HTD	300	2400	94.49	50	1.97	0.809	1.783
2504H8M50	HTD	313	2504	98.58	50	1.97	0.844	1.860
2600H8M50	HTD	325	2600	102.36	50	1.97	0.876	1.932
2800H8M50	HTD	350	2800	110.24	50	1.97	0.944	2.080
3048H8M50	HTD	381	3048	120.00	50	1.97	1.027	2.265
3280H8M50	HTD	410	3280	129.13	50	1.97	1.105	2.437
3600H8M50	HTD	450	3600	141.73	50	1.97	1.213	2.675
3808H8M50	HTD	476	3808	149.92	50	1.97	1.283	2.829
4400H8M50	HTD	550	4400	173.23	50	1.97	1.483	3.269
320H8M85	HTD	40	320	12.60	85	3.35	0.183	0.404
352H8M85	HTD	44	352	13.86	85	3.35	0.202	0.445
376H8M85	HTD	47	376	14.80	85	3.35	0.215	0.475
384H8M85	HTD	48	384	15.12	85	3.35	0.220	0.485
400H8M85	HTD	50	400	15.75	85	3.35	0.229	0.505
416H8M85	HTD	52	416	16.38	85	3.35	0.238	0.525
424H8M85	HTD	53	424	16.69	85	3.35	0.243	0.536
480H8M85	HTD	60	480	18.90	85	3.35	0.275	0.606
512H8M85	HTD	64	512	20.16	85	3.35	0.293	0.647
520H8M85	HTD	65	520	20.47	85	3.35	0.298	0.657
536H8M85	HTD	67	536	21.10	85	3.35	0.307	0.677

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
560H8M85	HTD	70	560	22.05	85	3.35	0.321	0.707
576H8M85	HTD	72	576	22.68	85	3.35	0.330	0.728
584H8M85	HTD	73	584	22.99	85	3.35	0.335	0.738
600H8M85	HTD	75	600	23.62	85	3.35	0.344	0.758
608H8M85	HTD	76	608	23.94	85	3.35	0.348	0.768
624H8M85	HTD	78	624	24.57	85	3.35	0.357	0.788
632H8M85	HTD	79	632	24.88	85	3.35	0.362	0.798
640H8M85	HTD	80	640	25.20	85	3.35	0.367	0.808
656H8M85	HTD	82	656	25.83	85	3.35	0.376	0.829
672H8M85	HTD	84	672	26.46	85	3.35	0.385	0.849
680H8M85	HTD	85	680	26.77	85	3.35	0.390	0.859
688H8M85	HTD	86	688	27.09	85	3.35	0.394	0.869
712H8M85	HTD	89	712	28.03	85	3.35	0.408	0.899
720H8M85	HTD	90	720	28.35	85	3.35	0.412	0.909
760H8M85	HTD	95	760	29.92	85	3.35	0.435	0.960
776H8M85	HTD	97	776	30.55	85	3.35	0.445	0.980
784H8M85	HTD	98	784	30.87	85	3.35	0.449	0.990
792H8M85	HTD	99	792	31.18	85	3.35	0.454	1.000
800H8M85	HTD	100	800	31.50	85	3.35	0.458	1.010
824H8M85	HTD	103	824	32.44	85	3.35	0.472	1.041
840H8M85	HTD	105	840	33.07	85	3.35	0.481	1.061
848H8M85	HTD	106	848	33.39	85	3.35	0.486	1.071
856H8M85	HTD	107	856	33.70	85	3.35	0.490	1.081
880H8M85	HTD	110	880	34.65	85	3.35	0.504	1.111
896H8M85	HTD	112	896	35.28	85	3.35	0.513	1.132
912H8M85	HTD	114	912	35.91	85	3.35	0.522	1.152
920H8M85	HTD	115	920	36.22	85	3.35	0.527	1.162
936H8M85	HTD	117	936	36.85	85	3.35	0.536	1.182
960H8M85	HTD	120	960	37.80	85	3.35	0.550	1.213
968H8M85	HTD	121	968	38.11	85	3.35	0.555	1.223
976H8M85	HTD	122	976	38.43	85	3.35	0.559	1.233
1000H8M85	HTD	125	1000	39.37	85	3.35	0.573	1.263

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1016H8M85	HTD	127	1016	40.00	85	3.35	0.582	1.283
1040H8M85	HTD	130	1040	40.94	85	3.35	0.596	1.314
1056H8M85	HTD	132	1056	41.57	85	3.35	0.605	1.334
1064H8M85	HTD	133	1064	41.89	85	3.35	0.610	1.344
1080H8M85	HTD	135	1080	42.52	85	3.35	0.619	1.364
1096H8M85	HTD	137	1096	43.15	85	3.35	0.628	1.384
1120H8M85	HTD	140	1120	44.09	85	3.35	0.642	1.415
1128H8M85	HTD	141	1128	44.41	85	3.35	0.646	1.425
1152H8M85	HTD	144	1152	45.35	85	3.35	0.660	1.455
1160H8M85	HTD	145	1160	45.67	85	3.35	0.665	1.465
1168H8M85	HTD	146	1168	45.98	85	3.35	0.669	1.475
1176H8M85	HTD	147	1176	46.30	85	3.35	0.674	1.485
1184H8M85	HTD	148	1184	46.61	85	3.35	0.678	1.495
1200H8M85	HTD	150	1200	47.24	85	3.35	0.687	1.516
1216H8M85	HTD	152	1216	47.87	85	3.35	0.697	1.536
1224H8M85	HTD	153	1224	48.19	85	3.35	0.701	1.546
1248H8M85	HTD	156	1248	49.13	85	3.35	0.715	1.576
1256H8M85	HTD	157	1256	49.45	85	3.35	0.720	1.586
1264H8M85	HTD	158	1264	49.76	85	3.35	0.724	1.596
1280H8M85	HTD	160	1280	50.39	85	3.35	0.733	1.617
1296H8M85	HTD	162	1296	51.02	85	3.35	0.742	1.637
1304H8M85	HTD	163	1304	51.34	85	3.35	0.747	1.647
1320H8M85	HTD	165	1320	51.97	85	3.35	0.756	1.667
1328H8M85	HTD	166	1328	52.28	85	3.35	0.761	1.677
1344H8M85	HTD	168	1344	52.91	85	3.35	0.770	1.698
1360H8M85	HTD	170	1360	53.54	85	3.35	0.779	1.718
1392H8M85	HTD	174	1392	54.80	85	3.35	0.797	1.758
1400H8M85	HTD	175	1400	55.12	85	3.35	0.802	1.768
1424H8M85	HTD	178	1424	56.06	85	3.35	0.816	1.799
1432H8M85	HTD	179	1432	56.38	85	3.35	0.820	1.809
1440H8M85	HTD	180	1440	56.69	85	3.35	0.825	1.819
1480H8M85	HTD	185	1480	58.27	85	3.35	0.848	1.869

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1520H8M85	HTD	190	1520	59.84	85	3.35	0.871	1.920
1552H8M85	HTD	194	1552	61.10	85	3.35	0.889	1.960
1600H8M85	HTD	200	1600	62.99	85	3.35	0.917	2.021
1680H8M85	HTD	210	1680	66.14	85	3.35	0.962	2.122
1696H8M85	HTD	212	1696	66.77	85	3.35	0.972	2.142
1728H8M85	HTD	216	1728	68.03	85	3.35	0.990	2.183
1760H8M85	HTD	220	1760	69.29	85	3.35	1.008	2.223
1800H8M85	HTD	225	1800	70.87	85	3.35	1.031	2.273
1896H8M85	HTD	237	1896	74.65	85	3.35	1.086	2.395
1904H8M85	HTD	238	1904	74.96	85	3.35	1.091	2.405
1936H8M85	HTD	242	1936	76.22	85	3.35	1.109	2.445
2000H8M85	HTD	250	2000	78.74	85	3.35	1.146	2.526
2080H8M85	HTD	260	2080	81.89	85	3.35	1.192	2.627
2104H8M85	HTD	263	2104	82.83	85	3.35	1.205	2.657
2200H8M85	HTD	275	2200	86.61	85	3.35	1.260	2.779
2240H8M85	HTD	280	2240	88.19	85	3.35	1.283	2.829
2248H8M85	HTD	281	2248	88.50	85	3.35	1.288	2.839
2272H8M85	HTD	284	2272	89.45	85	3.35	1.302	2.870
2400H8M85	HTD	300	2400	94.49	85	3.35	1.375	3.031
2504H8M85	HTD	313	2504	98.58	85	3.35	1.435	3.163
2600H8M85	HTD	325	2600	102.36	85	3.35	1.490	3.284
2800H8M85	HTD	350	2800	110.24	85	3.35	1.604	3.536
3048H8M85	HTD	381	3048	120.00	85	3.35	1.746	3.850
3280H8M85	HTD	410	3280	129.13	85	3.35	1.879	4.143
3600H8M85	HTD	450	3600	141.73	85	3.35	2.062	4.547
3808H8M85	HTD	476	3808	149.92	85	3.35	2.182	4.810
4400H8M85	HTD	550	4400	173.23	85	3.35	2.521	5.557
924H14M40	HTD	66	924	36.38	40	1.57	0.400	0.881
966H14M40	HTD	69	966	38.03	40	1.57	0.418	0.921
1050H14M40	HTD	75	1050	41.34	40	1.57	0.454	1.001
1092H14M40	HTD	78	1092	42.99	40	1.57	0.472	1.041
1190H14M40	HTD	85	1190	46.85	40	1.57	0.515	1.134

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1344H14M40	HTD	96	1344	52.91	40	1.57	0.581	1.281
1400H14M40	HTD	100	1400	55.12	40	1.57	0.605	1.335
1456H14M40	HTD	104	1456	57.32	40	1.57	0.630	1.388
1512H14M40	HTD	108	1512	59.53	40	1.57	0.654	1.441
1540H14M40	HTD	110	1540	60.63	40	1.57	0.666	1.468
1638H14M40	HTD	117	1638	64.49	40	1.57	0.708	1.561
1680H14M40	HTD	120	1680	66.14	40	1.57	0.726	1.602
1778H14M40	HTD	127	1778	70.00	40	1.57	0.769	1.695
1890H14M40	HTD	135	1890	74.41	40	1.57	0.817	1.802
2100H14M40	HTD	150	2100	82.68	40	1.57	0.908	2.002
2310H14M40	HTD	165	2310	90.94	40	1.57	0.999	2.202
2450H14M40	HTD	175	2450	96.46	40	1.57	1.059	2.336
2590H14M40	HTD	185	2590	101.97	40	1.57	1.120	2.469
2800H14M40	HTD	200	2800	110.24	40	1.57	1.211	2.669
3150H14M40	HTD	225	3150	124.02	40	1.57	1.362	3.003
3360H14M40	HTD	240	3360	132.28	40	1.57	1.453	3.203
3500H14M40	HTD	250	3500	137.80	40	1.57	1.513	3.336
3850H14M40	HTD	275	3850	151.57	40	1.57	1.665	3.670
4004H14M40	HTD	286	4004	157.64	40	1.57	1.731	3.817
4326H14M40	HTD	309	4326	170.31	40	1.57	1.871	4.124
4578H14M40	HTD	327	4578	180.24	40	1.57	1.980	4.364
924H14M55	HTD	66	924	36.38	55	2.17	0.549	1.211
966H14M55	HTD	69	966	38.03	55	2.17	0.574	1.266
1050H14M55	HTD	75	1050	41.34	55	2.17	0.624	1.376
1092H14M55	HTD	78	1092	42.99	55	2.17	0.649	1.431
1190H14M55	HTD	85	1190	46.85	55	2.17	0.708	1.560
1344H14M55	HTD	96	1344	52.91	55	2.17	0.799	1.762
1400H14M55	HTD	100	1400	55.12	55	2.17	0.832	1.835
1456H14M55	HTD	104	1456	57.32	55	2.17	0.866	1.908
1512H14M55	HTD	108	1512	59.53	55	2.17	0.899	1.982
1540H14M55	HTD	110	1540	60.63	55	2.17	0.916	2.019
1638H14M55	HTD	117	1638	64.49	55	2.17	0.974	2.147

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
1680H14M55	HTD	120	1680	66.14	55	2.17	0.999	2.202
1778H14M55	HTD	127	1778	70.00	55	2.17	1.057	2.331
1890H14M55	HTD	135	1890	74.41	55	2.17	1.124	2.477
2100H14M55	HTD	150	2100	82.68	55	2.17	1.249	2.753
2310H14M55	HTD	165	2310	90.94	55	2.17	1.373	3.028
2450H14M55	HTD	175	2450	96.46	55	2.17	1.457	3.211
2590H14M55	HTD	185	2590	101.97	55	2.17	1.540	3.395
2800H14M55	HTD	200	2800	110.24	55	2.17	1.665	3.670
3150H14M55	HTD	225	3150	124.02	55	2.17	1.873	4.129
3360H14M55	HTD	240	3360	132.28	55	2.17	1.998	4.404
3500H14M55	HTD	250	3500	137.80	55	2.17	2.081	4.588
3850H14M55	HTD	275	3850	151.57	55	2.17	2.289	5.046
4004H14M55	HTD	286	4004	157.64	55	2.17	2.381	5.248
4326H14M55	HTD	309	4326	170.31	55	2.17	2.572	5.670
4578H14M55	HTD	327	4578	180.24	55	2.17	2.722	6.001
924H14M85	HTD	66	924	36.38	85	3.35	0.849	1.872
966H14M85	HTD	69	966	38.03	85	3.35	0.888	1.957
1050H14M85	HTD	75	1050	41.34	85	3.35	0.965	2.127
1092H14M85	HTD	78	1092	42.99	85	3.35	1.003	2.212
1190H14M85	HTD	85	1190	46.85	85	3.35	1.093	2.411
1344H14M85	HTD	96	1344	52.91	85	3.35	1.235	2.723
1400H14M85	HTD	100	1400	55.12	85	3.35	1.286	2.836
1456H14M85	HTD	104	1456	57.32	85	3.35	1.338	2.949
1512H14M85	HTD	108	1512	59.53	85	3.35	1.389	3.063
1540H14M85	HTD	110	1540	60.63	85	3.35	1.415	3.120
1638H14M85	HTD	117	1638	64.49	85	3.35	1.505	3.318
1680H14M85	HTD	120	1680	66.14	85	3.35	1.544	3.403
1778H14M85	HTD	127	1778	70.00	85	3.35	1.634	3.602
1890H14M85	HTD	135	1890	74.41	85	3.35	1.737	3.829
2100H14M85	HTD	150	2100	82.68	85	3.35	1.930	4.254
2310H14M85	HTD	165	2310	90.94	85	3.35	2.123	4.679
2450H14M85	HTD	175	2450	96.46	85	3.35	2.251	4.963

HT Power metric - Belts Size List





Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
2590H14M85	HTD	185	2590	101.97	85	3.35	2.380	5.247
2800H14M85	HTD	200	2800	110.24	85	3.35	2.573	5.672
3150H14M85	HTD	225	3150	124.02	85	3.35	2.894	6.381
3360H14M85	HTD	240	3360	132.28	85	3.35	3.087	6.806
3500H14M85	HTD	250	3500	137.80	85	3.35	3.216	7.090
3850H14M85	HTD	275	3850	151.57	85	3.35	3.538	7.799
4004H14M85	HTD	286	4004	157.64	85	3.35	3.679	8.111
4326H14M85	HTD	309	4326	170.31	85	3.35	3.975	8.763
4578H14M85	HTD	327	4578	180.24	85	3.35	4.206	9.274
924H14M115	HTD	66	924	36.38	115	4.53	1.149	2.532
966H14M115	HTD	69	966	38.03	115	4.53	1.201	2.647
1050H14M115	HTD	75	1050	41.34	115	4.53	1.305	2.878
1092H14M115	HTD	78	1092	42.99	115	4.53	1.358	2.993
1190H14M115	HTD	85	1190	46.85	115	4.53	1.479	3.261
1344H14M115	HTD	96	1344	52.91	115	4.53	1.671	3.683
1400H14M115	HTD	100	1400	55.12	115	4.53	1.740	3.837
1456H14M115	HTD	104	1456	57.32	115	4.53	1.810	3.990
1512H14M115	HTD	108	1512	59.53	115	4.53	1.880	4.144
1540H14M115	HTD	110	1540	60.63	115	4.53	1.914	4.221
1638H14M115	HTD	117	1638	64.49	115	4.53	2.036	4.489
1680H14M115	HTD	120	1680	66.14	115	4.53	2.088	4.604
1778H14M115	HTD	127	1778	70.00	115	4.53	2.210	4.873
1890H14M115	HTD	135	1890	74.41	115	4.53	2.350	5.180
2100H14M115	HTD	150	2100	82.68	115	4.53	2.611	5.755
2310H14M115	HTD	165	2310	90.94	115	4.53	2.872	6.331
2450H14M115	HTD	175	2450	96.46	115	4.53	3.046	6.715
2590H14M115	HTD	185	2590	101.97	115	4.53	3.220	7.098
2800H14M115	HTD	200	2800	110.24	115	4.53	3.481	7.674
3150H14M115	HTD	225	3150	124.02	115	4.53	3.916	8.633
3360H14M115	HTD	240	3360	132.28	115	4.53	4.177	9.209
3500H14M115	HTD	250	3500	137.80	115	4.53	4.351	9.592
3850H14M115	HTD	275	3850	151.57	115	4.53	4.786	10.552

HT Power metric - Belts Size List



Metric			
Tooth profile	P-Pitch (mm)	T-Tooth height (mm)	B-Belt height (mm)
HTD 5M	5	2.06	3.8
HTD 8M	8	3.38	6
HTD 14M	14	6.02	10

Imperial			
Tooth profile	P-Pitch (in)	T-Tooth height (in)	B-Belt height (in)
HTD 5M	0.197	0.081	0.15
HTD 8M	0.315	0.133	0.24
HTD 14M	0.551	0.237	0.39

Other lengths, widths and pitches available on request

DAYCO Part Nr	Tooth profile	Teeth number	Lp Pitch length (mm)	Lp Pitch length (in)	Belt width (mm)	Belt width (in)	Belt weight (kg)	Belt weight (lb)
4004H14M115	HTD	286	4004	157.64	115	4.53	4.978	10.974
4326H14M115	HTD	309	4326	170.31	115	4.53	5.378	11.856
4578H14M115	HTD	327	4578	180.24	115	4.53	5.691	12.547
924H14M170	HTD	66	924	36.38	170	6.69	1.698	3.744
966H14M170	HTD	69	966	38.03	170	6.69	1.775	3.914
1050H14M170	HTD	75	1050	41.34	170	6.69	1.930	4.254
1092H14M170	HTD	78	1092	42.99	170	6.69	2.007	4.424
1190H14M170	HTD	85	1190	46.85	170	6.69	2.187	4.821
1344H14M170	HTD	96	1344	52.91	170	6.69	2.470	5.445
1400H14M170	HTD	100	1400	55.12	170	6.69	2.573	5.672
1456H14M170	HTD	104	1456	57.32	170	6.69	2.676	5.899
1512H14M170	HTD	108	1512	59.53	170	6.69	2.779	6.126
1540H14M170	HTD	110	1540	60.63	170	6.69	2.830	6.239
1638H14M170	HTD	117	1638	64.49	170	6.69	3.010	6.636
1680H14M170	HTD	120	1680	66.14	170	6.69	3.087	6.806
1778H14M170	HTD	127	1778	70.00	170	6.69	3.267	7.203
1890H14M170	HTD	135	1890	74.41	170	6.69	3.473	7.657
2100H14M170	HTD	150	2100	82.68	170	6.69	3.859	8.508
2310H14M170	HTD	165	2310	90.94	170	6.69	4.245	9.359
2450H14M170	HTD	175	2450	96.46	170	6.69	4.502	9.926
2590H14M170	HTD	185	2590	101.97	170	6.69	4.760	10.493
2800H14M170	HTD	200	2800	110.24	170	6.69	5.146	11.344
3150H14M170	HTD	225	3150	124.02	170	6.69	5.789	12.762
3360H14M170	HTD	240	3360	132.28	170	6.69	6.175	13.613
3500H14M170	HTD	250	3500	137.80	170	6.69	6.432	14.180
3850H14M170	HTD	275	3850	151.57	170	6.69	7.075	15.598
4004H14M170	HTD	286	4004	157.64	170	6.69	7.358	16.222
4326H14M170	HTD	309	4326	170.31	170	6.69	7.950	17.527
4578H14M170	HTD	327	4578	180.24	170	6.69	8.413	18.547

PRODUCTS STORAGE-HANDLING CONDITIONS

- Possibly dry and cool environment
- Better no direct sunlight
- Prevent moisture contamination
- Avoid contamination with solvents or chemicals
- Ideal temperature for storage conditions is < 30 °C / 86 °F
- Continues high temperature (50 °C / 122 °F) might significantly reduce belt life
- Humidity is not significantly causing issues
- If properly stored belt shelf life is at least 5 years
- Do not crimp



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

